New Jersey Drug and Alcohol Abuse Treatment

2001 Annual Statistical Perspective

Division of Addiction Services Research and Information Systems



James E. McGreevey Governor



Clifton R. Lacy, M.D. Commissioner

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

Executive Summary

This is the annual summary of data reported on substance abuse treatment admissions in New Jersey for calendar year 2001. The Annual Statistical Perspective provides a record of substance abuse behavior, geographic distribution and socio-demographic characteristics of patients in the New Jersey treatment population. The source of data, as in prior years, is the New Jersey Alcohol and Drug Abuse Data System (ADADS). Drug abuse treatment agencies throughout the state submit reports on treatment admissions and discharges to the Division of Addiction Services for each treatment admission.

This report provides a substantial amount of quantitative information in a format that is consistent with previous reports. Year to year comparisons can be made with tables from years dating back to 1993 when this reporting format was introduced. Selected trends in admissions from 1992 to 2001 are also discussed, but the primary objective of the report is to provide detailed information about admissions in the subject year.

The report includes a narrative section that describes the treatment population and includes 28 charts and 30 tables. Detailed characteristics such as age, sex, race/ethnicity and county of residence of the treatment population are reported. Many attributes are tabulated by primary drug abused. Other social characteristics are reported, including marital status, living arrangements, employment status and legal status. Information on substance abuse behavior, including frequency of drug use, route of administration of drugs, age at admission and age at first use of primary drug, is also reported. Statistics on treatment admissions are tabulated at both the county and municipal levels.

Admissions Trends for 1992 Through 2001

Between 1992 and 2001, the number of New Jersey resident treatment admissions decreased by more than 11,000, from 66,789 to 55,295. Over the same period, the number of clinics reporting in the ADADS data collection system declined from 345 to 206.

Despite a decline in the number of admissions, the number of patients reporting heroin as their primary drug has grown substantially, increasing from 16,048 in 1992 to 26,812 in 2001. Heroin admissions with heroin as the primary drug increased by more than 2,000 from 24,236 admissions reported in 2000. Marijuana admissions also increased during this time period, rising from 2,573 in 1992 to 5,747 in 2001. Cocaine and alcohol admissions, however, declined substantially over the ten year period; cocaine admissions decreased from 12,878 to 5,611 while alcohol admissions decreased from 32,945 to 15,466.

Although the number of admissions reporting alcohol as their primary substance of abuse has declined, alcohol was reported as an abused substance in about 50% of all admissions. That is, alcohol was reported as the primary, secondary or tertiary drug abused in 2001. In 1999, 57% reported alcohol as a drug abused while more than two-thirds reported alcohol as a drug abused in 1992. Heroin was reported by 52% of admissions in 2001 and by about one-third of admissions in 1992. This was the first year that heroin was reported by a higher percentage of admissions than alcohol.

The number of admissions to hospital detoxification programs decreased dramatically between 1992 and 2001. There were 16,802 admissions to this treatment setting in 1992 and only 8,058 in 2001, a decrease of more than 50%. The decrease in admissions is due to the closure of hospital detoxification

units because these units were not a cost-effective use of medical-surgical beds. Few patients have health insurance that covers detoxification. Outpatient detoxification admissions have increased by about 30% from 1992 to 2001. The drop in hospital detoxification admissions accounts for 70% of the overall decrease in admissions over the ten-year period.

With respect to age distribution, the data show a sharp decrease in the number of patients in the 25 to 34 year age group. In 1992, there were 29,099 admissions in this age group, representing 44% of all treatment admissions. In 2001, admissions in this age group had decreased to 16,261 representing only 29% of all admissions – a decrease of about 13,000 admissions. The decrease in this age group alone is greater than the decrease for all New Jersey resident admissions, which was about 11,500 from 1992 to 2001.

Part of the explanation for the decrease in 25 to 34 year old admissions is the decrease in the size of this age group in the New Jersey population. The number of 25 to 34 year olds decreased statewide by about 10% between the 1990 and 2000 population censuses. Both older and younger age groups increased over the decade. This demographic trend, combined with the overall decline in treatment admissions, accounts for most of the drop in admissions among people in this age group.

Admissions of 18 to 24 year olds also decreased between 1992 and 2001, declining from 10,651 to 9,547 -- a 10% decline. In contrast, admissions for persons under 18 years old were about the same in 2001 at 2,633 as they were in 1992 at 2,683. Admissions to treatment for people in their forties and fifties increased from 1992 to 2001. This increase was also consistent with demographic trends in the general population, with the number of people in these age groups increasing in New Jersey during the comparable ten-year period. Moreover, the slight increase in admissions in the younger and older age groups offset the decline in total admissions between 1992 and 2001.

There were, however, more admissions reported in 1992 for persons 60 and older (1,202) than in 2001 (514).

Major findings of the 2001 report include:

Admission Rates

- 56,257 persons were admitted as primary patients to New Jersey substance abuse treatment agencies in 2000 55,295 of these patients were New Jersey residents.
- The statewide admission rate for both alcohol and drugs was 652 per 100,000 population. The rate for alcohol was 182 per 100,000, and for drugs other than alcohol, 469 per 100,000.

Socio-demographic Characteristics

- 70% of the 2001 treatment population was male and 30% female.
- The mean age of patients at admission was 34 -- 29% were between 25 and 34 years of age and 34% were between the ages of 35 and 44. About 5% were under age 18 and less than 3% were age 55 or older.

- The racial/ethnic composition of the treatment population was about 51% non-Hispanic white, 34% non-Hispanic black and 14% Hispanic.
- Only 27% of patients had a full-time job and 43% were unemployed.
- About 15% of patients were married and most (68%) were never married.
- About one-third (32%) of patients lived with one or both parents prior to treatment and 19% were living with children.
- Most patients had no health insurance (67% of men and 51% of women). Twenty-eight percent of female patients reported Medicaid coverage.

Drug Use Characteristics

- 48% of patients reported heroin as the primary drug abused, 28% reported alcohol, 10% reported cocaine, 10% reported marijuana and 3% reported "other" drugs.
- 52% of patients reported heroin as either their primary, secondary or tertiary drug of abuse.
- 50% of patients reported heroin as either their primary, secondary or tertiary drug of abuse.
- 67% of patients admitted with alcohol as the primary drug were white and 21% were black.
- 39% of patients admitted with drugs other than alcohol as the primary drug were black and 44% were white.
- Hispanic patients represented 10% of alcohol admissions and 15% of admissions for drugs other than alcohol.
- The mean age at first use of the primary drug was 20.3 years for all admissions (16.1 years for alcohol, 22.1 years for cocaine, 23.1 years for heroin and 14.6 years for marijuana).
- Most (67%) substance abusers used their primary drug daily and 14% reported weekly use.
- 90% of persons reporting heroin as their primary drug used it daily.
- 39% of heroin abusers reported injecting the drug.

Treatment Characteristics

- 57% of patients were entering outpatient treatment settings and 43% were entering residential treatment settings.
- 65% of patients reported prior treatment admissions 40% reported two or more prior admissions.

• 60% of patients had previously participated in self-help groups, such as AA and NA.

Geographic Characteristics

- 17% of all New Jersey treatment admissions were Essex County residents -- Essex had 26% of all heroin admissions.
- Newark, Jersey City and Paterson had the highest number of treatment admissions of all New Jersey municipalities.

Charles J. Crowley of the New Jersey Department of Health and Senior Services, Division of Addiction Services prepared this report. Please direct all questions and comments on this report to the Division of Addiction Services at (609) 292-8930.

List Of Figures

| | | Page |
|------------|--|------|
| Figure 1. | New Jersey Resident Substance Abuse Treatment Admissions: | |
| | 1992-2001 | 1 |
| Figure 2. | Number of Clinics Reporting: 1992 - 2001 | 2 |
| Figure 3. | Treatment Admissions by Primary Drug: 1992 - 2001 | 3 |
| Figure 4. | Treatment Admissions by Treatment Setting: 1992 - 2001 | 4 |
| Figure 5. | Substance Abuse Treatment Admissions by Age Group: 1992 - 2001 | 4 |
| Figure 6. | Primary Drug Abused | 5 |
| Figure 7. | Primary, Secondary or Tertiary Drug Abused | 6 |
| Figure 8. | Frequency of Drug Use in the Month Prior to Admission | |
| | by Primary Drug | 7 |
| Figure 9. | Sex of Client | 7 |
| Figure 10. | Age of Substance Abuse Patients at Admission to Treatment | 8 |
| Figure 11. | Ethnicity of Client for Alcohol as the Primary Drug | 9 |
| Figure 12. | Ethnicity of Client for Drugs other than Alcohol as the Primary Drug | 10 |
| Figure 13. | Marital Status by Primary Drug | 12 |
| Figure 14. | Marital Status by Ethnicity, Sex | 12 |
| Figure 15. | Living Arrangements by Sex | 13 |
| Figure 16. | Employment Status by Sex and Ethnicity | 14 |
| Figure 17. | Employment Status by Primary Drug | 15 |
| Figure 18. | Educational Attainment by Primary Drug | 16 |
| Figure 19. | Health Insurance Coverage for Substance Abuse Treatment | |
| | by Sex and Primary Drug | 17 |
| Figure 20. | Legal Status of Client by Primary Drug | 18 |
| Figure 21. | Patients in Residential Treatment Settings by Primary Drug | 19 |
| Figure 22. | Patients in Outpatient Treatment Setting by Primary Drug | 20 |
| Figure 23. | Patients by Referral Source | 21 |
| Figure 24. | Mean Age at First Use of Primary Drug by Sex and Ethnicity | 22 |
| Figure 25. | Number of Past Drug or Alcohol Treatment Episodes | 23 |
| Figure 26. | Mean Duration of Use of Primary Drug for First-time | |
| | Admissions by Sex | 24 |
| Figure 27. | Treatment Admissions by County of Residence and Primary Drug | 26 |
| Figure 28. | Rate of Treatment Admissions for Alcohol and Drugs other | |
| | than Alcohol by County | 27 |

List Of Tables

| | | Page |
|------------|--|------|
| Table 1. | Primary Patients by State of Residence, Age and Sex, 2001, Substance Abuse Treatment Admissions | 31 |
| Table 2. | County Share of Substance Abuse Admissions by County and | |
| | Primary Drug, 2001 NJ Resident Admissions | 32 |
| Table 3. | Substance Abuse Admissions by County and Primary Drug, 2001 NJ Resident Admissions | 33 |
| Table 4. | Substance Abuse Admission Rates by County of Residence and Primary Drug, 2001 NJ Resident Admissions | 34 |
| Table 5. | First Time Patients by County of Residence and Primary Drug, 2001 NJ Resident Admissions | 35 |
| Table 6. | Patients by In-County and Out-of-County Treatment, 2001 NJ Resident Admissions | 36 |
| Table 7. | New Jersey Municipalities with the Highest Number of Substance Abuse Treatment Admissions in 2001 | 38 |
| Table 8. | Mean Age at Admission by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 39 |
| Table 9. | Primary Drug Abused by Sex and Age Group, 2001 NJ Resident Admissions | 39 |
| Table 10. | Marital Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 42 |
| Table 11. | Living Arrangements by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 47 |
| Table 12. | Treatment Setting by Sex and Primary Drug, 2001 NJ Resident Admissions | 57 |
| Table 13. | Patients by Referral Source, Sex and Primary Drug, 2001 NJ Resident Admissions | 59 |
| Table 14. | Employment Status of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 60 |
| Table 15. | Educational Attainment of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 65 |
| Table 16. | Health Insurance Coverage for Substance Abuse Treatment by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 70 |
| Table 17. | Participation in Self-Help Groups by Ethnicity, Sex and Primary Drug, 2001 Resident Admissions | 75 |
| Table 18. | Legal Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 80 |
| Table 19a. | Primary Drug Abused, 2001 NJ Resident Admissions | 85 |
| Table 19b. | Secondary Drug Abused, 2001 NJ Resident Admissions | 85 |
| Table 19c. | Tertiary Drug Abused, 2001 NJ Resident Admissions | 85 |
| Table 19d. | Primary, Secondary or Tertiary Drug Abused, 2001 NJ Resident Admissions | 85 |

| | | Page |
|-----------|---|------|
| Table 20. | Primary Drug Abused by Secondary Drug Abused, 2001 | 0.5 |
| | NJ Resident Admissions | 86 |
| Table 21. | Primary Drug Abused by Tertiary Drug Abused, 2001 | |
| | NJ Resident Admissions | 86 |
| Table 22. | Frequency of Drug Use by Ethnicity, Sex and Primary Drug, 2001 | |
| | NJ Resident Admissions | 87 |
| Table 23. | Route of Administration of Primary Drug by Ethnicity, Sex and | |
| | Primary Drug, 2001 NJ Resident Admissions | 92 |
| Table 24. | Mean Age at First Use of Primary Drug by Ethnicity, Sex and | |
| | Primary Drug, 2001 NJ Resident Admissions | 97 |
| Table 25. | Mean Number of Past Treatment Episodes by Ethnicity, Sex | |
| | and Primary Drug, 2001 NJ Resident Admissions | 98 |
| Table 26. | Mean Duration of Use of Primary Drug among First-time Admissions | |
| | by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions | 99 |
| Table 27. | Substance Use in the Six Months Prior to Admission by Sex, 2001 | |
| | NJ Resident Admissions | 100 |
| Table 28. | Substance Use in the Six Months Prior to Admission by Ethnicity, | 100 |
| | 2001 NJ Resident Admissions | 101 |
| Table 29. | Patients by Age, Sex, Ethnicity, Primary Drug and County of Residence | 101 |
| | 2001 NJ Resident Admissions | 102 |
| | | 102 |
| Table 30. | Treatment Admissions by Municipality of Residence, Primary Drug | 1.46 |
| | and Age, 2001 | 146 |


New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

New Jersey Alcohol and Drug Abuse Treatment: 2001

This is the annual statistical summary of data reported on substance abuse treatment admissions in New Jersey. The current Annual Statistical Perspective provides a record of the substance abuse behavior, geographic distribution and socio-demographic characteristics of the patients who entered the New Jersey substance abuse treatment system in calendar year 2001.

As in previous years, the report provides a substantial amount of quantitative information in a format that is consistent with previous reports. Year to year comparisons are facilitated because the table structure is nearly identical for 1993 through 2001. In this report we also analyze selected admission trends in key characteristics of the treatment population for the 1992 - 2001 time period. The source of data as in prior years is the New Jersey Alcohol and Drug Abuse Data System (ADADS). Drug abuse treatment agencies throughout the state submit reports on treatment admissions and outcomes to the Division of Addiction Services for each treatment admission.

The report includes a narrative section that describes the treatment population and includes 28 charts. There are 30 tables, which provide detail on characteristics such as age, sex, race/ethnicity and county of residence. Many attributes are tabulated by primary drug abused. Other social characteristics, including marital status, living arrangements, employment status and legal status, are reported. Data on substance abuse behavior, including frequency of drug use, route of administration of drugs, age at admission and age at first use of primary drug, are shown in detail.




Admission Trends for 1992 through 2001

The number of New Jersey resident treatment admissions decreased by about 11,500, from 66,789 in 1992 to 55,253 in 2001 (see Figure 1). Over the same period, the number of clinics reporting in the ADADS data collection system has declined from 345 to 206, as shown in Figure 2.

While the number of admissions has declined, the number of admissions reporting heroin as the primary drug has increased from 16,048 in 1992 to 26,812 in 2001. Most of this growth in primary heroin admissions, shown in Figure 3, occurred between 1992 and 1994, with heroin admissions being nearly level throughout 1995 through 2000. There was a 10% increase in heroin admissions from 2000 to 2001. Primary marijuana admissions have also increased from 2,573 in 1992 to 5,747 in 2001. Primary cocaine and alcohol admissions have declined substantially over the ten year period; cocaine decreased from 12,878 to 5,611 while alcohol admissions decreased from 32,945 to 15,466.

Although alcohol has declined in the number of admissions reporting this type of substance abuse as the primary drug, it was reported as substance abused in 55% of admissions in 2000. In 2000, 52% reported alcohol abuse while more than two-thirds reported alcohol abuse in 1992. Heroin as a primary, secondary or tertiary drug was reported by 52% of admissions in 2001. It was the first time that heroin exceeded alcohol in the ten years of ADADS reporting. Heroin was reported as an abused drug by about one-third of admissions in 1992.




Reports of cocaine as a primary, secondary or tertiary drug have declined from about 45% of admissions in 1992 to 35% in 2001. Marijuana has increased from 22% of admissions in 1992 to 26% in 2001. The number of admissions for marijuana as the primary drug has more than doubled from 1992 through 2001, from 2,585 in 1992 to 5,841 in 2001.

because missing data on one or more of the items included in the specific tabulation will cause that admission to be excluded from the analysis.

¹ Some totals in this report differ from the total number of New Jersey resident admissions because missing data on one or more of the items included in the specific tabulation will ca


The number of admissions treated in a hospital detoxification setting has decreased dramatically from 1992 to 2001. There were 16,802 admissions to this treatment setting in 1992 and only 8,747 in 2001, almost a 50% decline. The decrease in admissions to this setting alone accounts for most of the overall decrease in admissions over the ten-year period. Figure 4 shows treatment admissions by treatment setting.




Age at Admission

The age composition of the treatment population shows a sharp decrease in the number of patients in the 25 to 34 year old age group. There were 29,099 admissions in this age group in 1992, or 44% of all admissions. In 2001, this age group had only 16,261 admissions, representing 29% of all admissions. The decrease in this age group alone is greater than the decrease for all admissions, about 12,000 from 1992 to 2001. Part of the explanation for the decrease in this age group is the decrease in the size of this age group in the New Jersey population from 1992 to 2000; there were 10% fewer people in this age group reported in the 2000 census. This demographic trend combined with the overall decline in treatment admissions accounts for most of the decrease in this age group. Admissions for the 18 to 24 year old group decreased from 10,651 to 9,547 (10%).

In the state as a whole, there was a decrease of about 7% for this age group between 1992 and 2000. The admissions in the other age groups shown in Figure 5, under 18 years and 35 and over grew slightly. These age groups also showed an increase in the state population over the nine-year period, which offset the decline in total admissions.






Substance Abuse Treatment Admissions in 2001

In 2001, the number of admissions of primary patients to substance abuse treatment facilities in New Jersey was 56,257. This is an increase from the 54,029 admissions reported in 2000. Nearly all, 98%, of the admissions (55,253) were New Jersey residents. Statistics reported in this document are based on these New Jersey resident admissions only. Out-of-state and those admissions with unknown residence accounted for about 2% of all admissions. Most out-of-state patients were from New York, Pennsylvania or Delaware.

The information provided was collected through the Alcohol and Drug Abuse Data System (ADADS). Individuals treated as co-dependents may be reported to ADADS but are not included in the statistics of this report. Some totals in this report differ from the total number of New Jersey resident admissions (55,253) because missing data on one or more of the items included in the specific tabulation will cause that admission to be excluded from the table.

This report discusses various substances of abuse in several ways. Alcohol is discussed as one category of substance abuse and drugs other than alcohol as a second category. In certain discussions, drugs other than alcohol are broken out into the following categories: heroin, cocaine, marijuana, and other drugs.



Heroin was the Primary Drug Abused by 48% of 2001 Treatment Admissions


ADADS records the primary drug abused for each admission to treatment as well as a second or third drug abused by the client. More than 48% of New Jersey residents admitted in 2001 reported that heroin was the primary drug abused, 28% reported alcohol, 10% cocaine, 10% marijuana and 3% some other drug. The percentage of patients reporting heroin as the primary drug was about 3% higher in 2001 than in 2000, while the percentage reporting alcohol was about 2% lower.

Poly-substance abuse was reported for many admissions. More than half (54%) of the admissions reported using at least 2 substances. Nineteen percent (19%) of patients reported using three substances.

In 2001, alcohol was reported as the primary, secondary or tertiary substance abused in 27,713 admissions reports, representing 50% of all admissions. Heroin was reported as the primary, secondary or tertiary drug of abuse for 52% of admissions, cocaine for 35% of admissions and marijuana for 26% of admissions. Cocaine and marijuana were more often reported as the


secondary, rather than the primary, drug abused. Other drugs were reported as primary, secondary or tertiary by about 11% of patients.

For those patients who reported cocaine as the secondary drug abused, 72% reported heroin as the primary drug and 23% reported alcohol as the primary drug. For those patients reporting heroin as the secondary drug, 48% reported alcohol and 36% reported cocaine as the primary drug. About half (48%) of those reporting marijuana as the secondary drug abused reported alcohol as the primary drug, while 20% reported primary heroin and 19% reported primary cocaine. Among those patients with alcohol as the secondary drug, 29% reported cocaine as the primary drug, 34% reported primary marijuana and 33% reported primary heroin.




A Majority of Patients Used Their Primary Drug Daily

Most substance abusers admitted for treatment used their primary drug every day in the month prior to admission. Sixty-seven percent (67%) used their primary drug daily and another 14% used the drug at least once per week. Daily usage ranged from 90% for heroin abusers to 39% for marijuana abusers (see Figure 8). About 47% of alcohol and 42% of cocaine patients reported daily consumption of their primary drug. Frequency of use varied by sex, with 71% of women and 65% of men reporting daily usage. Female patients reported higher daily use than males for each drug group except marijuana. Only about 14% of all patients reported no use of the primary drug in the month prior to admission.




70% of Treatment Patients were Male and 30% Female

Seven out of ten persons receiving substance abuse treatment in 2001 were male (see Figure 9), with 38,659 males and 16,126 females being admitted to treatment in 2001. The percentage distribution is about the same as in previous years. This distribution contrasts sharply with that found in the general state population, were there are more females (51.5%), than males (48.5%) according to the 2000 Census.



Most Patients were Young Adults

The mean age of patients at admission to treatment was about 34 years, with most (51%) patients being between the ages of 30 and 44 and 22% between the ages of 21 and 29 (see Figure 10). About 5% were under 18 years of age and about 3% were age 55 or older.



Black Patients were 39% of Drug Abusers and White Patients were 68% of Alcohol Abusers


According to the 2000 census, among those who reported one race, 72.6 % of New Jersey's population was white and 13.6% was black or African American. When individuals reporting more than one race are considered, the proportion of whites increases to 74.4% and the proportion of blacks, to 14.4%. The 2000 Census also reported that 13.3% was Hispanic or Latino.

Black patients (excluding black Hispanic admissions) accounted for 34% and Hispanic patients 14% of the total treatment population in 2001. About half (51%) of all patients were white, non-Hispanic. Hispanic admissions are about the same as the Hispanic share of the state's population in the year 2000, while black admissions are over twice the population share and white admissions are below the white representation in the total state population.

Among those patients reporting alcohol as their primary drug, white patients, (10,622) far outnumbered other racial/ethnic groups (see Figure 11). For patients reporting drugs other than alcohol as their primary drug, there were larger representations of black (15,610) and Hispanic, (6,211) patients (see Figure 12).

The mean age at admission for Hispanic patients (32.5 years) was about 1.5 years younger than for all patients (34.0 years). The mean age for black patients was 36.0 and for white patients, 33.0. The mean age at admission for females was 34.1 years and for males, 34.0.

Sex, ethnicity and age have substantial associations with substance abuse patterns and treatment. These differences are discussed throughout this report.



Characteristics of Alcohol Abusers


Among persons admitted for treatment with alcohol as the primary drug, about 75% were men and 25% were women. The mean age at admission was higher for alcohol admissions (37.3 years) than for all admissions (34.0 years). Fifty-eight percent (58%) of primary alcohol abusing patients were between ages 30 and 44. Among primary alcohol abusing patients, the mean age at admission for women was 37.5 years, and for men, 37.2.

Among persons admitted for alcohol abuse as the primary drug, 68% were white, about 21% were black, and 10% were Hispanic (see Figure 11). About 20% of Hispanic and 18% of black admissions reported alcohol as the primary drug abused. A much higher proportion (38%) of white admissions reported alcohol as their primary drug than did other ethnic groups.

Characteristics of Heroin Abusers

There was a higher proportion of women (34%) among those admitted to treatment for heroin abuse than for all drugs. Fifty-five percent of all women admitted to treatment in 2001 reported heroin as their primary drug. About 58% of heroin abuse patients were between 30 and 44 years of age at the time of admission. The mean age at admission for heroin abusers was 34.3 years (33.8 years for women and 34.6 years for men).

Black patients accounted for about 38% of all patients who identified heroin as their primary drug at admission. Fifty-four percent (54%) of all black admissions in 2001 were for treatment of primary heroin abuse. Forty-two percent (42%) of white admissions were for heroin as the primary drug, which was about 4% higher than the proportion admitted for alcohol as the primary drug. White patients represented 44% of heroin abuse admissions. While only 17% of all heroin admissions were Hispanic patients, 58% of the Hispanic admissions were for heroin abuse as the primary drug. Heroin abuse, then, was the primary substance problem for most black and Hispanic patients treated in 2001, while alcohol was the primary substance of abuse for most white patients.



Most heroin users treated in 2001 inhaled or snorted heroin (60%) while 39% injected the drug. There was substantial variation in route of administration among ethnic groups. Blacks were most likely to snort or inhale heroin (80% of users), while only 44% of white and 53% of Hispanic heroin users snorted or inhaled the drug. Injection was the route of administration for a majority of white heroin users (55%).

Characteristics of Cocaine Abusers

In 2001, there were 5,681 admissions reporting cocaine as the primary drug abused. About 65% of admissions for primary cocaine were men and 35% were women. The mean age at admission was 34.8 years for all primary cocaine patients (35.2 years for men and 34.0 years for women). About 53% of all primary cocaine admissions were for persons between the ages of 30 and 39.

About half (49%) of primary cocaine admissions were black, 38% were white and 12% were Hispanic. For white patients in 2001, only about 8% were treated for cocaine as the primary drug abused. Cocaine was the primary drug for 15% of black patients and about 9% of Hispanic patients.

Most (67%) patients who reported cocaine as their primary drug smoked the drug, with 31% reporting that they snorted or inhaled it. Approximately 80% of black primary cocaine users reported smoking as the route of administration compared to 57% of white users and 51% of Hispanic users. Seventy-four percent (74%) of female versus 62% of male cocaine users smoked the drug.

Characteristics of Marijuana Abusers


The most striking characteristic of persons admitted for primary marijuana abuse compared with other drugs is the age distribution. The mean age at admission for marijuana abusers was only 22.6 years. About 69% of these patients were under 25 years of age and 33% were under age 18. A substantially higher proportion of males (83%) than females (17%) was admitted for primary marijuana abuse. Forty-one percent (41%) of the admissions for primary marijuana were white, 42% were black and 15% were Hispanic.


Nearly all marijuana users smoked the drug as the route of administration.

Two-thirds of Substance Abuse Patients were Never Married

Only 15% of the persons admitted for substance abuse treatment in 2001 were married at the date of admission. The proportion married ranged from under 5% for patients admitted for marijuana abuse to about 27% for users in the "other" drug group. Figure 13 shows the marital status distributions by primary drug abused. About 14% of patients admitted to treatment for primary cocaine and 11% admitted for primary heroin were married. The younger age distribution of primary marijuana abusers is a partial explanation of the low proportion in this group who were married. At the same time, a very high proportion of persons receiving treatment were never married: 90% of marijuana abusers, 73% of heroin abusers, 65% of cocaine abusers and 53% of alcohol abusers.

An even smaller proportion of female substance abusers was married than male (13% of women and 15% of men). Marital status by client sex and ethnic group is shown in Figure 14. Black substance abusers were more likely to have never married (75%) than either white (63%) or Hispanic substance abusers (69%). Eighteen percent (18%) of white patients were married and about 19% were divorced or separated. Among Hispanic patients, 14% were married (9% of women and 15% of men). Similarly, a higher proportion of black men were married than black women (12% versus 8%). Seventy-five percent (75%) of black, 63% of white, and 69% of Hispanic women patients were never married.






One-third of Patients Lived with One or Both Parents

Over half of patients admitted to treatment were living in a home with family members: 32% lived with parents, 19% lived with children and 12% with a spouse. About 15% lived alone (see Figure 15).

There were substantial differences between male and female patients in living arrangements immediately before admission to treatment. About 31% of women and only 14% of men were living with children. About 34% of male and 28% of female patients reported living with one or both parents. The proportion that said they were living alone was 13% for women and 15% for men.




With respect to drug type, a very high percentage (55%) of marijuana users were living with one or both parents compared to only 25% of alcohol abusers, a difference partially reflecting the age distribution of these two groups. About 18% of primary heroin abusers were living with children -- 13% of male and 28% of female heroin admissions. The highest percentage of patients reporting living alone by primary drug type was for alcohol abusers (18%).

A higher proportion of black (35%) and Hispanic (35%) women patients reported living with children than did white women (28%) in 2001.

Most Patients were Unemployed or Not in the Labor Force

Only 27% of all New Jersey residents admitted for substance abuse treatment services in 2001 had full-time jobs. Most patients were unemployed (43%) or not in the labor force (25%) at the time of admission. The proportion of women patients who were employed full-time was much lower than for men (16% of women vs. 32% of men). (See Figure 16.)




About 41% of alcohol abusers were employed full-time and another 6% were employed part-time. This was more than double the proportion of heroin abusers who were either employed full-time (20%) or part-time (4%). More than half (55%) of heroin patients were unemployed.

Women were less likely to be employed full-time for all groups of primary drug users. Only 12% of female heroin abusers were employed full-time. A higher percentage of women than men (29% versus 23%) were not in the labor force, that is, not employed and not currently seeking work.

White substance abusers had the highest level of employment; with 41% reporting they worked full-time or part-time. Only 20% of black patients and 29% of Hispanic patients were employed full- or part-time at the time of admission to treatment.

Black women were less likely to be employed full-time or part-time, with only 12% employed, while 31% of white women had full-time or part-time jobs. The level of employment was also very low for Hispanic women at 17%.

Across primary drug categories, alcohol abusers in each ethnic group had higher levels of employment than other drug admission types. Half of white male alcohol abusers (52%) and Hispanic male alcohol abusers (51%) had full-time or part-time jobs while 30% of black male alcohol abusers worked full-time or part-time. In all ethnic groups, employment rates were substantially lower for cocaine, heroin or marijuana abusers than for alcohol abusers.




36% of Substance Abuse Patients Did Not Have a High School Diploma

While 13% of adult New Jersey respondents to the 2000 census reported that they had not completed high school, 36% of patients who entered substance abuse treatment in 2001 reported that they had not completed high school. About 4% of all patients were college graduates compared to 30% in the New Jersey population 25 years or older. Six percent of patients had only a grade school education (see Figure 18).

Among patients who reported marijuana as their primary drug of choice, 62% did not have a high school diploma. Thirty-one percent of marijuana admissions, however, were under 18 years of age in 2001. Primary alcohol abusers were more likely to have completed high school than users of other drugs, with only 27% of alcohol abusers not having a high school diploma compared with 35% of cocaine abusers and 37% of heroin abusers.

Differences between male and female patients in educational attainment were small for most substance abuse admissions -- 37% of male and 35% of female patients had not completed high school.

Hispanic patients had the lowest level of educational attainment of all ethnic groups. Only 43% of Hispanic patients had completed high school compared to 72% of white and 59% of black patients. About 16% of Hispanic patients had only a grade school education.




Most Patients had No Health Insurance Coverage

Figure 19 shows the health insurance coverage reported by persons admitted for substance abuse treatment in 2001. (A client could have more than one type of health insurance coverage.) By far, the most frequent response reported was no health insurance coverage, with 67% of men and 51% of women reporting no health insurance. The difference between men and women is partially explained by the greater percentage of women who were covered by Medicaid (28% of women versus 10% of men). About 3% of all patients had Blue Cross/Blue Shield health coverage and about 6% had some type of commercial insurance. About 5% of patients were members of an HMO and about 4% had some other form of health insurance.

Male heroin and cocaine abusers were least likely to have any type of health insurance -- 75% and 71%, respectively, reported no insurance. Alcohol, marijuana and other drug abusers reported having private health insurance coverage at a higher rate than heroin and cocaine abusers for both sexes. Thirty-two percent of female heroin abusers admitted in 2001 were covered under Medicaid, as were 14% of male heroin abusers.

Hispanic patients reported the highest proportion (72%) with no health coverage among all ethnic groups. Sixty-five percent (65%) of black patients and 57% of white patients had no coverage.



60% of Patients Participated in Self-Help Groups


A majority (60%) of persons admitted for substance abuse treatment in 2001 had previously participated in a self-help group, such as a 12-step program. Alcoholics Anonymous (AA) and Narcotics Anonymous (NA) were the most frequently mentioned groups, with 44% of patients reporting participation in AA and 49% reporting participation in NA. Since participation in one self-help group does not preclude participation in other groups, some patients (32%) reported participation in more than one group.

About 57% of patients who reported alcohol as their primary drug were participating in AA. A substantial number of cocaine (53%), heroin (38%), marijuana (30%) and other drug (42%) abusers were also in AA programs.

The percentage of patients participating in NA programs ranged from about 66% for cocaine abusers and 59% for heroin abusers to 26% of those reporting alcohol as the primary drug abused. A higher proportion of black patients participated in NA (51%) than in AA (39%), while the reverse was found for white admissions, with 51% reporting participation in AA and 46% in NA. Hispanic patients participated in these groups at a lower rate than other ethnic groups -- nearly half (47%) did not participate in a 12-step program.

More than half of all Patients had Legal Problems

Among substance abuse treatment patients admitted in the year 2001, more than half (51%) had some type of legal problem at the time of admission. The most prevalent legal problem was a probation sentence, with 22% of treatment patients reporting this legal status. A criminal case pending (9%) and DWI license suspensions (9%) and were the next most frequent responses.



Higher proportions of men (54%) than women (42%) reported legal problems. About the same proportion of men and women (9%) had criminal cases pending against them. About 22% of men and 16% of women were serving a probation sentence, while 7% of men and 2% of women were on parole (see Figure 21). DWI offenses were reported for 10% of men and 5% of women. A substantial number of women (12%) were under the supervision of the State Division of Youth and Family Services (DYFS) or the family court system. Only 2% of men were under DYFS or family court supervision.

About 28% of female cocaine abusers and 26% of female marijuana abusers were involved with DYFS or the family court, suggesting that the path to treatment may have been related to pregnancy or childcare services for many of these patients.


Twenty-six percent of all cocaine abusers and 46% of all marijuana abusers were serving probation sentences. Among patients admitted for alcohol abuse treatment, 24% had a DWI license suspension (17% of women and 27% of men).

About 53% of black patients reported no legal problems at the time of admission to treatment, while 48% of white patients and 51% of Hispanic patients reported no legal problems. For all three ethnic groups, substantially fewer women than men reported legal problems.

A relatively higher proportion of white patients reported DWI legal problems. Thirteen percent (13%) of all white patients had DWI problems while only 3% of blacks and 6% of Hispanics reported a DWI offense.


44% of Patients were treated in Residential Settings

Less than half of all patients, or 44% of all admissions, received residential treatment in 2001, while 57% received outpatient treatment services. The proportion in residential care was 42% in 2000. The share of residential versus outpatient treatment episodes has remained about relatively constant since 1997. Most of the inpatient treatment admissions were hospital detoxification or IMU patients (16% of all admissions), while sub-acute residential detox accounted for 9% of admissions. Patients are usually discharged from these settings in less than 7 days. Patients in short-term (less than 30 days) residential facilities constituted 10% of all admissions. Extended care, about 1%, and halfway house patients, less than 2%, had a smaller share of patients. Seven percent (7%) were in long-term residential or therapeutic community settings. Patients in residential treatment setting by primary drug abused are shown in Figure 21.



Only 33% of marijuana abusers and 41% of alcohol abusers were treated in a residential setting. About 47% of patients admitted for cocaine, heroin and other drugs as the primary drug were treated in residential settings.

About half of heroin abusers who received inpatient treatment received treatment in a hospital detox setting. An additional 23% of heroin patients received outpatient detoxification treatment and 20% were treated in outpatient methadone programs.




Forty-five percent (45%) of male admissions and 40% of female admissions received residential treatment services. Female heroin abusers were more likely than male heroin abusers to be treated in an outpatient detox setting (25% of females versus 22% of males) rather than in a hospital detox setting (21% of females and 26% of males). Nearly all of the admissions to outpatient detox and outpatient methadone treatment settings were admissions with heroin as the primary drug abused.

For alcohol abuse admissions, 11% received hospital detoxification services, 12% were treated in short-term residential settings and about 60% received one of several types of outpatient treatment.

Most Treatment Admissions were Self Referred

Figure 23 shows the referral sources for admissions in 2001. About 40% of all admissions were self-referred. Family or friend referrals comprised about 8% of all referrals, 21% were referred by criminal justice agencies and 5% by an Intoxicated Driver Resource Center or Intoxicated Driver Program (IDRC/IDP). Other social agencies referred 23% of the admissions.

Among alcohol abusers, about 35% of treatment referrals were from criminal justice agencies or IDRC/IDP. Another 29% of these admissions were referred from social agencies. Self-referrals or family/friend referrals accounted for 25% and 6% of referrals, respectively.



Social agency referrals were far more common for women than for men for all admissions (31% versus 20%). Proportionately fewer women were referred to treatment services by criminal justice agencies (10%) and IDRC/IDP (5%). The percentage of self-referrals was higher for female (43%) than for male (38%) treatment patients in 2001.


Among marijuana abusers, 67% of the males and 33% of the females were referred by criminal justice or police agencies. For female marijuana abusers, social agency referrals (48%) exceeded all other referral sources. Nineteen percent (19%) of male marijuana patients were referred by social agencies.

More than half of heroin admissions were self-referred (59%). Seventeen percent (17%) of heroin patients were referred by social agencies and 11% by family or friends. For cocaine admissions, 34% were referred by social agencies, 23% were self-referrals and 32% were criminal justice or police referrals. A higher proportion of male than female cocaine abuse patients was referred by criminal justice agencies (40% versus 18%). Like alcohol and other drugs, a much higher percentage of women (50%) than men (25%) was referred to treatment by social agencies for cocaine abuse.

The Mean Age at First Use of Primary Drug was 20.3 Years Old

The average age at admission for all New Jersey resident treatment admissions was 34.0 years in 2001. Patients had typically been using drugs for several years; the mean age of first use of the client's primary drug was 20.3 years for all New Jersey resident admissions.

Overall, the mean age at first use was 14.6 years for marijuana users, 16.1 years for alcohol users, 22.6 years for cocaine users, 23.1 years for heroin users and 26.3 years for other drug abusers. The mean age at first use of primary drug by drug type, ethnicity and sex is shown in Figure 24.



Female patients were, on average, more than two years older than male patients when they started using their primary drug (21.7 versus 19.7). Female patients in each drug group began using their primary drug at an older age than male patients. The age at first use difference between male and female patients exceeded 2 years only for the "other" drug group.


The mean age at first drug use was lowest for white patients at 19.5 years, while the mean for black patients was 21.7 years and for Hispanic patients, 20.0 years.

Two-thirds of Substance Abuse Treatment Admissions in 2000 had Prior Admissions

Only 35% of New Jersey residents admitted for drug or alcohol treatment in 2001 were first-time admissions (see Figure 25). Another 25% had only one previous treatment admission while about 16% had two, 10% had three and 5% had four previous treatment admissions. Almost 9% of patients had 5 or more previous treatment admissions.

The mean number of past treatment admissions was 1.7 for all patients. The means ranged from 2.2 for heroin admissions to 0.8 for marijuana admissions. There were only slight differences by sex across all primary drug groups. Overall, women had an average of 2.0 prior admissions and men had 1.6 prior admissions.

White patients had a slightly higher number of previous admissions, with a mean of 1.9, than did black (1.6) or Hispanic patients (1.5). White heroin abusers had a mean of 2.6 past treatment admissions, while black (1.9), and Hispanic (2.0) heroin abusers had fewer previous episodes.




For First-time Admissions, the Mean Duration of Use of Primary Drug was 14.4 Years

Among patients who had no previous episodes of substance abuse treatment, the mean number of years from age at first use of the primary drug to admission for treatment was 14.4 years. Alcohol abusers had the longest average duration of use at 19.2 years, while marijuana abusers had the shortest, at 7.9 years. Marijuana abusers are typically younger than other substance abusers, with a mean age at admission of 22.6 years. Alcohol abusers had a mean age at admission of 37.3 years.

Males admitted to treatment for the first time had used their primary drug an average of 1.4 years longer than female patients had (14.8 years of use versus 13.4 years). White patients had used their primary drug for an average of 14.6 years, while black patients had a mean duration of 14.7 years. Hispanic patients had a mean of 13.4 years. Ethnic group differences may be partially explained by the higher proportion of white patients who were treated for alcohol abuse. For all ethnic groups except other, female patients had a shorter duration of use prior to admission than males.

48% of Patients Used Alcohol in the Six Months Prior to Admission

Substance use in the six months prior to admission is shown by sex in Table 27 and by ethnic group in Table 28. More than one drug could be reported as used in the six months prior to admission, so the total number of mentions could exceed the number of patients. About half of patients entering substance abuse treatment in 2001 used heroin (49%) in the six months prior to entering treatment. Alcohol was the second most used drug, with 48% of patients admitted in 2001 reporting alcohol use in the six months prior to admission. Cocaine was used by 33% and marijuana was used by 24% of admissions. Benzodiazepine use was reported for 4% of all resident admissions.



A higher proportion of female patients (57%) reported using heroin in the six months prior to admission than did male patients (46%). Similarly, a higher proportion of females (41%) used cocaine than males (30%). Males reported using alcohol (50%) and marijuana (26%) more than their female counterparts (43% and 20%, respectively).

Alcohol use in the past six months ranged from 56% for white patients to 38% for Hispanic patients and 40% for black patients. Heroin use was highest among Hispanic patients in the six months prior to admission, at 58%. Fifty-four percent (54%) of black patients and 43% of white patients reported heroin use in the six months prior to admission. White patients accounted for most of the benzodiazepine mentions (82%); 6% of all white patients reported use while only 1% of black and 2% of Hispanic patients used these drugs.

About 17% of Patients Admitted in 2001 Lived in Essex County

Seventeen percent of all New Jersey resident treatment admissions resided in Essex County. Essex County residents accounted for 26% of all heroin admissions, 9% of all marijuana admissions and 11% of all cocaine admissions in 2001. Essex had a smaller share of the State's alcohol admissions (7%). In 2001, Essex County had 9.3% of New Jersey's total population according to the Census Bureau estimates. Figure 27 shows the number of treatment admissions in 2001 by county of residence and primary drug.

The rate of admissions for both alcohol and drugs per 100,000 population in 2001 was 652 statewide. In Essex, it was 1,156 for all drugs including alcohol, 1025 for drugs other than alcohol and only 131 for alcohol admissions. That is, many more treatment admissions in Essex were for drugs other than alcohol as the primary drug.

While Essex had both the highest number of admissions and the highest rate of admissions in 2001, other counties exceeded the statewide admission rate of 652 admissions per 100,000 population for all drugs by a substantial amount. Cape May County had the second highest admission rate, at 926; Atlantic County was third, at 859; and Warren County fourth, at 843.

Cape May County had the highest admission rate for alcohol as the primary drug, with 484 per 100,000 population, representing over 2 ½ times the state rate of 182. Warren County, at 348, had the next highest rate for alcohol admissions, followed by Cumberland County (312), and Salem County (306). Atlantic, Camden, Gloucester, Hunterdon, and Sussex counties had admission rates for alcohol greater than 225 per 100,000. Middlesex County (123), Essex County (131) and Union County (131) had the lowest rates of admissions for alcohol abuse as the primary drug in 2001. The treatment admission rates for New Jersey counties are shown in Figure 28.

Essex County had the highest number of admissions for all drugs (9,168) in 2001. Hudson County was second, at 4,604, and Monmouth was third, at 4,432 for all drugs. Seventy-eight percent (78%) of Hudson admissions were for drugs other than alcohol as the primary drug, while 69% of Monmouth admissions were for drugs other than alcohol. Essex, Union, Hudson and Passaic together accounted for 51% of the heroin admissions in 2001. Monmouth had the highest number of admissions of all counties for alcohol (1,380 or 9% of the state total), cocaine (668, 12%) and marijuana (684, 12%). Essex had the second highest number of residents who were cocaine admissions (632, 11%). Camden County had the most "other" drugs (189, 12%).


About 62% of Essex County admissions resided in the City of Newark (5,646 of 9,168). East Orange (1,102) and Irvington (711) were other Essex municipalities, which were among those with the highest number of substance abuse admissions.


Jersey City, which had the second highest number of admissions (2,801) of all municipalities, accounted for 61% of all Hudson County admissions.

Statewide, 63% of patients with alcohol as the primary drug received treatment in their county of residence, as did 57% of patients with drugs other than alcohol as the primary drug. Burlington (28%) and Gloucester (36%) residents were least likely to be treated in their home counties for alcohol abuse. Residents of Burlington (23%), Gloucester (34%) and Sussex (34%) counties had the lowest percentage of patients receiving in-county treatment for drugs other than alcohol.

About 80% of Hudson, Hunterdon, Bergen and Monmouth residents received in-county treatment for alcohol abuse as the primary drug. Monmouth (72%) and Hudson (69%) reported the highest percentage for in-county treatment for drugs other than alcohol.

Detailed tabulations by age, sex and ethnicity for each New Jersey county as well as other characteristics of treatment admissions are shown in the *ADADS Supplementary Tables*, 2001 section of this report.





New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

New Jersey Drug and Alcohol Abuse Treatment

2001

ADADS Supplementary Tables

Table Notes

The tables included in these *ADADS Supplementary Tables* provide detailed information on New Jersey substance abuse treatment admissions for the year 2001. ADADS (Alcohol and Drug Abuse Data System) is New Jersey's statewide management information system for drug and alcohol abuse treatment.

There are two types of patients that may be admitted through ADADS. Primary patients are individuals with an alcohol or drug abuse problem (or a combination of the two) who are accepted for treatment and for whom a treatment plan exists. Co-dependents are persons related to a primary alcohol or drug abuse client who receive services from a treatment provider, but are not primary alcohol or drug abuse patients. Only primary alcohol and drug abuse patients are included in the tables in this report.

With the exception of Table 1, the population base for each table is New Jersey resident treatment admissions for calendar year 2001. Table 1 reports all primary admissions including out of state admissions. The number of New Jersey resident treatment admissions was 53,087 in 2000; most tables have a lower total number of patients due to missing values on one or more variables included in the tabulation. Hispanic patients are reported as separate ethnic group in the tabulations. Black, white and other ethnic group tabulations do not include Hispanic patients.

New Jersey Department of Health and Senior Services, Division of Addiction Services, Research and Information Systems prepared these tables. For further information about ADADS or tabulations from ADADS, please contact Research and Information Systems at 609-292-8930.

Table 1.

Primary Clients by State of Residence, Age and Sex, 2001 NJ Substance Abuse Treatment Admissions

| | | | S | ex | | To | tal |
|--------------|-----------|-------|-------|-------|-------|-------|-------|
| Residence by | Age Group | Fem | ale | Ma | ıle | | |
| | | N | % | N | % | N | % |
| Residence | Juvenile | 2 | 0.3 | 7 | 0.3 | 9 | 0.3 |
| Unknown | Adults | 76 | 0.5 | 196 | 0.5 | 272 | 0.5 |
| | Total | 78 | 0.5 | 203 | 0.5 | 281 | 0.5 |
| New Jersey | Juvenile | 640 | 99.1 | 2039 | 99.0 | 2679 | 99.0 |
| | Adults | 15954 | 98.2 | 36620 | 98.2 | 52574 | 98.2 |
| | Total | 16594 | 98.2 | 38659 | 98.2 | 55253 | 98.2 |
| NJ,PA,DEL | Juvenile | 4 | 0.6 | 13 | 0.6 | 17 | 0.6 |
| | Adults | 216 | 1.3 | 490 | 1.3 | 706 | 1.3 |
| | Total | 220 | 1.3 | 503 | 1.3 | 723 | 1.3 |
| Total | Juvenile | 646 | 100.0 | 2059 | 100.0 | 2705 | 100.0 |
| | Adults | 16246 | 100.0 | 37306 | 100.0 | 53552 | 100.0 |
| | Total | 16892 | 100.0 | 39365 | 100.0 | 56257 | 100.0 |

Table 2.

County Share of Substance Abuse Admissions by County and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | Primary | Drug | | | | | To | tal |
|---------------------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| County of Residence | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| Atlantic | 736 | 4.8 | 190 | 3.4 | 863 | 3.2 | 298 | 5.2 | 107 | 6.4 | 2194 | 4.0 |
| Bergen | 1330 | 8.6 | 367 | 6.5 | 1014 | 3.8 | 247 | 4.3 | 119 | 7.2 | 3077 | 5.6 |
| Burlington | 738 | 4.8 | 238 | 4.2 | 506 | 1.9 | 165 | 2.9 | 62 | 3.7 | 1709 | 3.1 |
| Camden | 1245 | 8.0 | 491 | 8.8 | 1838 | 6.9 | 484 | 8.4 | 189 | 11.4 | 4247 | 7.7 |
| Cape May | 495 | 3.2 | 118 | 2.1 | 163 | 0.6 | 118 | 2.1 | 54 | 3.3 | 948 | 1.7 |
| Cumberland | 456 | 2.9 | 159 | 2.8 | 310 | 1.2 | 270 | 4.7 | 30 | 1.8 | 1225 | 2.2 |
| Essex | 1039 | 6.7 | 632 | 11.3 | 6871 | 25.6 | 533 | 9.3 | 93 | 5.6 | 9168 | 16.6 |
| Gloucester | 626 | 4.0 | 126 | 2.2 | 474 | 1.8 | 191 | 3.3 | 113 | 6.8 | 1530 | 2.8 |
| Hudson | 998 | 6.5 | 458 | 8.2 | 2600 | 9.7 | 447 | 7.8 | 101 | 6.1 | 4604 | 8.3 |
| Hunterdon | 365 | 2.4 | 48 | 0.9 | 205 | 0.8 | 108 | 1.9 | 40 | 2.4 | 766 | 1.4 |
| Mercer | 732 | 4.7 | 424 | 7.6 | 640 | 2.4 | 373 | 6.5 | 47 | 2.8 | 2216 | 4.0 |
| Middlesex | 930 | 6.0 | 305 | 5.4 | 1744 | 6.5 | 437 | 7.6 | 110 | 6.6 | 3526 | 6.4 |
| Monmouth | 1380 | 8.9 | 668 | 11.9 | 1557 | 5.8 | 684 | 11.9 | 143 | 8.6 | 4432 | 8.0 |
| Morris | 887 | 5.7 | 135 | 2.4 | 846 | 3.2 | 87 | 1.5 | 78 | 4.7 | 2033 | 3.7 |
| Ocean | 805 | 5.2 | 242 | 4.3 | 1421 | 5.3 | 233 | 4.1 | 114 | 6.9 | 2815 | 5.1 |
| Passaic | 706 | 4.6 | 416 | 7.4 | 2354 | 8.8 | 305 | 5.3 | 73 | 4.4 | 3854 | 7.0 |
| Salem | 197 | 1.3 | 49 | 0.9 | 86 | 0.3 | 131 | 2.3 | 17 | 1.0 | 480 | 0.9 |
| Somerset | 405 | 2.6 | 93 | 1.7 | 418 | 1.6 | 130 | 2.3 | 27 | 1.6 | 1073 | 1.9 |
| Sussex | 341 | 2.2 | 48 | 0.9 | 279 | 1.0 | 60 | 1.0 | 39 | 2.4 | 767 | 1.4 |
| Union | 687 | 4.4 | 333 | 5.9 | 2348 | 8.8 | 309 | 5.4 | 62 | 3.7 | 3739 | 6.8 |
| Warren | 368 | 2.4 | 71 | 1.3 | 275 | 1.0 | 137 | 2.4 | 41 | 2.5 | 892 | 1.6 |
| Total | 15466 | 100.0 | 5611 | 100.0 | 26812 | 100.0 | 5747 | 100.0 | 1659 | 100.0 | 55295 | 100.0 |

Table 3.
Substance Abuse Admissions by County and Primary Drug, 2001 NJ Resident Admissions

| | | | |] | Primary 1 | Drug | | | | | State | Total |
|---------------------|-------|------|------|------|-----------|------|-------|------|------|-----|-------|-------|
| County of Residence | Alco | hol | Coc | aine | Hero | oin | Marij | uana | Othe | ers | State | Total |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| Atlantic | 736 | 33.5 | 190 | 8.7 | 863 | 39.3 | 298 | 13.6 | 107 | 4.9 | 2194 | 100.0 |
| Bergen | 1330 | 43.2 | 367 | 11.9 | 1014 | 33.0 | 247 | 8.0 | 119 | 3.9 | 3077 | 100.0 |
| Burlington | 738 | 43.2 | 238 | 13.9 | 506 | 29.6 | 165 | 9.7 | 62 | 3.6 | 1709 | 100.0 |
| Camden | 1245 | 29.3 | 491 | 11.6 | 1838 | 43.3 | 484 | 11.4 | 189 | 4.5 | 4247 | 100.0 |
| Cape May | 495 | 52.2 | 118 | 12.4 | 163 | 17.2 | 118 | 12.4 | 54 | 5.7 | 948 | 100.0 |
| Cumberland | 456 | 37.2 | 159 | 13.0 | 310 | 25.3 | 270 | 22.0 | 30 | 2.4 | 1225 | 100.0 |
| Essex | 1039 | 11.3 | 632 | 6.9 | 6871 | 74.9 | 533 | 5.8 | 93 | 1.0 | 9168 | 100.0 |
| Gloucester | 626 | 40.9 | 126 | 8.2 | 474 | 31.0 | 191 | 12.5 | 113 | 7.4 | 1530 | 100.0 |
| Hudson | 998 | 21.7 | 458 | 9.9 | 2600 | 56.5 | 447 | 9.7 | 101 | 2.2 | 4604 | 100.0 |
| Hunterdon | 365 | 47.7 | 48 | 6.3 | 205 | 26.8 | 108 | 14.1 | 40 | 5.2 | 766 | 100.0 |
| Mercer | 732 | 33.0 | 424 | 19.1 | 640 | 28.9 | 373 | 16.8 | 47 | 2.1 | 2216 | 100.0 |
| Middlesex | 930 | 26.4 | 305 | 8.7 | 1744 | 49.5 | 437 | 12.4 | 110 | 3.1 | 3526 | 100.0 |
| Monmouth | 1380 | 31.1 | 668 | 15.1 | 1557 | 35.1 | 684 | 15.4 | 143 | 3.2 | 4432 | 100.0 |
| Morris | 887 | 43.6 | 135 | 6.6 | 846 | 41.6 | 87 | 4.3 | 78 | 3.8 | 2033 | 100.0 |
| Ocean | 805 | 28.6 | 242 | 8.6 | 1421 | 50.5 | 233 | 8.3 | 114 | 4.0 | 2815 | 100.0 |
| Passaic | 706 | 18.3 | 416 | 10.8 | 2354 | 61.1 | 305 | 7.9 | 73 | 1.9 | 3854 | 100.0 |
| Salem | 197 | 41.0 | 49 | 10.2 | 86 | 17.9 | 131 | 27.3 | 17 | 3.5 | 480 | 100.0 |
| Somerset | 405 | 37.7 | 93 | 8.7 | 418 | 39.0 | 130 | 12.1 | 27 | 2.5 | 1073 | 100.0 |
| Sussex | 341 | 44.5 | 48 | 6.3 | 279 | 36.4 | 60 | 7.8 | 39 | 5.1 | 767 | 100.0 |
| Union | 687 | 18.4 | 333 | 8.9 | 2348 | 62.8 | 309 | 8.3 | 62 | 1.7 | 3739 | 100.0 |
| Warren | 368 | 41.3 | 71 | 8.0 | 275 | 30.8 | 137 | 15.4 | 41 | 4.6 | 892 | 100.0 |
| State Total | 15466 | 28.0 | 5611 | 10.1 | 26812 | 48.5 | 5747 | 10.4 | 1659 | 3.0 | 55295 | 100.0 |

Table 4.
Substance Abuse Admission Rates by County of Residence and Primary Drug, 2001
Admissions

| | Pri | nary Dru | ıg | County | Per 100 | ,000 Popi | ılation |
|---------------------|---------|----------|-------|-----------------|---------|-----------|---------|
| County of Residence | Alcohol | Drugs | Total | Population 2001 | Alcohol | Drugs | Total |
| | N | N | N | | Rate | Rate | Rate |
| Atlantic | 736 | 1458 | 2194 | 255,479 | 288.1 | 570.7 | 858.8 |
| Bergen | 1330 | 1747 | 3077 | 886,680 | 150.0 | 197.0 | 347.0 |
| Burlington | 738 | 971 | 1709 | 432,121 | 170.8 | 224.7 | 395.5 |
| Camden | 1245 | 3002 | 4247 | 509,350 | 244.4 | 589.4 | 833.8 |
| Cape May | 495 | 453 | 948 | 102,352 | 483.6 | 442.6 | 926.2 |
| Cumberland | 456 | 769 | 1225 | 146,289 | 311.7 | 525.7 | 837.4 |
| Essex | 1039 | 8129 | 9168 | 793,133 | 131.0 | 1024.9 | 1155.9 |
| Gloucester | 626 | 904 | 1530 | 259,347 | 241.4 | 348.6 | 589.9 |
| Hudson | 998 | 3606 | 4604 | 607,554 | 164.3 | 593.5 | 757.8 |
| Hunterdon | 365 | 401 | 766 | 125,135 | 291.7 | 320.5 | 612.1 |
| Mercer | 732 | 1484 | 2216 | 353,529 | 207.1 | 419.8 | 626.8 |
| Middlesex | 930 | 2596 | 3526 | 757,191 | 122.8 | 342.8 | 465.7 |
| Monmouth | 1380 | 3052 | 4432 | 622,977 | 221.5 | 489.9 | 711.4 |
| Morris | 887 | 1146 | 2033 | 472,859 | 187.6 | 242.4 | 429.9 |
| Ocean | 805 | 2010 | 2815 | 527,207 | 152.7 | 381.3 | 533.9 |
| Passaic | 706 | 3148 | 3854 | 491,077 | 143.8 | 641.0 | 784.8 |
| Salem | 197 | 283 | 480 | 64,364 | 306.1 | 439.7 | 745.8 |
| Somerset | 405 | 668 | 1073 | 301,955 | 134.1 | 221.2 | 355.4 |
| Sussex | 341 | 426 | 767 | 146,671 | 232.5 | 290.4 | 522.9 |
| Union | 687 | 3052 | 3739 | 523,396 | 131.3 | 583.1 | 714.4 |
| Warren | 368 | 524 | 892 | 105,765 | 347.9 | 495.4 | 843.4 |
| Total | 15466 | 39829 | 55295 | 8,484,431 | 182.3 | 469.4 | 651.7 |

Table 5.
First Time Clients By County of Residence and Primary Drug, 2001 NJ Resident Admissions

| | | | | | Primary | y Drug | | | | | State ' | Total |
|---------------------|------|-------|------|-------|---------|--------|------|-------|-----|-------|---------|-------|
| County of Residence | Alc | ohol | Coc | aine | Hei | roin | Mari | juana | Ot | hers | State | Total |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| Atlantic | 312 | 4.3 | 73 | 3.7 | 177 | 2.7 | 190 | 5.8 | 46 | 6.8 | 798 | 4.0 |
| Bergen | 645 | 9.0 | 148 | 7.6 | 258 | 3.9 | 181 | 5.5 | 57 | 8.4 | 1289 | 6.5 |
| Burlington | 346 | 4.8 | 88 | 4.5 | 113 | 1.7 | 105 | 3.2 | 32 | 4.7 | 684 | 3.5 |
| Camden | 626 | 8.7 | 161 | 8.2 | 474 | 7.1 | 293 | 8.9 | 85 | 12.6 | 1639 | 8.3 |
| Cape May | 242 | 3.4 | 49 | 2.5 | 36 | 0.5 | 70 | 2.1 | 22 | 3.2 | 419 | 2.1 |
| Cumberland | 279 | 3.9 | 58 | 3.0 | 75 | 1.1 | 175 | 5.3 | 16 | 2.4 | 603 | 3.1 |
| Essex | 446 | 6.2 | 227 | 11.6 | 1857 | 27.9 | 333 | 10.2 | 36 | 5.3 | 2899 | 14.7 |
| Gloucester | 304 | 4.2 | 44 | 2.2 | 102 | 1.5 | 130 | 4.0 | 47 | 6.9 | 627 | 3.2 |
| Hudson | 484 | 6.7 | 178 | 9.1 | 818 | 12.3 | 221 | 6.7 | 46 | 6.8 | 1747 | 8.8 |
| Hunterdon | 155 | 2.2 | 13 | 0.7 | 31 | 0.5 | 46 | 1.4 | 16 | 2.4 | 261 | 1.3 |
| Mercer | 335 | 4.7 | 128 | 6.5 | 117 | 1.8 | 192 | 5.9 | 16 | 2.4 | 788 | 4.0 |
| Middlesex | 409 | 5.7 | 108 | 5.5 | 427 | 6.4 | 237 | 7.2 | 44 | 6.5 | 1225 | 6.2 |
| Monmouth | 605 | 8.4 | 205 | 10.5 | 325 | 4.9 | 342 | 10.4 | 45 | 6.6 | 1522 | 7.7 |
| Morris | 410 | 5.7 | 43 | 2.2 | 173 | 2.6 | 39 | 1.2 | 34 | 5.0 | 699 | 3.5 |
| Ocean | 310 | 4.3 | 77 | 3.9 | 328 | 4.9 | 118 | 3.6 | 42 | 6.2 | 875 | 4.4 |
| Passaic | 312 | 4.3 | 130 | 6.6 | 497 | 7.5 | 168 | 5.1 | 30 | 4.4 | 1137 | 5.8 |
| Salem | 89 | 1.2 | 16 | 0.8 | 20 | 0.3 | 74 | 2.3 | 9 | 1.3 | 208 | 1.1 |
| Somerset | 179 | 2.5 | 27 | 1.4 | 84 | 1.3 | 66 | 2.0 | 10 | 1.5 | 366 | 1.9 |
| Sussex | 166 | 2.3 | 14 | 0.7 | 72 | 1.1 | 27 | 0.8 | 13 | 1.9 | 292 | 1.5 |
| Union | 353 | 4.9 | 138 | 7.0 | 601 | 9.0 | 190 | 5.8 | 20 | 3.0 | 1302 | 6.6 |
| Warren | 181 | 2.5 | 33 | 1.7 | 79 | 1.2 | 82 | 2.5 | 11 | 1.6 | 386 | 2.0 |
| State Total | 7188 | 100.0 | 1958 | 100.0 | 6664 | 100.0 | 3279 | 100.0 | 677 | 100.0 | 19766 | 100.0 |

Table 6.
Clients by In-County and Out-of-County Treatment Setting, 2001 NJ Resident Admissions

| | C | linic Ir | n-County | 7 | Cliı | nic Out | -of-Cou | nty | | То | tal | |
|-------------|------|----------|----------|------|------|---------|---------|------|-------|--------|--------|-------|
| | | Prima | ry drug | | | Prima | ry drug | | | Primar | y drug | |
| | Alco | hol | Dru | gs | Alco | ohol | Dru | gs | Alco | hol | Dru | ıgs |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| Atlantic | 527 | 69.4 | 906 | 61.2 | 232 | 30.6 | 574 | 38.8 | 759 | 100.0 | 1480 | 100.0 |
| Bergen | 1121 | 79.2 | 1104 | 59.7 | 295 | 20.8 | 744 | 40.3 | 1416 | 100.0 | 1848 | 100.0 |
| Burlington | 212 | 28.2 | 228 | 23.1 | 539 | 71.8 | 760 | 76.9 | 751 | 100.0 | 988 | 100.0 |
| Camden | 923 | 71.8 | 1974 | 64.7 | 363 | 28.2 | 1075 | 35.3 | 1286 | 100.0 | 3049 | 100.0 |
| Cape May | 351 | 70.1 | 285 | 62.5 | 150 | 29.9 | 171 | 37.5 | 501 | 100.0 | 456 | 100.0 |
| Cumberland | 253 | 54.6 | 368 | 47.1 | 210 | 45.4 | 413 | 52.9 | 463 | 100.0 | 781 | 100.0 |
| Essex | 616 | 59.0 | 5123 | 62.8 | 428 | 41.0 | 3031 | 37.2 | 1044 | 100.0 | 8154 | 100.0 |
| Gloucester | 228 | 35.5 | 309 | 33.5 | 414 | 64.5 | 614 | 66.5 | 642 | 100.0 | 923 | 100.0 |
| Hudson | 788 | 79.0 | 2474 | 68.5 | 210 | 21.0 | 1136 | 31.5 | 998 | 100.0 | 3610 | 100.0 |
| Hunterdon | 290 | 79.5 | 232 | 57.7 | 75 | 20.5 | 170 | 42.3 | 365 | 100.0 | 402 | 100.0 |
| Mercer | 524 | 70.1 | 908 | 61.1 | 224 | 29.9 | 579 | 38.9 | 748 | 100.0 | 1487 | 100.0 |
| Middlesex | 447 | 47.3 | 1331 | 50.9 | 498 | 52.7 | 1286 | 49.1 | 945 | 100.0 | 2617 | 100.0 |
| Monmouth | 1131 | 81.0 | 2218 | 72.4 | 266 | 19.0 | 845 | 27.6 | 1397 | 100.0 | 3063 | 100.0 |
| Morris | 667 | 74.4 | 599 | 51.9 | 230 | 25.6 | 556 | 48.1 | 897 | 100.0 | 1155 | 100.0 |
| Ocean | 327 | 40.3 | 776 | 38.1 | 484 | 59.7 | 1261 | 61.9 | 811 | 100.0 | 2037 | 100.0 |
| Passaic | 269 | 38.0 | 1772 | 56.2 | 439 | 62.0 | 1383 | 43.8 | 708 | 100.0 | 3155 | 100.0 |
| Salem | 117 | 58.2 | 143 | 50.2 | 84 | 41.8 | 142 | 49.8 | 201 | 100.0 | 285 | 100.0 |
| Somerset | 278 | 68.3 | 299 | 44.6 | 129 | 31.7 | 371 | 55.4 | 407 | 100.0 | 670 | 100.0 |
| Sussex | 184 | 53.6 | 147 | 34.4 | 159 | 46.4 | 280 | 65.6 | 343 | 100.0 | 427 | 100.0 |
| Union | 398 | 56.5 | 1549 | 50.3 | 306 | 43.5 | 1528 | 49.7 | 704 | 100.0 | 3077 | 100.0 |
| Warren | 268 | 72.4 | 309 | 58.9 | 102 | 27.6 | 216 | 41.1 | 370 | 100.0 | 525 | 100.0 |
| State Total | 9919 | 63.0 | 23054 | 57.4 | 5837 | 37.0 | 17135 | 42.6 | 15756 | 100.0 | 40189 | 100.0 |

Table 7.

New Jersey Municipalities with the Highest Total Number of Substance Abuse
Treatment Admissions in 2001 by Primary Drug

| | Heroin | Alcohol | Marijuana | Cocaine | Others | Total |
|--------------------|--------|---------|-----------|---------|--------|-------|
| | N | N | N | N | N | N |
| Newark City | 4438 | 487 | 319 | 358 | 44 | 5646 |
| Jersey City | 1668 | 537 | 265 | 278 | 53 | 2801 |
| Paterson City | 1672 | 254 | 198 | 270 | 29 | 2423 |
| Camden City | 926 | 400 | 273 | 278 | 37 | 1914 |
| Trenton City | 522 | 519 | 276 | 370 | 28 | 1715 |
| Elizabeth City | 947 | 254 | 162 | 129 | 12 | 1504 |
| East Orange City | 836 | 95 | 79 | 89 | 3 | 1102 |
| Atlantic City | 388 | 201 | 119 | 82 | 17 | 807 |
| Irvington Town | 527 | 78 | 37 | 63 | 6 | 711 |
| Plainfield City | 457 | 93 | 50 | 92 | 7 | 699 |
| Asbury Park City | 211 | 133 | 119 | 150 | 7 | 620 |
| Dover Twp | 352 | 116 | 38 | 35 | 23 | 564 |
| New Brunswick City | 269 | 115 | 89 | 55 | 13 | 541 |
| Vineland City | 182 | 188 | 84 | 66 | 10 | 530 |
| Bayonne City | 276 | 146 | 35 | 37 | 27 | 521 |
| Perth Amboy City | 287 | 101 | 64 | 60 | 7 | 519 |
| Brick Twp | 219 | 109 | 31 | 36 | 15 | 410 |
| Woodbridge Twp | 199 | 115 | 37 | 45 | 14 | 410 |
| Passaic City | 190 | 91 | 26 | 49 | 8 | 364 |
| Hackensack City | 111 | 159 | 35 | 47 | 9 | 361 |
| Neptune Twp | 102 | 101 | 54 | 85 | 4 | 346 |
| Millville City | 61 | 110 | 99 | 35 | 7 | 312 |
| Middletown Twp | 130 | 94 | 53 | 18 | 12 | 307 |
| Washington Twp | 91 | 114 | 53 | 17 | 29 | 304 |
| Linden City | 198 | 47 | 30 | 23 | 6 | 304 |
| Edison Twp | 144 | 92 | 34 | 15 | 17 | 302 |
| Hamilton Twp | 68 | 139 | 46 | 33 | 15 | 301 |

Table 8.

Mean Age At Admission by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | Total | |
|-----------|--------|-------------|------|------|----------------|-------------|------|------|----------------|------|----------------|-------------|------|
| | | Alco | hol | Coc | aine | Her | oin | Mari | juana | Otl | hers | 10 | |
| Ethnicity | by Sex | Age Admi | | | e at ission | Age Admi | | | e at ission | | e at ission | Age Admi | |
| | | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean |
| Black | Female | 873 | 37.7 | 1115 | 35.8 | 4103 | 37.8 | 339 | 24.6 | 73 | 34.8 | 6503 | 36.7 |
| | Male | 2456 | 37.0 | 1682 | 37.7 | 6081 | 38.8 | 2090 | 23.5 | 127 | 29.4 | 12436 | 35.6 |
| | Total | 3329 | 37.2 | 2797 | 37.0 | 10184 | 38.4 | 2429 | 23.7 | 200 | 31.4 | 18939 | 36.0 |
| White | Female | 2780 | 37.8 | 707 | 31.5 | 3978 | 29.9 | 494 | 22.3 | 567 | 35.6 | 8526 | 32.5 |
| | Male | 7842 | 37.6 | 1462 | 33.0 | 7756 | 31.9 | 1915 | 21.6 | 782 | 33.2 | 19757 | 33.3 |
| | Total | 10622 | 37.6 | 2169 | 32.5 | 11734 | 31.2 | 2409 | 21.8 | 1349 | 34.2 | 28283 | 33.0 |
| Hispanic | Female | 206 | 33.8 | 175 | 32.3 | 966 | 33.1 | 153 | 22.1 | 27 | 31.8 | 1527 | 32.0 |
| | Male | 1341 | 35.8 | 496 | 33.5 | 3560 | 33.7 | 749 | 22.1 | 85 | 27.4 | 6231 | 32.7 |
| | Total | 1547 | 35.5 | 671 | 33.1 | 4526 | 33.6 | 902 | 22.1 | 112 | 28.5 | 7758 | 32.5 |
| Other | Female | 45 | 35.0 | 15 | 32.8 | 147 | 31.9 | 15 | 19.2 | 8 | 34.1 | 230 | 31.8 |
| | Male | 208 | 36.0 | 35 | 33.1 | 365 | 32.8 | 84 | 23.5 | 23 | 31.0 | 715 | 32.6 |
| | Total | 253 | 35.8 | 50 | 33.0 | 512 | 32.5 | 99 | 22.8 | 31 | 31.8 | 945 | 32.4 |
| Total | Female | 3904 | 37.5 | 2012 | 34.0 | 9194 | 33.8 | 1001 | 23.0 | 675 | 35.4 | 16786 | 34.1 |
| | Male | 11847 | 37.2 | 3675 | 35.2 | 17762 | 34.6 | 4838 | 22.6 | 1017 | 32.2 | 39139 | 33.9 |
| | Total | 15751 | 37.3 | 5687 | 34.8 | 26956 | 34.3 | 5839 | 22.6 | 1692 | 33.5 | 55925 | 34.0 |

Table 9.

Primary Drug by Sex and Age Group, 2001 NJ Resident Admissions

| | | | | J | Primary | Drug | | | | | To | tal |
|--------|------|-------|------|-------|---------|-------|-----|--------|-----|-------|-------|-------|
| Female | Alco | ohol | Coc | aine | Hei | oin | Mar | ijuana | Ot | hers | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| 00-17 | 136 | 3.5 | 27 | 1.3 | 86 | 0.9 | 331 | 33.2 | 32 | 4.8 | 612 | 3.7 |
| 18-20 | 125 | 3.2 | 42 | 2.1 | 678 | 7.4 | 174 | 17.4 | 30 | 4.5 | 1049 | 6.3 |
| 21-24 | 217 | 5.6 | 152 | 7.6 | 1020 | 11.1 | 181 | 18.1 | 45 | 6.7 | 1615 | 9.6 |
| 25-29 | 315 | 8.1 | 280 | 13.9 | 1037 | 11.3 | 118 | 11.8 | 67 | 10.0 | 1817 | 10.8 |
| 30-34 | 587 | 15.1 | 555 | 27.6 | 1903 | 20.7 | 72 | 7.2 | 126 | 18.8 | 3243 | 19.3 |
| 35-39 | 849 | 21.8 | 505 | 25.1 | 1967 | 21.4 | 54 | 5.4 | 139 | 20.7 | 3514 | 21.0 |
| 40-44 | 831 | 21.3 | 316 | 15.7 | 1461 | 15.9 | 41 | 4.1 | 114 | 17.0 | 2763 | 16.5 |
| 45-49 | 422 | 10.8 | 88 | 4.4 | 717 | 7.8 | 14 | 1.4 | 70 | 10.4 | 1311 | 7.8 |
| 50-54 | 211 | 5.4 | 34 | 1.7 | 245 | 2.7 | 13 | 1.3 | 24 | 3.6 | 527 | 3.1 |
| 55-59 | 126 | 3.2 | 8 | 0.4 | 51 | 0.6 | 0 | 0.0 | 17 | 2.5 | 202 | 1.2 |
| 60-64 | 49 | 1.3 | 0 | 0.0 | 9 | 0.1 | 0 | 0.0 | 3 | 0.4 | 61 | 0.4 |
| 65+ | 32 | 0.8 | 2 | 0.1 | 7 | 0.1 | 0 | 0.0 | 5 | 0.7 | 46 | 0.3 |
| Total | 3900 | 100.0 | 2009 | 100.0 | 9181 | 100.0 | 998 | 100.0 | 672 | 100.0 | 16760 | 100.0 |

Table 9. (Continued)
Primary Drug by Sex and Age Group, 2001 NJ Resident Admissions

| | | | | | Primary | Drug | | | | | To | tal |
|-------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Male | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | iers | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| 00-17 | 350 | 3.0 | 34 | 0.9 | 89 | 0.5 | 1489 | 30.8 | 59 | 5.8 | 2021 | 5.2 |
| 18-20 | 501 | 4.2 | 136 | 3.7 | 900 | 5.1 | 1003 | 20.7 | 126 | 12.4 | 2666 | 6.8 |
| 21-24 | 1029 | 8.7 | 241 | 6.6 | 1900 | 10.7 | 927 | 19.2 | 120 | 11.8 | 4217 | 10.8 |
| 25-29 | 1206 | 10.2 | 445 | 12.1 | 2462 | 13.9 | 643 | 13.3 | 148 | 14.6 | 4904 | 12.5 |
| 30-34 | 1578 | 13.3 | 819 | 22.3 | 3413 | 19.3 | 347 | 7.2 | 140 | 13.8 | 6297 | 16.1 |
| 35-39 | 2193 | 18.5 | 888 | 24.2 | 3552 | 20.0 | 221 | 4.6 | 124 | 12.2 | 6978 | 17.9 |
| 40-44 | 1998 | 16.9 | 672 | 18.3 | 2773 | 15.6 | 107 | 2.2 | 138 | 13.6 | 5688 | 14.6 |
| 45-49 | 1336 | 11.3 | 278 | 7.6 | 1624 | 9.2 | 56 | 1.2 | 107 | 10.5 | 3401 | 8.7 |
| 50-54 | 866 | 7.3 | 95 | 2.6 | 750 | 4.2 | 27 | 0.6 | 33 | 3.2 | 1771 | 4.5 |
| 55-59 | 447 | 3.8 | 50 | 1.4 | 213 | 1.2 | 11 | 0.2 | 13 | 1.3 | 734 | 1.9 |
| 60-64 | 194 | 1.6 | 12 | 0.3 | 31 | 0.2 | 3 | 0.1 | 5 | 0.5 | 245 | 0.6 |
| 65+ | 136 | 1.1 | 2 | 0.1 | 21 | 0.1 | | | 3 | 0.3 | 162 | 0.4 |
| Total | 11834 | 100.0 | 3672 | 100.0 | 17728 | 100.0 | 4834 | 100.0 | 1016 | 100.0 | 39084 | 100.0 |

Table 9. (Continued)
Primary Drug by Sex and Age Group, 2001 NJ Resident Admissions

| | | | | | Primary | Drug | | | | | To | tal |
|-------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Total | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| 00-17 | 486 | 3.1 | 61 | 1.1 | 175 | 0.7 | 1820 | 31.2 | 91 | 5.4 | 2633 | 4.7 |
| 18-20 | 626 | 4.0 | 178 | 3.1 | 1578 | 5.9 | 1177 | 20.2 | 156 | 9.2 | 3715 | 6.7 |
| 21-24 | 1246 | 7.9 | 393 | 6.9 | 2920 | 10.9 | 1108 | 19.0 | 165 | 9.8 | 5832 | 10.4 |
| 25-29 | 1521 | 9.7 | 725 | 12.8 | 3499 | 13.0 | 761 | 13.0 | 215 | 12.7 | 6721 | 12.0 |
| 30-34 | 2165 | 13.8 | 1374 | 24.2 | 5316 | 19.8 | 419 | 7.2 | 266 | 15.8 | 9540 | 17.1 |
| 35-39 | 3042 | 19.3 | 1393 | 24.5 | 5519 | 20.5 | 275 | 4.7 | 263 | 15.6 | 10492 | 18.8 |
| 40-44 | 2829 | 18.0 | 988 | 17.4 | 4234 | 15.7 | 148 | 2.5 | 252 | 14.9 | 8451 | 15.1 |
| 45-49 | 1758 | 11.2 | 366 | 6.4 | 2341 | 8.7 | 70 | 1.2 | 177 | 10.5 | 4712 | 8.4 |
| 50-54 | 1077 | 6.8 | 129 | 2.3 | 995 | 3.7 | 40 | 0.7 | 57 | 3.4 | 2298 | 4.1 |
| 55-59 | 573 | 3.6 | 58 | 1.0 | 264 | 1.0 | 11 | 0.2 | 30 | 1.8 | 936 | 1.7 |
| 60-64 | 243 | 1.5 | 12 | 0.2 | 40 | 0.1 | 3 | 0.1 | 8 | 0.5 | 306 | 0.5 |
| 65+ | 168 | 1.1 | 4 | 0.1 | 28 | 0.1 | | | 8 | 0.5 | 208 | 0.4 |
| Total | 15734 | 100.0 | 5681 | 100.0 | 26909 | 100.0 | 5832 | 100.0 | 1688 | 100.0 | 55844 | 100.0 |

Table 10.

Marital Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|-----------|--------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| Blac | ek | Alc | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Married | Female | 89 | 10.3 | 65 | 5.9 | 317 | 7.8 | 12 | 3.6 | 6 | 8.2 | 489 | 7.6 |
| | Male | 414 | 17.0 | 253 | 15.1 | 735 | 12.2 | 90 | 4.4 | 11 | 8.7 | 1503 | 12.2 |
| | Total | 503 | 15.3 | 318 | 11.4 | 1052 | 10.4 | 102 | 4.3 | 17 | 8.5 | 1992 | 10.6 |
| Separated | Female | 71 | 8.3 | 97 | 8.7 | 264 | 6.5 | 13 | 3.8 | 5 | 6.8 | 450 | 7.0 |
| | Male | 173 | 7.1 | 153 | 9.2 | 369 | 6.1 | 43 | 2.1 | 4 | 3.1 | 742 | 6.0 |
| | Total | 244 | 7.4 | 250 | 9.0 | 633 | 6.3 | 56 | 2.3 | 9 | 4.5 | 1192 | 6.3 |
| Divorced | Female | 78 | 9.1 | 90 | 8.1 | 220 | 5.4 | 11 | 3.3 | 8 | 11.0 | 407 | 6.3 |
| | Male | 205 | 8.4 | 150 | 9.0 | 425 | 7.0 | 32 | 1.6 | 9 | 7.1 | 821 | 6.7 |
| | Total | 283 | 8.6 | 240 | 8.6 | 645 | 6.4 | 43 | 1.8 | 17 | 8.5 | 1228 | 6.5 |
| Widowed | Female | 28 | 3.3 | 23 | 2.1 | 133 | 3.3 | | | 4 | 5.5 | 188 | 2.9 |
| | Male | 30 | 1.2 | 16 | 1.0 | 89 | 1.5 | 1 | 0.0 | | | 136 | 1.1 |
| | Total | 58 | 1.8 | 39 | 1.4 | 222 | 2.2 | 1 | 0.0 | 4 | 2.0 | 324 | 1.7 |
| Never | Female | 594 | 69.1 | 836 | 75.2 | 3144 | 77.1 | 302 | 89.3 | 50 | 68.5 | 4926 | 76.3 |
| Married | Male | 1611 | 66.2 | 1100 | 65.8 | 4425 | 73.2 | 1896 | 91.9 | 103 | 81.1 | 9135 | 74.0 |
| | Total | 2205 | 67.0 | 1936 | 69.6 | 7569 | 74.8 | 2198 | 91.6 | 153 | 76.5 | 14061 | 74.8 |
| Total | Female | 860 | 100.0 | 1111 | 100.0 | 4078 | 100.0 | 338 | 100.0 | 73 | 100.0 | 6460 | 100.0 |
| | Male | 2433 | 100.0 | 1672 | 100.0 | 6043 | 100.0 | 2062 | 100.0 | 127 | 100.0 | 12337 | 100.0 |
| | Total | 3293 | 100.0 | 2783 | 100.0 | 10121 | 100.0 | 2400 | 100.0 | 200 | 100.0 | 18797 | 100.0 |

Table 10. (Continued)
Marital Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|-----------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Whi | te | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Married | Female | 752 | 27.3 | 101 | 14.3 | 429 | 10.9 | 34 | 6.9 | 181 | 32.3 | 1497 | 17.7 |
| | Male | 1852 | 23.8 | 258 | 17.8 | 935 | 12.1 | 116 | 6.2 | 238 | 30.7 | 3399 | 17.4 |
| | Total | 2604 | 24.7 | 359 | 16.6 | 1364 | 11.7 | 150 | 6.3 | 419 | 31.4 | 4896 | 17.5 |
| Separated | Female | 256 | 9.3 | 62 | 8.8 | 309 | 7.8 | 22 | 4.5 | 50 | 8.9 | 699 | 8.3 |
| | Male | 482 | 6.2 | 88 | 6.1 | 358 | 4.6 | 24 | 1.3 | 39 | 5.0 | 991 | 5.1 |
| | Total | 738 | 7.0 | 150 | 7.0 | 667 | 5.7 | 46 | 1.9 | 89 | 6.7 | 1690 | 6.0 |
| Divorced | Female | 583 | 21.1 | 110 | 15.6 | 424 | 10.7 | 22 | 4.5 | 96 | 17.1 | 1235 | 14.6 |
| | Male | 1316 | 16.9 | 193 | 13.3 | 713 | 9.3 | 40 | 2.1 | 69 | 8.9 | 2331 | 11.9 |
| | Total | 1899 | 18.0 | 303 | 14.0 | 1137 | 9.8 | 62 | 2.6 | 165 | 12.4 | 3566 | 12.7 |
| Widowed | Female | 68 | 2.5 | 7 | 1.0 | 100 | 2.5 | 2 | 0.4 | 13 | 2.3 | 190 | 2.2 |
| | Male | 91 | 1.2 | 4 | 0.3 | 58 | 0.8 | 6 | 0.3 | 8 | 1.0 | 167 | 0.9 |
| | Total | 159 | 1.5 | 11 | 0.5 | 158 | 1.4 | 8 | 0.3 | 21 | 1.6 | 357 | 1.3 |
| Never | Female | 1098 | 39.8 | 425 | 60.3 | 2685 | 68.0 | 413 | 83.8 | 220 | 39.3 | 4841 | 57.2 |
| Married | Male | 4032 | 51.9 | 910 | 62.6 | 5635 | 73.2 | 1694 | 90.1 | 422 | 54.4 | 12693 | 64.8 |
| | Total | 5130 | 48.7 | 1335 | 61.9 | 8320 | 71.4 | 2107 | 88.8 | 642 | 48.1 | 17534 | 62.5 |
| Total | Female | 2757 | 100.0 | 705 | 100.0 | 3947 | 100.0 | 493 | 100.0 | 560 | 100.0 | 8462 | 100.0 |
| | Male | 7773 | 100.0 | 1453 | 100.0 | 7699 | 100.0 | 1880 | 100.0 | 776 | 100.0 | 19581 | 100.0 |
| | Total | 10530 | 100.0 | 2158 | 100.0 | 11646 | 100.0 | 2373 | 100.0 | 1336 | 100.0 | 28043 | 100.0 |

Table 10. (Continued)
Marital Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | / Drug | | | | | То | tal |
|---------------|--------|------|-------|-----|-------|---------|--------|-----|--------|-----|-------|------|-------|
| Hispanio | c | Alco | ohol | Co | caine | Hei | roin | Mar | ijuana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Married | Female | 32 | 15.5 | 16 | 9.2 | 75 | 7.8 | 5 | 3.3 | 4 | 14.8 | 132 | 8.7 |
| | Male | 350 | 26.3 | 114 | 23.0 | 418 | 11.8 | 42 | 5.7 | 12 | 14.3 | 936 | 15.1 |
| | Total | 382 | 24.8 | 130 | 19.4 | 493 | 10.9 | 47 | 5.3 | 16 | 14.4 | 1068 | 13.9 |
| Separated | Female | 26 | 12.6 | 20 | 11.5 | 94 | 9.8 | 9 | 6.0 | 1 | 3.7 | 150 | 9.9 |
| | Male | 111 | 8.3 | 52 | 10.5 | 254 | 7.2 | 14 | 1.9 | 3 | 3.6 | 434 | 7.0 |
| | Total | 137 | 8.9 | 72 | 10.7 | 348 | 7.7 | 23 | 2.6 | 4 | 3.6 | 584 | 7.6 |
| Divorced | Female | 44 | 21.4 | 31 | 17.8 | 69 | 7.2 | 11 | 7.3 | 3 | 11.1 | 158 | 10.4 |
| | Male | 165 | 12.4 | 56 | 11.3 | 256 | 7.2 | 13 | 1.8 | 4 | 4.8 | 494 | 8.0 |
| | Total | 209 | 13.6 | 87 | 13.0 | 325 | 7.2 | 24 | 2.7 | 7 | 6.3 | 652 | 8.5 |
| Widowed | Female | 4 | 1.9 | 1 | 0.6 | 22 | 2.3 | 1 | 0.7 | | | 28 | 1.8 |
| | Male | 13 | 1.0 | 5 | 1.0 | 23 | 0.6 | 1 | 0.1 | | | 42 | 0.7 |
| | Total | 17 | 1.1 | 6 | 0.9 | 45 | 1.0 | 2 | 0.2 | | | 70 | 0.9 |
| Never Married | Female | 100 | 48.5 | 106 | 60.9 | 701 | 72.9 | 125 | 82.8 | 19 | 70.4 | 1051 | 69.2 |
| | Male | 694 | 52.1 | 269 | 54.2 | 2591 | 73.2 | 661 | 90.4 | 65 | 77.4 | 4280 | 69.2 |
| | Total | 794 | 51.6 | 375 | 56.0 | 3292 | 73.1 | 786 | 89.1 | 84 | 75.7 | 5331 | 69.2 |
| Total | Female | 206 | 100.0 | 174 | 100.0 | 961 | 100.0 | 151 | 100.0 | 27 | 100.0 | 1519 | 100.0 |
| | Male | 1333 | 100.0 | 496 | 100.0 | 3542 | 100.0 | 731 | 100.0 | 84 | 100.0 | 6186 | 100.0 |
| | Total | 1539 | 100.0 | 670 | 100.0 | 4503 | 100.0 | 882 | 100.0 | 111 | 100.0 | 7705 | 100.0 |

Table 10. (Continued)
Marital Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | I | Primar | y Drug | | | | | Т | otal |
|---------------|--------|-----|-------|----|-------|--------|--------|-----|---------|----|-------|-----|-------|
| Other | | Alc | cohol | Co | caine | Не | roin | Maı | rijuana | О | thers | | o tur |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Married | Female | 15 | 34.9 | 2 | 14.3 | 16 | 11.0 | | | 1 | 14.3 | 34 | 15.1 |
| | Male | 57 | 27.9 | 3 | 8.6 | 29 | 8.0 | 5 | 6.2 | 7 | 30.4 | 101 | 14.3 |
| | Total | 72 | 29.1 | 5 | 10.2 | 45 | 8.9 | 5 | 5.2 | 8 | 26.7 | 135 | 14.5 |
| Separated | Female | 3 | 7.0 | | | 9 | 6.2 | | | 1 | 14.3 | 13 | 5.8 |
| | Male | 13 | 6.4 | 8 | 22.9 | 19 | 5.3 | 1 | 1.2 | 1 | 4.3 | 42 | 6.0 |
| | Total | 16 | 6.5 | 8 | 16.3 | 28 | 5.5 | 1 | 1.0 | 2 | 6.7 | 55 | 5.9 |
| Divorced | Female | 4 | 9.3 | 2 | 14.3 | 14 | 9.6 | | | 2 | 28.6 | 22 | 9.8 |
| | Male | 18 | 8.8 | 1 | 2.9 | 21 | 5.8 | 1 | 1.2 | | | 41 | 5.8 |
| | Total | 22 | 8.9 | 3 | 6.1 | 35 | 6.9 | 1 | 1.0 | 2 | 6.7 | 63 | 6.8 |
| Widowed | Female | 1 | 2.3 | | | 1 | 0.7 | | | 1 | 14.3 | 3 | 1.3 |
| | Male | 2 | 1.0 | | | 3 | 0.8 | | | 1 | 4.3 | 6 | 0.9 |
| | Total | 3 | 1.2 | | | 4 | 0.8 | | | 2 | 6.7 | 9 | 1.0 |
| Never Married | Female | 20 | 46.5 | 10 | 71.4 | 106 | 72.6 | 15 | 100.0 | 2 | 28.6 | 153 | 68.0 |
| | Male | 114 | 55.9 | 23 | 65.7 | 289 | 80.1 | 74 | 91.4 | 14 | 60.9 | 514 | 73.0 |
| | Total | 134 | 54.3 | 33 | 67.3 | 395 | 77.9 | 89 | 92.7 | 16 | 53.3 | 667 | 71.8 |
| Total | Female | 43 | 100.0 | 14 | 100.0 | 146 | 100.0 | 15 | 100.0 | 7 | 100.0 | 225 | 100.0 |
| | Male | 204 | 100.0 | 35 | 100.0 | 361 | 100.0 | 81 | 100.0 | 23 | 100.0 | 704 | 100.0 |
| | Total | 247 | 100.0 | 49 | 100.0 | 507 | 100.0 | 96 | 100.0 | 30 | 100.0 | 929 | 100.0 |

Table 10. (Continued)
Marital Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|-----------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Tota | al | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | iers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Married | Female | 888 | 23.0 | 184 | 9.2 | 837 | 9.2 | 51 | 5.1 | 192 | 28.8 | 2152 | 12.9 |
| | Male | 2673 | 22.8 | 628 | 17.2 | 2117 | 12.0 | 253 | 5.3 | 268 | 26.5 | 5939 | 15.3 |
| | Total | 3561 | 22.8 | 812 | 14.3 | 2954 | 11.0 | 304 | 5.3 | 460 | 27.4 | 8091 | 14.6 |
| Separated | Female | 356 | 9.2 | 179 | 8.9 | 676 | 7.4 | 44 | 4.4 | 57 | 8.5 | 1312 | 7.9 |
| | Male | 779 | 6.6 | 301 | 8.2 | 1000 | 5.7 | 82 | 1.7 | 47 | 4.7 | 2209 | 5.7 |
| | Total | 1135 | 7.3 | 480 | 8.5 | 1676 | 6.3 | 126 | 2.2 | 104 | 6.2 | 3521 | 6.3 |
| Divorced | Female | 709 | 18.3 | 233 | 11.6 | 727 | 8.0 | 44 | 4.4 | 109 | 16.3 | 1822 | 10.9 |
| | Male | 1704 | 14.5 | 400 | 10.9 | 1415 | 8.0 | 86 | 1.8 | 82 | 8.1 | 3687 | 9.5 |
| | Total | 2413 | 15.5 | 633 | 11.2 | 2142 | 8.0 | 130 | 2.3 | 191 | 11.4 | 5509 | 9.9 |
| Widowed | Female | 101 | 2.6 | 31 | 1.5 | 256 | 2.8 | 3 | 0.3 | 18 | 2.7 | 409 | 2.5 |
| | Male | 136 | 1.2 | 25 | 0.7 | 173 | 1.0 | 8 | 0.2 | 9 | 0.9 | 351 | 0.9 |
| | Total | 237 | 1.5 | 56 | 1.0 | 429 | 1.6 | 11 | 0.2 | 27 | 1.6 | 760 | 1.4 |
| Never | Female | 1812 | 46.9 | 1377 | 68.7 | 6636 | 72.7 | 855 | 85.8 | 291 | 43.6 | 10971 | 65.8 |
| Married | Male | 6451 | 54.9 | 2302 | 63.0 | 12940 | 73.3 | 4325 | 91.0 | 604 | 59.8 | 26622 | 68.6 |
| | Total | 8263 | 52.9 | 3679 | 65.0 | 19576 | 73.1 | 5180 | 90.1 | 895 | 53.4 | 37593 | 67.8 |
| Total | Female | 3866 | 100.0 | 2004 | 100.0 | 9132 | 100.0 | 997 | 100.0 | 667 | 100.0 | 16666 | 100.0 |
| | Male | 11743 | 100.0 | 3656 | 100.0 | 17645 | 100.0 | 4754 | 100.0 | 1010 | 100.0 | 38808 | 100.0 |
| | Total | 15609 | 100.0 | 5660 | 100.0 | 26777 | 100.0 | 5751 | 100.0 | 1677 | 100.0 | 55474 | 100.0 |

Table 11.
Living Arragements by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | D . | D. | | | | | | |
|-------------------|--------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| D1- 1 | | | | | | Primary | | | | | | Tot | tal |
| Black | | Alc | ohol | Coc | aine | Her | | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 873 | 100.0 | 1116 | 100.0 | 4105 | 100.0 | 339 | 100.0 | 73 | 100.0 | 6506 | 100.0 |
| Responders | Male | 2457 | 100.0 | 1682 | 100.0 | 6083 | 100.0 | 2090 | 100.0 | 127 | 100.0 | 12439 | 100.0 |
| | Total | 3330 | 100.0 | 2798 | 100.0 | 10188 | 100.0 | 2429 | 100.0 | 200 | 100.0 | 18945 | 100.0 |
| Alone | Female | 130 | 14.9 | 157 | 14.1 | 644 | 15.7 | 35 | 10.3 | 7 | 9.6 | 973 | 15.0 |
| | Male | 367 | 14.9 | 225 | 13.4 | 1083 | 17.8 | 63 | 3.0 | 11 | 8.7 | 1749 | 14.1 |
| | Total | 497 | 14.9 | 382 | 13.7 | 1727 | 17.0 | 98 | 4.0 | 18 | 9.0 | 2722 | 14.4 |
| With | Female | 322 | 36.9 | 391 | 35.0 | 1396 | 34.0 | 110 | 32.4 | 26 | 35.6 | 2245 | 34.5 |
| Children | Male | 361 | 14.7 | 268 | 15.9 | 816 | 13.4 | 176 | 8.4 | 12 | 9.4 | 1633 | 13.1 |
| | Total | 683 | 20.5 | 659 | 23.6 | 2212 | 21.7 | 286 | 11.8 | 38 | 19.0 | 3878 | 20.5 |
| With | Female | 75 | 8.6 | 87 | 7.8 | 333 | 8.1 | 52 | 15.3 | 5 | 6.8 | 552 | 8.5 |
| Sibling(s) | Male | 262 | 10.7 | 140 | 8.3 | 567 | 9.3 | 436 | 20.9 | 15 | 11.8 | 1420 | 11.4 |
| | Total | 337 | 10.1 | 227 | 8.1 | 900 | 8.8 | 488 | 20.1 | 20 | 10.0 | 1972 | 10.4 |
| With | Female | 145 | 16.6 | 225 | 20.2 | 873 | 21.3 | 111 | 32.7 | 20 | 27.4 | 1374 | 21.1 |
| Parent(s) | Male | 545 | 22.2 | 340 | 20.2 | 1446 | 23.8 | 914 | 43.7 | 33 | 26.0 | 3278 | 26.4 |
| | Total | 690 | 20.7 | 565 | 20.2 | 2319 | 22.8 | 1025 | 42.2 | 53 | 26.5 | 4652 | 24.6 |
| With Spouse | Female | 77 | 8.8 | 52 | 4.7 | 232 | 5.7 | 10 | 2.9 | 5 | 6.8 | 376 | 5.8 |
| | Male | 336 | 13.7 | 194 | 11.5 | 603 | 9.9 | 54 | 2.6 | 7 | 5.5 | 1194 | 9.6 |
| | Total | 413 | 12.4 | 246 | 8.8 | 835 | 8.2 | 64 | 2.6 | 12 | 6.0 | 1570 | 8.3 |
| As Married | Female | 82 | 9.4 | 111 | 9.9 | 332 | 8.1 | 24 | 7.1 | 4 | 5.5 | 553 | 8.5 |
| | Male | 234 | 9.5 | 143 | 8.5 | 612 | 10.1 | 157 | 7.5 | 10 | 7.9 | 1156 | 9.3 |
| | Total | 316 | 9.5 | 254 | 9.1 | 944 | 9.3 | 181 | 7.5 | 14 | 7.0 | 1709 | 9.0 |
| With Foster | Female | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 2 | 0.6 | 0 | 0.0 | 4 | 0.1 |
| Parent(s) | Male | 5 | 0.2 | 2 | 0.1 | 5 | 0.1 | 6 | 0.3 | 0 | 0.0 | 18 | 0.1 |
| | Total | 5 | 0.2 | 2 | 0.1 | 7 | 0.1 | 8 | 0.3 | 0 | 0.0 | 22 | 0.1 |
| With | Female | 86 | 9.9 | 149 | 13.4 | 444 | 10.8 | 59 | 17.4 | 9 | 12.3 | 747 | 11.5 |
| Relatives | Male | 255 | 10.4 | 173 | 10.3 | 536 | 8.8 | 310 | 14.8 | 11 | 8.7 | 1285 | 10.3 |
| | Total | 341 | 10.2 | 322 | 11.5 | 980 | 9.6 | 369 | 15.2 | 20 | 10.0 | 2032 | 10.7 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Primary | Drug | | | | | Tot | al |
|-----------|--------|------|------|-----|------|---------|------|------|-------|----|------|------|------|
| Black | ζ. | Alco | ohol | Coc | aine | Hero | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| With | Female | 54 | 6.2 | 94 | 8.4 | 409 | 10.0 | 29 | 8.6 | 5 | 6.8 | 591 | 9.1 |
| Friend(s) | Male | 129 | 5.3 | 86 | 5.1 | 466 | 7.7 | 84 | 4.0 | 2 | 1.6 | 767 | 6.2 |
| | Total | 183 | 5.5 | 180 | 6.4 | 875 | 8.6 | 113 | 4.7 | 7 | 3.5 | 1358 | 7.2 |
| In Group | Female | 43 | 4.9 | 100 | 9.0 | 166 | 4.0 | 21 | 6.2 | 7 | 9.6 | 337 | 5.2 |
| Quarters | Male | 279 | 11.4 | 286 | 17.0 | 531 | 8.7 | 520 | 24.9 | 44 | 34.6 | 1660 | 13.3 |
| | Total | 322 | 9.7 | 386 | 13.8 | 697 | 6.8 | 541 | 22.3 | 51 | 25.5 | 1997 | 10.5 |
| Homeless | Female | 118 | 13.5 | 102 | 9.1 | 437 | 10.6 | 9 | 2.7 | 2 | 2.7 | 668 | 10.3 |
| | Male | 344 | 14.0 | 233 | 13.9 | 857 | 14.1 | 38 | 1.8 | 7 | 5.5 | 1479 | 11.9 |
| | Total | 462 | 13.9 | 335 | 12.0 | 1294 | 12.7 | 47 | 1.9 | 9 | 4.5 | 2147 | 11.3 |

Table 11. (Continued)
Living Arragements by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | T | . 1 |
|---------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Whit | e | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | To | tai |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All | Female | 2781 | 100.0 | 707 | 100.0 | 3981 | 100.0 | 494 | 100.0 | 567 | 100.0 | 8530 | 100.0 |
| Responders | Male | 7845 | 100.0 | 1462 | 100.0 | 7758 | 100.0 | 1916 | 100.0 | 782 | 100.0 | 19763 | 100.0 |
| | Total | 10626 | 100.0 | 2169 | 100.0 | 11739 | 100.0 | 2410 | 100.0 | 1349 | 100.0 | 28293 | 100.0 |
| Alone | Female | 468 | 16.8 | 76 | 10.7 | 388 | 9.7 | 25 | 5.1 | 53 | 9.3 | 1010 | 11.8 |
| | Male | 1554 | 19.8 | 222 | 15.2 | 1124 | 14.5 | 119 | 6.2 | 106 | 13.6 | 3125 | 15.8 |
| | Total | 2022 | 19.0 | 298 | 13.7 | 1512 | 12.9 | 144 | 6.0 | 159 | 11.8 | 4135 | 14.6 |
| With | Female | 970 | 34.9 | 202 | 28.6 | 831 | 20.9 | 90 | 18.2 | 252 | 44.4 | 2345 | 27.5 |
| Children | Male | 1361 | 17.3 | 247 | 16.9 | 854 | 11.0 | 132 | 6.9 | 197 | 25.2 | 2791 | 14.1 |
| | Total | 2331 | 21.9 | 449 | 20.7 | 1685 | 14.4 | 222 | 9.2 | 449 | 33.3 | 5136 | 18.2 |
| With | Female | 191 | 6.9 | 78 | 11.0 | 472 | 11.9 | 167 | 33.8 | 48 | 8.5 | 956 | 11.2 |
| Sibling(s) | Male | 802 | 10.2 | 171 | 11.7 | 1050 | 13.5 | 677 | 35.3 | 133 | 17.0 | 2833 | 14.3 |
| | Total | 993 | 9.3 | 249 | 11.5 | 1522 | 13.0 | 844 | 35.0 | 181 | 13.4 | 3789 | 13.4 |
| With | Female | 595 | 21.4 | 234 | 33.1 | 1606 | 40.3 | 298 | 60.3 | 147 | 25.9 | 2880 | 33.8 |
| Parent(s) | Male | 2244 | 28.6 | 532 | 36.4 | 3399 | 43.8 | 1342 | 70.0 | 263 | 33.6 | 7780 | 39.4 |
| | Total | 2839 | 26.7 | 766 | 35.3 | 5005 | 42.6 | 1640 | 68.0 | 410 | 30.4 | 10660 | 37.7 |
| With | Female | 692 | 24.9 | 81 | 11.5 | 360 | 9.0 | 30 | 6.1 | 172 | 30.3 | 1335 | 15.7 |
| Spouse | Male | 1693 | 21.6 | 222 | 15.2 | 779 | 10.0 | 90 | 4.7 | 220 | 28.1 | 3004 | 15.2 |
| | Total | 2385 | 22.4 | 303 | 14.0 | 1139 | 9.7 | 120 | 5.0 | 392 | 29.1 | 4339 | 15.3 |
| As Married | Female | 274 | 9.9 | 92 | 13.0 | 439 | 11.0 | 34 | 6.9 | 58 | 10.2 | 897 | 10.5 |
| | Male | 662 | 8.4 | 134 | 9.2 | 626 | 8.1 | 82 | 4.3 | 58 | 7.4 | 1562 | 7.9 |
| | Total | 936 | 8.8 | 226 | 10.4 | 1065 | 9.1 | 116 | 4.8 | 116 | 8.6 | 2459 | 8.7 |
| With | Female | 2 | 0.1 | 1 | 0.1 | 3 | 0.1 | 1 | 0.2 | 0 | 0.0 | 7 | 0.1 |
| Foster Parent(s) | Male | 6 | 0.1 | 0 | 0.0 | 10 | 0.1 | 9 | 0.5 | 0 | 0.0 | 25 | 0.1 |
| | Total | 8 | 0.1 | 1 | 0.0 | 13 | 0.1 | 10 | 0.4 | 0 | 0.0 | 32 | 0.1 |
| With | Female | 134 | 4.8 | 59 | 8.3 | 284 | 7.1 | 50 | 10.1 | 32 | 5.6 | 559 | 6.6 |
| Relatives | Male | 447 | 5.7 | 117 | 8.0 | 583 | 7.5 | 153 | 8.0 | 32 | 4.1 | 1332 | 6.7 |
| | Total | 581 | 5.5 | 176 | 8.1 | 867 | 7.4 | 203 | 8.4 | 64 | 4.7 | 1891 | 6.7 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Primary | Drug | | | | | Tot | al |
|-----------|--------|------|-----|-----|------|---------|------|-------|-------|-----|-----|------|------|
| Whi | te | Alco | hol | Coc | aine | Her | oin | Marij | juana | Oth | ers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| With | Female | 224 | 8.1 | 67 | 9.5 | 533 | 13.4 | 36 | 7.3 | 49 | 8.6 | 909 | 10.7 |
| Friend(s) | Male | 565 | 7.2 | 95 | 6.5 | 586 | 7.6 | 95 | 5.0 | 42 | 5.4 | 1383 | 7.0 |
| | Total | 789 | 7.4 | 162 | 7.5 | 1119 | 9.5 | 131 | 5.4 | 91 | 6.7 | 2292 | 8.1 |
| In Group | Female | 51 | 1.8 | 27 | 3.8 | 78 | 2.0 | 16 | 3.2 | 11 | 1.9 | 183 | 2.1 |
| Quarters | Male | 247 | 3.1 | 84 | 5.7 | 227 | 2.9 | 87 | 4.5 | 41 | 5.2 | 686 | 3.5 |
| | Total | 298 | 2.8 | 111 | 5.1 | 305 | 2.6 | 103 | 4.3 | 52 | 3.9 | 869 | 3.1 |
| Homeless | Female | 103 | 3.7 | 44 | 6.2 | 252 | 6.3 | 5 | 1.0 | 10 | 1.8 | 414 | 4.9 |
| | Male | 530 | 6.8 | 100 | 6.8 | 686 | 8.8 | 17 | 0.9 | 16 | 2.0 | 1349 | 6.8 |
| | Total | 633 | 6.0 | 144 | 6.6 | 938 | 8.0 | 22 | 0.9 | 26 | 1.9 | 1763 | 6.2 |

Table 11. (Continued) Living Arragements by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | / Drug | | | | | To | otal |
|-----------------|--------|------|-------|-----|-------|---------|--------|-----|--------|-----|-------|------|-------|
| Hispanic | | Alc | ohol | Co | caine | Heı | oin | Mar | ijuana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 206 | 100.0 | 175 | 100.0 | 966 | 100.0 | 153 | 100.0 | 27 | 100.0 | 1527 | 100.0 |
| | Male | 1341 | 100.0 | 496 | 100.0 | 3562 | 100.0 | 750 | 100.0 | 85 | 100.0 | 6234 | 100.0 |
| | Total | 1547 | 100.0 | 671 | 100.0 | 4528 | 100.0 | 903 | 100.0 | 112 | 100.0 | 7761 | 100.0 |
| Alone | Female | 25 | 12.1 | 15 | 8.6 | 109 | 11.3 | 10 | 6.5 | 2 | 7.4 | 161 | 10.5 |
| | Male | 203 | 15.1 | 59 | 11.9 | 661 | 18.6 | 37 | 4.9 | 6 | 7.1 | 966 | 15.5 |
| | Total | 228 | 14.7 | 74 | 11.0 | 770 | 17.0 | 47 | 5.2 | 8 | 7.1 | 1127 | 14.5 |
| With Children | Female | 83 | 40.3 | 70 | 40.0 | 315 | 32.6 | 52 | 34.0 | 9 | 33.3 | 529 | 34.6 |
| | Male | 306 | 22.8 | 113 | 22.8 | 550 | 15.4 | 96 | 12.8 | 12 | 14.1 | 1077 | 17.3 |
| | Total | 389 | 25.1 | 183 | 27.3 | 865 | 19.1 | 148 | 16.4 | 21 | 18.8 | 1606 | 20.7 |
| With Sibling(s) | Female | 24 | 11.7 | 18 | 10.3 | 80 | 8.3 | 45 | 29.4 | 8 | 29.6 | 175 | 11.5 |
| | Male | 169 | 12.6 | 65 | 13.1 | 407 | 11.4 | 217 | 28.9 | 15 | 17.6 | 873 | 14.0 |
| | Total | 193 | 12.5 | 83 | 12.4 | 487 | 10.8 | 262 | 29.0 | 23 | 20.5 | 1048 | 13.5 |
| With Parent(s) | Female | 40 | 19.4 | 33 | 18.9 | 244 | 25.3 | 73 | 47.7 | 8 | 29.6 | 398 | 26.1 |
| | Male | 283 | 21.1 | 114 | 23.0 | 946 | 26.6 | 440 | 58.7 | 31 | 36.5 | 1814 | 29.1 |
| | Total | 323 | 20.9 | 147 | 21.9 | 1190 | 26.3 | 513 | 56.8 | 39 | 34.8 | 2212 | 28.5 |
| With Spouse | Female | 29 | 14.1 | 16 | 9.1 | 61 | 6.3 | 4 | 2.6 | 3 | 11.1 | 113 | 7.4 |
| | Male | 288 | 21.5 | 94 | 19.0 | 365 | 10.2 | 37 | 4.9 | 12 | 14.1 | 796 | 12.8 |
| | Total | 317 | 20.5 | 110 | 16.4 | 426 | 9.4 | 41 | 4.5 | 15 | 13.4 | 909 | 11.7 |
| As Married | Female | 26 | 12.6 | 27 | 15.4 | 128 | 13.3 | 9 | 5.9 | 0 | 0.0 | 190 | 12.4 |
| | Male | 161 | 12.0 | 57 | 11.5 | 414 | 11.6 | 63 | 8.4 | 8 | 9.4 | 703 | 11.3 |
| | Total | 187 | 12.1 | 84 | 12.5 | 542 | 12.0 | 72 | 8.0 | 8 | 7.1 | 893 | 11.5 |
| With Foster | Female | 0 | 0.0 | 1 | 0.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| Parent(s) | Male | 1 | 0.1 | 1 | 0.2 | 3 | 0.1 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 |
| | Total | 1 | 0.1 | 2 | 0.3 | 3 | 0.1 | 0 | 0.0 | 0 | 0.0 | 6 | 0.1 |
| With Relatives | Female | 18 | 8.7 | 15 | 8.6 | 88 | 9.1 | 18 | 11.8 | 2 | 7.4 | 141 | 9.2 |
| | Male | 149 | 11.1 | 53 | 10.7 | 306 | 8.6 | 101 | 13.5 | 4 | 4.7 | 613 | 9.8 |
| | Total | 167 | 10.8 | 68 | 10.1 | 394 | 8.7 | 119 | 13.2 | 6 | 5.4 | 754 | 9.7 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Primary | Drug | | | | | То | tal |
|-------------------|--------|------|------|-----|-------|---------|------|-----|--------|----|------|-----|------|
| Hispanic | | Alco | ohol | Coo | caine | Her | roin | Mar | ijuana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| With Friend(s) | Female | 22 | 10.7 | 17 | 9.7 | 133 | 13.8 | 14 | 9.2 | 2 | 7.4 | 188 | 12.3 |
| | Male | 124 | 9.2 | 38 | 7.7 | 294 | 8.3 | 27 | 3.6 | 7 | 8.2 | 490 | 7.9 |
| | Total | 146 | 9.4 | 55 | 8.2 | 427 | 9.4 | 41 | 4.5 | 9 | 8.0 | 678 | 8.7 |
| In Group Quarters | Female | 5 | 2.4 | 9 | 5.1 | 13 | 1.3 | 12 | 7.8 | 2 | 7.4 | 41 | 2.7 |
| | Male | 51 | 3.8 | 43 | 8.7 | 176 | 4.9 | 83 | 11.1 | 14 | 16.5 | 367 | 5.9 |
| | Total | 56 | 3.6 | 52 | 7.7 | 189 | 4.2 | 95 | 10.5 | 16 | 14.3 | 408 | 5.3 |
| Homeless | Female | 8 | 3.9 | 10 | 5.7 | 79 | 8.2 | 3 | 2.0 | 2 | 7.4 | 102 | 6.7 |
| | Male | 86 | 6.4 | 28 | 5.6 | 525 | 14.7 | 3 | 0.4 | 3 | 3.5 | 645 | 10.3 |
| | Total | 94 | 6.1 | 38 | 5.7 | 604 | 13.3 | 6 | 0.7 | 5 | 4.5 | 747 | 9.6 |

Table 11. (Continued)
Living Arragements by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | I | Primar | y Drug | | | | | Т | otal |
|-----------------------|--------|-----|-------|----|-------|--------|--------|-----|---------|----|-------|-----|--------|
| Other | | Alc | cohol | Co | caine | Не | eroin | Maı | rijuana | O | thers | | J 1412 |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 45 | 100.0 | 15 | 100.0 | 147 | 100.0 | 15 | 100.0 | 8 | 100.0 | 230 | 100.0 |
| | Male | 208 | 100.0 | 35 | 100.0 | 366 | 100.0 | 84 | 100.0 | 23 | 100.0 | 716 | 100.0 |
| | Total | 253 | 100.0 | 50 | 100.0 | 513 | 100.0 | 99 | 100.0 | 31 | 100.0 | 946 | 100.0 |
| Alone | Female | 8 | 17.8 | 1 | 6.7 | 35 | 23.8 | 2 | 13.3 | 1 | 12.5 | 47 | 20.4 |
| | Male | 35 | 16.8 | 2 | 5.7 | 81 | 22.1 | 3 | 3.6 | 3 | 13.0 | 124 | 17.3 |
| | Total | 43 | 17.0 | 3 | 6.0 | 116 | 22.6 | 5 | 5.1 | 4 | 12.9 | 171 | 18.1 |
| With Children | Female | 15 | 33.3 | 8 | 53.3 | 29 | 19.7 | 1 | 6.7 | 1 | 12.5 | 54 | 23.5 |
| | Male | 41 | 19.7 | 3 | 8.6 | 46 | 12.6 | 6 | 7.1 | 6 | 26.1 | 102 | 14.2 |
| | Total | 56 | 22.1 | 11 | 22.0 | 75 | 14.6 | 7 | 7.1 | 7 | 22.6 | 156 | 16.5 |
| With Sibling(s) | Female | 2 | 4.4 | 0 | 0.0 | 12 | 8.2 | 2 | 13.3 | 1 | 12.5 | 17 | 7.4 |
| | Male | 25 | 12.0 | 4 | 11.4 | 52 | 14.2 | 22 | 26.2 | 4 | 17.4 | 107 | 14.9 |
| | Total | 27 | 10.7 | 4 | 8.0 | 64 | 12.5 | 24 | 24.2 | 5 | 16.1 | 124 | 13.1 |
| With Parent(s) | Female | 8 | 17.8 | 3 | 20.0 | 33 | 22.4 | 6 | 40.0 | 3 | 37.5 | 53 | 23.0 |
| | Male | 58 | 27.9 | 13 | 37.1 | 141 | 38.5 | 44 | 52.4 | 7 | 30.4 | 263 | 36.7 |
| | Total | 66 | 26.1 | 16 | 32.0 | 174 | 33.9 | 50 | 50.5 | 10 | 32.3 | 316 | 33.4 |
| With Spouse | Female | 15 | 33.3 | 2 | 13.3 | 14 | 9.5 | 0 | 0.0 | 0 | 0.0 | 31 | 13.5 |
| | Male | 46 | 22.1 | 2 | 5.7 | 22 | 6.0 | 5 | 6.0 | 7 | 30.4 | 82 | 11.5 |
| | Total | 61 | 24.1 | 4 | 8.0 | 36 | 7.0 | 5 | 5.1 | 7 | 22.6 | 113 | 11.9 |
| As Married | Female | 4 | 8.9 | 3 | 20.0 | 15 | 10.2 | 0 | 0.0 | 1 | 12.5 | 23 | 10.0 |
| | Male | 25 | 12.0 | 4 | 11.4 | 28 | 7.7 | 5 | 6.0 | 1 | 4.3 | 63 | 8.8 |
| | Total | 29 | 11.5 | 7 | 14.0 | 43 | 8.4 | 5 | 5.1 | 2 | 6.5 | 86 | 9.1 |
| With Foster Parent(s) | Female | 0 | 0.0 | 1 | 6.7 | 1 | 0.7 | 0 | 0.0 | 0 | 0.0 | 2 | 0.9 |
| | Male | 0 | 0.0 | 0 | 0.0 | 3 | 0.8 | 0 | 0.0 | 0 | 0.0 | 3 | 0.4 |
| | Total | 0 | 0.0 | 1 | 2.0 | 4 | 0.8 | 0 | 0.0 | 0 | 0.0 | 5 | 0.5 |
| With Relatives | Female | 1 | 2.2 | 0 | 0.0 | 5 | 3.4 | 1 | 6.7 | 1 | 12.5 | 8 | 3.5 |
| | Male | 17 | 8.2 | 7 | 20.0 | 17 | 4.6 | 9 | 10.7 | 2 | 8.7 | 52 | 7.3 |
| | Total | 18 | 7.1 | 7 | 14.0 | 22 | 4.3 | 10 | 10.1 | 3 | 9.7 | 60 | 6.3 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | I | Primar | y Drug | | | | | То | otal |
|-------------------|--------|-----|------|----|-------|--------|--------|-----|---------|----|-------|----|------|
| Other | | Alc | ohol | Co | caine | Не | roin | Maı | rijuana | Ot | thers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| With Friend(s) | Female | 5 | 11.1 | 0 | 0.0 | 15 | 10.2 | 3 | 20.0 | 1 | 12.5 | 24 | 10.4 |
| | Male | 14 | 6.7 | 4 | 11.4 | 31 | 8.5 | 10 | 11.9 | 1 | 4.3 | 60 | 8.4 |
| | Total | 19 | 7.5 | 4 | 8.0 | 46 | 9.0 | 13 | 13.1 | 2 | 6.5 | 84 | 8.9 |
| In Group Quarters | Female | 0 | 0.0 | 3 | 20.0 | 3 | 2.0 | 3 | 20.0 | 0 | 0.0 | 9 | 3.9 |
| | Male | 7 | 3.4 | 4 | 11.4 | 10 | 2.7 | 10 | 11.9 | 2 | 8.7 | 33 | 4.6 |
| | Total | 7 | 2.8 | 7 | 14.0 | 13 | 2.5 | 13 | 13.1 | 2 | 6.5 | 42 | 4.4 |
| Homeless | Female | 1 | 2.2 | 1 | 6.7 | 21 | 14.3 | 0 | 0.0 | 1 | 12.5 | 24 | 10.4 |
| | Male | 12 | 5.8 | 2 | 5.7 | 56 | 15.3 | 1 | 1.2 | 0 | 0.0 | 71 | 9.9 |
| | Total | 13 | 5.1 | 3 | 6.0 | 77 | 15.0 | 1 | 1.0 | 1 | 3.2 | 95 | 10.0 |

Table 11. (Continued) Living Arragements by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|---------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Tota | .1 | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All | Female | 3905 | 100.0 | 2013 | 100.0 | 9199 | 100.0 | 1001 | 100.0 | 675 | 100.0 | 16793 | 100.0 |
| Responders | Male | 11851 | 100.0 | 3675 | 100.0 | 17769 | 100.0 | 4840 | 100.0 | 1017 | 100.0 | 39152 | 100.0 |
| | Total | 15756 | 100.0 | 5688 | 100.0 | 26968 | 100.0 | 5841 | 100.0 | 1692 | 100.0 | 55945 | 100.0 |
| Alone | Female | 631 | 16.2 | 249 | 12.4 | 1176 | 12.8 | 72 | 7.2 | 63 | 9.3 | 2191 | 13.0 |
| | Male | 2159 | 18.2 | 508 | 13.8 | 2949 | 16.6 | 222 | 4.6 | 126 | 12.4 | 5964 | 15.2 |
| | Total | 2790 | 17.7 | 757 | 13.3 | 4125 | 15.3 | 294 | 5.0 | 189 | 11.2 | 8155 | 14.6 |
| With | Female | 1390 | 35.6 | 671 | 33.3 | 2571 | 27.9 | 253 | 25.3 | 288 | 42.7 | 5173 | 30.8 |
| Children | Male | 2069 | 17.5 | 631 | 17.2 | 2266 | 12.8 | 410 | 8.5 | 227 | 22.3 | 5603 | 14.3 |
| | Total | 3459 | 22.0 | 1302 | 22.9 | 4837 | 17.9 | 663 | 11.4 | 515 | 30.4 | 10776 | 19.3 |
| With | Female | 292 | 7.5 | 183 | 9.1 | 897 | 9.8 | 266 | 26.6 | 62 | 9.2 | 1700 | 10.1 |
| Sibling(s) | Male | 1258 | 10.6 | 380 | 10.3 | 2076 | 11.7 | 1352 | 27.9 | 167 | 16.4 | 5233 | 13.4 |
| | Total | 1550 | 9.8 | 563 | 9.9 | 2973 | 11.0 | 1618 | 27.7 | 229 | 13.5 | 6933 | 12.4 |
| With | Female | 788 | 20.2 | 495 | 24.6 | 2756 | 30.0 | 488 | 48.8 | 178 | 26.4 | 4705 | 28.0 |
| Parent(s) | Male | 3130 | 26.4 | 999 | 27.2 | 5932 | 33.4 | 2740 | 56.6 | 334 | 32.8 | 13135 | 33.5 |
| | Total | 3918 | 24.9 | 1494 | 26.3 | 8688 | 32.2 | 3228 | 55.3 | 512 | 30.3 | 17840 | 31.9 |
| With | Female | 813 | 20.8 | 151 | 7.5 | 667 | 7.3 | 44 | 4.4 | 180 | 26.7 | 1855 | 11.0 |
| Spouse | Male | 2363 | 19.9 | 512 | 13.9 | 1769 | 10.0 | 186 | 3.8 | 246 | 24.2 | 5076 | 13.0 |
| | Total | 3176 | 20.2 | 663 | 11.7 | 2436 | 9.0 | 230 | 3.9 | 426 | 25.2 | 6931 | 12.4 |
| As Married | Female | 386 | 9.9 | 233 | 11.6 | 914 | 9.9 | 67 | 6.7 | 63 | 9.3 | 1663 | 9.9 |
| | Male | 1082 | 9.1 | 338 | 9.2 | 1680 | 9.5 | 307 | 6.3 | 77 | 7.6 | 3484 | 8.9 |
| | Total | 1468 | 9.3 | 571 | 10.0 | 2594 | 9.6 | 374 | 6.4 | 140 | 8.3 | 5147 | 9.2 |
| With | Female | 2 | 0.1 | 3 | 0.1 | 6 | 0.1 | 3 | 0.3 | 0 | 0.0 | 14 | 0.1 |
| Foster Parent(s) | Male | 12 | 0.1 | 3 | 0.1 | 21 | 0.1 | 15 | 0.3 | 0 | 0.0 | 51 | 0.1 |
| | Total | 14 | 0.1 | 6 | 0.1 | 27 | 0.1 | 18 | 0.3 | 0 | 0.0 | 65 | 0.1 |
| With | Female | 239 | 6.1 | 223 | 11.1 | 821 | 8.9 | 128 | 12.8 | 44 | 6.5 | 1455 | 8.7 |
| Relatives | Male | 868 | 7.3 | 350 | 9.5 | 1442 | 8.1 | 573 | 11.8 | 49 | 4.8 | 3282 | 8.4 |
| | Total | 1107 | 7.0 | 573 | 10.1 | 2263 | 8.4 | 701 | 12.0 | 93 | 5.5 | 4737 | 8.5 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Primary | Drug | | | | | Total | |
|-------------------|--------|---------|-----|---------|------|---------|------|-----------|------|--------|-----|-------|------|
| Tota | al | Alcohol | | Cocaine | | Heroin | | Marijuana | | Others | | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| With Friend(s) | Female | 305 | 7.8 | 178 | 8.8 | 1090 | 11.8 | 82 | 8.2 | 57 | 8.4 | 1712 | 10.2 |
| | Male | 832 | 7.0 | 223 | 6.1 | 1377 | 7.7 | 216 | 4.5 | 52 | 5.1 | 2700 | 6.9 |
| | Total | 1137 | 7.2 | 401 | 7.0 | 2467 | 9.1 | 298 | 5.1 | 109 | 6.4 | 4412 | 7.9 |
| In Group | Female | 99 | 2.5 | 139 | 6.9 | 260 | 2.8 | 52 | 5.2 | 20 | 3.0 | 570 | 3.4 |
| Quarters | Male | 584 | 4.9 | 417 | 11.3 | 944 | 5.3 | 700 | 14.5 | 101 | 9.9 | 2746 | 7.0 |
| | Total | 683 | 4.3 | 556 | 9.8 | 1204 | 4.5 | 752 | 12.9 | 121 | 7.2 | 3316 | 5.9 |
| Homeless | Female | 230 | 5.9 | 157 | 7.8 | 789 | 8.6 | 17 | 1.7 | 15 | 2.2 | 1208 | 7.2 |
| | Male | 972 | 8.2 | 363 | 9.9 | 2124 | 12.0 | 59 | 1.2 | 26 | 2.6 | 3544 | 9.1 |
| | Total | 1202 | 7.6 | 520 | 9.1 | 2913 | 10.8 | 76 | 1.3 | 41 | 2.4 | 4752 | 8.5 |

Table 12.

Treatment Setting by Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | Total | |
|--|--------|------|------|------|------|---------|------|------|-------|-----|------|-------|------|
| Treatment Setting | by Sex | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Hospital Detox/IMU | Female | 436 | 11.3 | 53 | 2.6 | 1924 | 20.9 | 10 | 1.0 | 92 | 13.7 | 2515 | 15.0 |
| | Male | 1290 | 11.1 | 176 | 4.9 | 4617 | 26.1 | 44 | 0.9 | 105 | 10.4 | 6232 | 16.1 |
| | Total | 1726 | 11.2 | 229 | 4.1 | 6541 | 24.4 | 54 | 0.9 | 197 | 11.7 | 8747 | 15.8 |
| Residential Detox | Female | 479 | 12.4 | 111 | 5.5 | 826 | 9.0 | 10 | 1.0 | 78 | 11.6 | 1504 | 9.0 |
| | Male | 1267 | 10.9 | 247 | 6.9 | 1672 | 9.5 | 35 | 0.7 | 143 | 14.1 | 3364 | 8.7 |
| | Total | 1746 | 11.3 | 358 | 6.4 | 2498 | 9.3 | 45 | 0.8 | 221 | 13.1 | 4868 | 8.8 |
| Short-term | Female | 520 | 13.5 | 461 | 23.0 | 517 | 5.6 | 120 | 12.0 | 100 | 14.9 | 1718 | 10.3 |
| residential | Male | 1401 | 12.1 | 646 | 18.1 | 992 | 5.6 | 517 | 10.8 | 111 | 11.0 | 3667 | 9.5 |
| | Total | 1921 | 12.4 | 1107 | 19.8 | 1509 | 5.6 | 637 | 11.0 | 211 | 12.5 | 5385 | 9.7 |
| Therapeutic Community/Long- term Residential | Female | 66 | 1.7 | 124 | 6.2 | 264 | 2.9 | 62 | 6.2 | 21 | 3.1 | 537 | 3.2 |
| | Male | 432 | 3.7 | 466 | 13.0 | 1106 | 6.3 | 1044 | 21.8 | 113 | 11.2 | 3161 | 8.2 |
| | Total | 498 | 3.2 | 590 | 10.6 | 1370 | 5.1 | 1106 | 19.1 | 134 | 7.9 | 3698 | 6.7 |
| Extended Care | Female | 2 | 0.1 | 1 | 0.0 | 7 | 0.1 | | | 1 | 0.1 | 11 | 0.1 |
| | Male | 154 | 1.3 | 98 | 2.7 | 131 | 0.7 | 13 | 0.3 | 9 | 0.9 | 405 | 1.0 |
| | Total | 156 | 1.0 | 99 | 1.8 | 138 | 0.5 | 13 | 0.2 | 10 | 0.6 | 416 | 0.8 |
| Halfway House | Female | 83 | 2.2 | 117 | 5.8 | 170 | 1.9 | 16 | 1.6 | 8 | 1.2 | 394 | 2.4 |
| | Male | 161 | 1.4 | 107 | 3.0 | 242 | 1.4 | 31 | 0.6 | 10 | 1.0 | 551 | 1.4 |
| | Total | 244 | 1.6 | 224 | 4.0 | 412 | 1.5 | 47 | 0.8 | 18 | 1.1 | 945 | 1.7 |
| Residential Total | Female | 1586 | 41.1 | 867 | 43.2 | 3708 | 40.4 | 218 | 21.9 | 300 | 44.6 | 6679 | 39.9 |
| | Male | 4705 | 40.6 | 1740 | 48.7 | 8760 | 49.6 | 1684 | 35.1 | 491 | 48.5 | 17380 | 45.0 |
| | Total | 6291 | 40.8 | 2607 | 46.7 | 12468 | 46.4 | 1902 | 32.8 | 791 | 46.9 | 24059 | 43.5 |
| Outpatient Care | Female | 1443 | 37.4 | 554 | 27.6 | 476 | 5.2 | 509 | 51.1 | 155 | 23.0 | 3137 | 18.8 |
| | Male | 5187 | 44.8 | 1182 | 33.1 | 1088 | 6.2 | 2334 | 48.7 | 228 | 22.5 | 10019 | 25.9 |
| | Total | 6630 | 42.9 | 1736 | 31.1 | 1564 | 5.8 | 2843 | 49.1 | 383 | 22.7 | 13156 | 23.8 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Primary | Drug | | | | | Total | |
|--------------------------|--------|-------|-------|------|-------|---------|----------|------|-------|------|-------|--|-------|
| Treatment Setting | by Sex | Alco | hol | Coc | aine | Her | oin Mari | | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N 2184 3301 5485 2370 3887 6257 2353 4043 6396 10044 21250 31294 | % |
| Outpatient | Female | 8 | 0.2 | 2 | 0.1 | 2109 | 23.0 | 1 | 0.1 | 64 | 9.5 | 2184 | 13.1 |
| Methadone Maintenance | Male | 10 | 0.1 | 3 | 0.1 | 3194 | 18.1 | 7 | 0.1 | 87 | 8.6 | 3301 | 8.5 |
| | Total | 18 | 0.1 | 5 | 0.1 | 5303 | 19.7 | 8 | 0.1 | 151 | 9.0 | % N 9.5 2184 8.6 3301 9.0 5485 17.8 2370 14.7 3887 16.0 6257 5.1 2353 5.7 4043 5.5 6396 55.4 10044 51.5 21250 53.1 31294 100.0 16723 1 | 9.9 |
| Intensive Outpatient | Female | 798 | 20.7 | 573 | 28.6 | 613 | 6.7 | 266 | 26.7 | 120 | 17.8 | 2370 | 14.2 |
| | Male | 1642 | 14.2 | 642 | 18.0 | 686 | 3.9 | 768 | 16.0 | 149 | 14.7 | 3887 | 10.1 |
| | Total | 2440 | 15.8 | 1215 | 21.8 | 1299 | 4.8 | 1034 | 17.8 | 269 | 16.0 | 6257 | 11.3 |
| Outpatient Detox | Female | 25 | 0.6 | 11 | 0.5 | 2281 | 24.8 | 2 | 0.2 | 34 | 5.1 | 2353 | 14.1 |
| | Male | 33 | 0.3 | 7 | 0.2 | 3941 | 22.3 | 4 | 0.1 | 58 | 5.7 | 4043 | 10.5 |
| | Total | 58 | 0.4 | 18 | 0.3 | 6222 | 23.2 | 6 | 0.1 | 92 | 5.5 | 6396 | 11.6 |
| Outpatient Total | Female | 2274 | 58.9 | 1140 | 56.8 | 5479 | 59.6 | 778 | 78.1 | 373 | 55.4 | 10044 | 60.1 |
| | Male | 6872 | 59.4 | 1834 | 51.3 | 8909 | 50.4 | 3113 | 64.9 | 522 | 51.5 | 21250 | 55.0 |
| | Total | 9146 | 59.2 | 2974 | 53.3 | 14388 | 53.6 | 3891 | 67.2 | 895 | 53.1 | 31294 | 56.5 |
| Total | Female | 3860 | 100.0 | 2007 | 100.0 | 9187 | 100.0 | 996 | 100.0 | 673 | 100.0 | 16723 | 100.0 |
| | Male | 11577 | 100.0 | 3574 | 100.0 | 17669 | 100.0 | 4797 | 100.0 | 1013 | 100.0 | 38630 | 100.0 |
| | Total | 15437 | 100.0 | 5581 | 100.0 | 26856 | 100.0 | 5793 | 100.0 | 1686 | 100.0 | 55353 | 100.0 |

Table 13.
Clients By Referral Source, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | Total | |
|----------------|----------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Referral Sourc | e by Sex | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | iers | 10 | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Criminal | Female | 384 | 9.9 | 357 | 17.7 | 569 | 6.2 | 326 | 32.8 | 80 | 11.9 | 1716 | 10.2 |
| Justice/Police | Male | 2756 | 23.3 | 1472 | 40.1 | 2259 | 12.7 | 3223 | 66.7 | 290 | 28.6 | 10000 | 25.6 |
| | Total | 3140 | 20.0 | 1829 | 32.2 | 2828 | 10.5 | 3549 | 60.9 | 370 | 21.9 | 11716 | 21.0 |
| Family/Friend | Female | 332 | 8.5 | 104 | 5.2 | 996 | 10.8 | 47 | 4.7 | 84 | 12.5 | 1563 | 9.3 |
| | Male | 674 | 5.7 | 227 | 6.2 | 1882 | 10.6 | 216 | 4.5 | 111 | 10.9 | 3110 | 8.0 |
| | Total | 1006 | 6.4 | 331 | 5.8 | 2878 | 10.7 | 263 | 4.5 | 195 | 11.5 | 4673 | 8.4 |
| IDRC/IDP | Female | 315 | 8.1 | 8 | 0.4 | 9 | 0.1 | 6 | 0.6 | 2 | 0.3 | 340 | 2.0 |
| | Male | 2111 | 17.8 | 13 | 0.4 | 26 | 0.1 | 58 | 1.2 | 7 | 0.7 | 2215 | 5.7 |
| | Total | 2426 | 15.4 | 21 | 0.4 | 35 | 0.1 | 64 | 1.1 | 9 | 0.5 | 2555 | 4.6 |
| Other | Female | 227 | 5.8 | 114 | 5.7 | 267 | 2.9 | 28 | 2.8 | 32 | 4.7 | 668 | 4.0 |
| | Male | 458 | 3.9 | 169 | 4.6 | 384 | 2.2 | 93 | 1.9 | 34 | 3.3 | 1138 | 2.9 |
| | Total | 685 | 4.4 | 283 | 5.0 | 651 | 2.4 | 121 | 2.1 | 66 | 3.9 | 1806 | 3.2 |
| Self | Female | 1014 | 26.0 | 424 | 21.1 | 5472 | 59.6 | 107 | 10.8 | 236 | 35.0 | 7253 | 43.3 |
| | Male | 2861 | 24.2 | 890 | 24.2 | 10406 | 58.7 | 331 | 6.8 | 332 | 32.7 | 14820 | 37.9 |
| | Total | 3875 | 24.6 | 1314 | 23.1 | 15878 | 59.0 | 438 | 7.5 | 568 | 33.6 | 22073 | 39.5 |
| Social Agency | Female | 1623 | 41.7 | 1005 | 50.0 | 1872 | 20.4 | 481 | 48.3 | 240 | 35.6 | 5221 | 31.1 |
| | Male | 2967 | 25.1 | 902 | 24.6 | 2773 | 15.6 | 913 | 18.9 | 241 | 23.7 | 7796 | 19.9 |
| | Total | 4590 | 29.2 | 1907 | 33.5 | 4645 | 17.3 | 1394 | 23.9 | 481 | 28.5 | 13017 | 23.3 |
| Total | Female | 3895 | 100.0 | 2012 | 100.0 | 9185 | 100.0 | 995 | 100.0 | 674 | 100.0 | 16761 | 100.0 |
| | Male | 11827 | 100.0 | 3673 | 100.0 | 17730 | 100.0 | 4834 | 100.0 | 1015 | 100.0 | 39079 | 100.0 |
| | Total | 15722 | 100.0 | 5685 | 100.0 | 26915 | 100.0 | 5829 | 100.0 | 1689 | 100.0 | 55840 | 100.0 |

Table 14.

Employment Status of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | Drug | | | | | Total | |
|--------------|--------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| Black | | Alc | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Employed | Female | 122 | 14.2 | 103 | 9.3 | 306 | 7.5 | 52 | 15.9 | 5 | 7.0 | 588 | 9.1 |
| Full Time | Male | 725 | 29.9 | 367 | 22.0 | 972 | 16.1 | 291 | 14.3 | 19 | 15.0 | 2374 | 19.3 |
| | Total | 847 | 25.8 | 470 | 16.9 | 1278 | 12.6 | 343 | 14.5 | 24 | 12.1 | 2962 | 15.8 |
| Employed | Female | 35 | 4.1 | 60 | 5.4 | 91 | 2.2 | 18 | 5.5 | 4 | 5.6 | 208 | 3.2 |
| Part Time | Male | 107 | 4.4 | 78 | 4.7 | 188 | 3.1 | 123 | 6.1 | 2 | 1.6 | 498 | 4.1 |
| | Total | 142 | 4.3 | 138 | 5.0 | 279 | 2.8 | 141 | 6.0 | 6 | 3.0 | 706 | 3.8 |
| Not in Labor | Female | 314 | 36.6 | 451 | 40.8 | 1108 | 27.2 | 120 | 36.7 | 29 | 40.8 | 2022 | 31.4 |
| Force | Male | 651 | 26.8 | 582 | 34.9 | 1382 | 22.9 | 1011 | 49.8 | 64 | 50.4 | 3690 | 30.0 |
| | Total | 965 | 29.4 | 1033 | 37.2 | 2490 | 24.6 | 1131 | 48.0 | 93 | 47.0 | 5712 | 30.5 |
| Unemployed | Female | 388 | 45.2 | 491 | 44.4 | 2574 | 63.1 | 137 | 41.9 | 33 | 46.5 | 3623 | 56.2 |
| | Male | 943 | 38.9 | 642 | 38.5 | 3492 | 57.9 | 606 | 29.8 | 42 | 33.1 | 5725 | 46.6 |
| | Total | 1331 | 40.5 | 1133 | 40.8 | 6066 | 60.0 | 743 | 31.5 | 75 | 37.9 | 9348 | 49.9 |
| Total | Female | 859 | 100.0 | 1105 | 100.0 | 4079 | 100.0 | 327 | 100.0 | 71 | 100.0 | 6441 | 100.0 |
| | Male | 2426 | 100.0 | 1669 | 100.0 | 6034 | 100.0 | 2031 | 100.0 | 127 | 100.0 | 12287 | 100.0 |
| | Total | 3285 | 100.0 | 2774 | 100.0 | 10113 | 100.0 | 2358 | 100.0 | 198 | 100.0 | 18728 | 100.0 |

Table 14.

Employment Status of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | Drug | | | | | Total | |
|-----------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| White | • | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Employed | Female | 896 | 32.6 | 116 | 16.6 | 656 | 16.7 | 89 | 18.5 | 140 | 24.9 | 1897 | 22.5 |
| Full Time | Male | 3885 | 50.2 | 545 | 37.6 | 2501 | 32.5 | 528 | 28.3 | 362 | 46.6 | 7821 | 40.1 |
| | Total | 4781 | 45.6 | 661 | 30.8 | 3157 | 27.2 | 617 | 26.3 | 502 | 37.5 | 9718 | 34.8 |
| Employed Part Time | Female | 250 | 9.1 | 47 | 6.7 | 275 | 7.0 | 88 | 18.3 | 42 | 7.5 | 702 | 8.3 |
| Part Time | Male | 392 | 5.1 | 70 | 4.8 | 294 | 3.8 | 273 | 14.6 | 38 | 4.9 | 1067 | 5.5 |
| | Total | 642 | 6.1 | 117 | 5.5 | 569 | 4.9 | 361 | 15.4 | 80 | 6.0 | 1769 | 6.3 |
| Not in Labor | Female | 763 | 27.7 | 222 | 31.9 | 884 | 22.5 | 193 | 40.1 | 168 | 29.8 | 2230 | 26.5 |
| Force | Male | 1463 | 18.9 | 342 | 23.6 | 1327 | 17.3 | 634 | 34.0 | 174 | 22.4 | 3940 | 20.2 |
| | Total | 2226 | 21.2 | 564 | 26.3 | 2211 | 19.0 | 827 | 35.2 | 342 | 25.5 | 6170 | 22.1 |
| Unemployed | Female | 841 | 30.6 | 312 | 44.8 | 2116 | 53.8 | 111 | 23.1 | 213 | 37.8 | 3593 | 42.7 |
| | Male | 1995 | 25.8 | 492 | 34.0 | 3564 | 46.4 | 432 | 23.1 | 202 | 26.0 | 6685 | 34.3 |
| | Total | 2836 | 27.0 | 804 | 37.5 | 5680 | 48.9 | 543 | 23.1 | 415 | 31.0 | 10278 | 36.8 |
| Total | Female | 2750 | 100.0 | 697 | 100.0 | 3931 | 100.0 | 481 | 100.0 | 563 | 100.0 | 8422 | 100.0 |
| | Male | 7735 | 100.0 | 1449 | 100.0 | 7686 | 100.0 | 1867 | 100.0 | 776 | 100.0 | 19513 | 100.0 |
| | Total | 10485 | 100.0 | 2146 | 100.0 | 11617 | 100.0 | 2348 | 100.0 | 1339 | 100.0 | 27935 | 100.0 |

Table 14.

Employment Status of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | / Drug | | | | | Total | |
|---------------|--------|------|-------|-----|-------|---------|--------|-----|--------|--------|-------|-------|-------|
| Hispanic | | Alc | ohol | Co | caine | Hei | oin | Mar | ijuana | Others | | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Employed Full | Female | 49 | 23.9 | 19 | 11.2 | 87 | 9.1 | 17 | 11.3 | 4 | 14.8 | 176 | 11.7 |
| Time | Male | 644 | 48.7 | 126 | 25.5 | 789 | 22.3 | 161 | 22.5 | 21 | 25.6 | 1741 | 28.3 |
| | Total | 693 | 45.4 | 145 | 21.8 | 876 | 19.5 | 178 | 20.6 | 25 | 22.9 | 1917 | 25.0 |
| Employed Part | Female | 26 | 12.7 | 10 | 5.9 | 23 | 2.4 | 12 | 8.0 | 2 | 7.4 | 73 | 4.8 |
| Time | Male | 61 | 4.6 | 32 | 6.5 | 94 | 2.7 | 64 | 9.0 | 3 | 3.7 | 254 | 4.1 |
| | Total | 87 | 5.7 | 42 | 6.3 | 117 | 2.6 | 76 | 8.8 | 5 | 4.6 | 327 | 4.3 |
| Not in Labor | Female | 68 | 33.2 | 67 | 39.4 | 256 | 26.7 | 62 | 41.3 | 7 | 25.9 | 460 | 30.5 |
| Force | Male | 203 | 15.3 | 121 | 24.4 | 611 | 17.3 | 288 | 40.3 | 26 | 31.7 | 1249 | 20.3 |
| | Total | 271 | 17.7 | 188 | 28.3 | 867 | 19.3 | 350 | 40.5 | 33 | 30.3 | 1709 | 22.3 |
| Unemployed | Female | 62 | 30.2 | 74 | 43.5 | 592 | 61.8 | 59 | 39.3 | 14 | 51.9 | 801 | 53.0 |
| | Male | 415 | 31.4 | 216 | 43.6 | 2039 | 57.7 | 201 | 28.2 | 32 | 39.0 | 2903 | 47.2 |
| | Total | 477 | 31.2 | 290 | 43.6 | 2631 | 58.6 | 260 | 30.1 | 46 | 42.2 | 3704 | 48.4 |
| Total | Female | 205 | 100.0 | 170 | 100.0 | 958 | 100.0 | 150 | 100.0 | 27 | 100.0 | 1510 | 100.0 |
| | Male | 1323 | 100.0 | 495 | 100.0 | 3533 | 100.0 | 714 | 100.0 | 82 | 100.0 | 6147 | 100.0 |
| | Total | 1528 | 100.0 | 665 | 100.0 | 4491 | 100.0 | 864 | 100.0 | 109 | 100.0 | 7657 | 100.0 |

Table 14.

Employment Status of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | I | Primar | y Drug | | | | | Т | otal |
|--------------------|--------|-----|-------|----|-------|--------|--------|-----|---------|----|-------|-----|-------|
| Other | | Ald | cohol | Co | caine | Не | eroin | Mai | rijuana | O | thers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Employed Full Time | Female | 11 | 25.6 | 1 | 6.7 | 28 | 19.2 | 1 | 7.1 | 2 | 25.0 | 43 | 19.0 |
| | Male | 105 | 51.0 | 9 | 25.7 | 82 | 22.7 | 25 | 30.9 | 11 | 47.8 | 232 | 32.9 |
| | Total | 116 | 46.6 | 10 | 20.0 | 110 | 21.7 | 26 | 27.4 | 13 | 41.9 | 275 | 29.5 |
| Employed Part Time | Female | 5 | 11.6 | | | 7 | 4.8 | 4 | 28.6 | 1 | 12.5 | 17 | 7.5 |
| | Male | 12 | 5.8 | 3 | 8.6 | 9 | 2.5 | 9 | 11.1 | 1 | 4.3 | 34 | 4.8 |
| | Total | 17 | 6.8 | 3 | 6.0 | 16 | 3.2 | 13 | 13.7 | 2 | 6.5 | 51 | 5.5 |
| Not in Labor Force | Female | 13 | 30.2 | 7 | 46.7 | 27 | 18.5 | 4 | 28.6 | 3 | 37.5 | 54 | 23.9 |
| | Male | 25 | 12.1 | 10 | 28.6 | 35 | 9.7 | 30 | 37.0 | 3 | 13.0 | 103 | 14.6 |
| | Total | 38 | 15.3 | 17 | 34.0 | 62 | 12.2 | 34 | 35.8 | 6 | 19.4 | 157 | 16.8 |
| Unemployed | Female | 14 | 32.6 | 7 | 46.7 | 84 | 57.5 | 5 | 35.7 | 2 | 25.0 | 112 | 49.6 |
| | Male | 64 | 31.1 | 13 | 37.1 | 235 | 65.1 | 17 | 21.0 | 8 | 34.8 | 337 | 47.7 |
| | Total | 78 | 31.3 | 20 | 40.0 | 319 | 62.9 | 22 | 23.2 | 10 | 32.3 | 449 | 48.2 |
| Total | Female | 43 | 100.0 | 15 | 100.0 | 146 | 100.0 | 14 | 100.0 | 8 | 100.0 | 226 | 100.0 |
| | Male | 206 | 100.0 | 35 | 100.0 | 361 | 100.0 | 81 | 100.0 | 23 | 100.0 | 706 | 100.0 |
| | Total | 249 | 100.0 | 50 | 100.0 | 507 | 100.0 | 95 | 100.0 | 31 | 100.0 | 932 | 100.0 |

Table 14.

Employment Status of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | Drug | | | | | То | tal |
|--------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Total | | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Employed | Female | 1078 | 27.9 | 239 | 12.0 | 1077 | 11.8 | 159 | 16.4 | 151 | 22.6 | 2704 | 16.3 |
| Full Time | Male | 5359 | 45.8 | 1047 | 28.7 | 4344 | 24.7 | 1005 | 21.4 | 413 | 41.0 | 12168 | 31.5 |
| | Total | 6437 | 41.4 | 1286 | 22.8 | 5421 | 20.3 | 1164 | 20.5 | 564 | 33.6 | 14872 | 26.9 |
| Employed | Female | 316 | 8.2 | 117 | 5.9 | 396 | 4.3 | 122 | 12.6 | 49 | 7.3 | 1000 | 6.0 |
| Part Time | Male | 572 | 4.9 | 183 | 5.0 | 585 | 3.3 | 469 | 10.0 | 44 | 4.4 | 1853 | 4.8 |
| | Total | 888 | 5.7 | 300 | 5.3 | 981 | 3.7 | 591 | 10.4 | 93 | 5.5 | 2853 | 5.2 |
| Not in Labor | Female | 1158 | 30.0 | 747 | 37.6 | 2275 | 25.0 | 379 | 39.0 | 207 | 30.9 | 4766 | 28.7 |
| Force | Male | 2342 | 20.0 | 1055 | 28.9 | 3355 | 19.0 | 1963 | 41.8 | 267 | 26.5 | 8982 | 23.2 |
| | Total | 3500 | 22.5 | 1802 | 32.0 | 5630 | 21.1 | 2342 | 41.3 | 474 | 28.3 | 13748 | 24.9 |
| Unemployed | Female | 1305 | 33.8 | 884 | 44.5 | 5366 | 58.9 | 312 | 32.1 | 262 | 39.2 | 8129 | 49.0 |
| | Male | 3417 | 29.2 | 1363 | 37.4 | 9330 | 53.0 | 1256 | 26.8 | 284 | 28.2 | 15650 | 40.5 |
| | Total | 4722 | 30.4 | 2247 | 39.9 | 14696 | 55.0 | 1568 | 27.7 | 546 | 32.6 | 23779 | 43.0 |
| Total | Female | 3857 | 100.0 | 1987 | 100.0 | 9114 | 100.0 | 972 | 100.0 | 669 | 100.0 | 16599 | 100.0 |
| | Male | 11690 | 100.0 | 3648 | 100.0 | 17614 | 100.0 | 4693 | 100.0 | 1008 | 100.0 | 38653 | 100.0 |
| | Total | 15547 | 100.0 | 5635 | 100.0 | 26728 | 100.0 | 5665 | 100.0 | 1677 | 100.0 | 55252 | 100.0 |

Table 15.

Educational Attainment of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | Drug | | | | | То | tal |
|--------------|--------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| Black | | Alc | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | 10 | ıaı |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Grade School | Female | 43 | 4.9 | 45 | 4.0 | 107 | 2.6 | 28 | 8.3 | 8 | 11.0 | 231 | 3.6 |
| | Male | 105 | 4.3 | 49 | 2.9 | 191 | 3.1 | 195 | 9.3 | 7 | 5.5 | 547 | 4.4 |
| | Total | 148 | 4.5 | 94 | 3.4 | 298 | 2.9 | 223 | 9.2 | 15 | 7.5 | 778 | 4.1 |
| Some High | Female | 313 | 35.9 | 437 | 39.3 | 1596 | 38.9 | 179 | 52.8 | 25 | 34.2 | 2550 | 39.3 |
| School | Male | 782 | 31.9 | 503 | 29.9 | 2007 | 33.0 | 1124 | 53.8 | 56 | 44.1 | 4472 | 36.0 |
| | Total | 1095 | 33.0 | 940 | 33.7 | 3603 | 35.4 | 1303 | 53.7 | 81 | 40.5 | 7022 | 37.1 |
| High School | Female | 378 | 43.4 | 435 | 39.1 | 1796 | 43.8 | 112 | 33.0 | 31 | 42.5 | 2752 | 42.4 |
| Diploma | Male | 1194 | 48.7 | 815 | 48.5 | 2973 | 49.0 | 647 | 31.0 | 48 | 37.8 | 5677 | 45.7 |
| | Total | 1572 | 47.3 | 1250 | 44.8 | 4769 | 46.9 | 759 | 31.3 | 79 | 39.5 | 8429 | 44.6 |
| Some | Female | 103 | 11.8 | 173 | 15.5 | 541 | 13.2 | 17 | 5.0 | 8 | 11.0 | 842 | 13.0 |
| College | Male | 303 | 12.4 | 252 | 15.0 | 771 | 12.7 | 112 | 5.4 | 14 | 11.0 | 1452 | 11.7 |
| | Total | 406 | 12.2 | 425 | 15.2 | 1312 | 12.9 | 129 | 5.3 | 22 | 11.0 | 2294 | 12.1 |
| College | Female | 27 | 3.1 | 17 | 1.5 | 51 | 1.2 | 3 | 0.9 | 1 | 1.4 | 99 | 1.5 |
| Graduate | Male | 51 | 2.1 | 45 | 2.7 | 109 | 1.8 | 9 | 0.4 | 2 | 1.6 | 216 | 1.7 |
| | Total | 78 | 2.3 | 62 | 2.2 | 160 | 1.6 | 12 | 0.5 | 3 | 1.5 | 315 | 1.7 |
| Post | Female | 7 | 0.8 | 6 | 0.5 | 7 | 0.2 | | | | | 20 | 0.3 |
| Graduate | Male | 15 | 0.6 | 16 | 1.0 | 22 | 0.4 | 2 | 0.1 | | | 55 | 0.4 |
| | Total | 22 | 0.7 | 22 | 0.8 | 29 | 0.3 | 2 | 0.1 | | | 75 | 0.4 |
| Total | Female | 871 | 100.0 | 1113 | 100.0 | 4098 | 100.0 | 339 | 100.0 | 73 | 100.0 | 6494 | 100.0 |
| | Male | 2450 | 100.0 | 1680 | 100.0 | 6073 | 100.0 | 2089 | 100.0 | 127 | 100.0 | 12419 | 100.0 |
| | Total | 3321 | 100.0 | 2793 | 100.0 | 10171 | 100.0 | 2428 | 100.0 | 200 | 100.0 | 18913 | 100.0 |

Table 15.

Educational Attainment of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|-------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Whi | ite | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | 10 | tai |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Grade | Female | 68 | 2.5 | 22 | 3.1 | 124 | 3.1 | 63 | 12.8 | 13 | 2.3 | 290 | 3.4 |
| School | Male | 239 | 3.1 | 55 | 3.8 | 250 | 3.2 | 181 | 9.5 | 19 | 2.4 | 744 | 3.8 |
| | Total | 307 | 2.9 | 77 | 3.6 | 374 | 3.2 | 244 | 10.1 | 32 | 2.4 | 1034 | 3.7 |
| Some | Female | 408 | 14.8 | 170 | 24.1 | 1004 | 25.3 | 239 | 48.4 | 92 | 16.3 | 1913 | 22.5 |
| High School | Male | 1417 | 18.2 | 333 | 22.9 | 1958 | 25.3 | 934 | 48.8 | 160 | 20.5 | 4802 | 24.4 |
| | Total | 1825 | 17.3 | 503 | 23.3 | 2962 | 25.3 | 1173 | 48.7 | 252 | 18.7 | 6715 | 23.8 |
| High | Female | 1383 | 50.0 | 347 | 49.3 | 2018 | 50.8 | 138 | 27.9 | 272 | 48.1 | 4158 | 48.9 |
| School Diploma | Male | 4095 | 52.5 | 757 | 52.0 | 4137 | 53.5 | 625 | 32.7 | 378 | 48.5 | 9992 | 50.7 |
| | Total | 5478 | 51.8 | 1104 | 51.1 | 6155 | 52.6 | 763 | 31.7 | 650 | 48.3 | 14150 | 50.2 |
| Some | Female | 566 | 20.5 | 131 | 18.6 | 691 | 17.4 | 43 | 8.7 | 131 | 23.2 | 1562 | 18.4 |
| College | Male | 1231 | 15.8 | 218 | 15.0 | 1088 | 14.1 | 131 | 6.8 | 137 | 17.6 | 2805 | 14.2 |
| | Total | 1797 | 17.0 | 349 | 16.2 | 1779 | 15.2 | 174 | 7.2 | 268 | 19.9 | 4367 | 15.5 |
| College | Female | 260 | 9.4 | 26 | 3.7 | 113 | 2.8 | 8 | 1.6 | 48 | 8.5 | 455 | 5.4 |
| Graduate | Male | 658 | 8.4 | 72 | 4.9 | 256 | 3.3 | 36 | 1.9 | 60 | 7.7 | 1082 | 5.5 |
| | Total | 918 | 8.7 | 98 | 4.5 | 369 | 3.2 | 44 | 1.8 | 108 | 8.0 | 1537 | 5.5 |
| Post | Female | 80 | 2.9 | 8 | 1.1 | 25 | 0.6 | 3 | 0.6 | 9 | 1.6 | 125 | 1.5 |
| Graduate | Male | 167 | 2.1 | 20 | 1.4 | 48 | 0.6 | 7 | 0.4 | 26 | 3.3 | 268 | 1.4 |
| | Total | 247 | 2.3 | 28 | 1.3 | 73 | 0.6 | 10 | 0.4 | 35 | 2.6 | 393 | 1.4 |
| Total | Female | 2765 | 100.0 | 704 | 100.0 | 3975 | 100.0 | 494 | 100.0 | 565 | 100.0 | 8503 | 100.0 |
| | Male | 7807 | 100.0 | 1455 | 100.0 | 7737 | 100.0 | 1914 | 100.0 | 780 | 100.0 | 19693 | 100.0 |
| | Total | 10572 | 100.0 | 2159 | 100.0 | 11712 | 100.0 | 2408 | 100.0 | 1345 | 100.0 | 28196 | 100.0 |

Table 15.

Educational Attainment of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | y Drug | | | | | To | otal |
|------------------|--------|------|-------|-----|-------|---------|--------|-----|--------|-----|-------|------|-------|
| Hispanic | | Alc | ohol | Co | caine | Не | roin | Mar | ijuana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Grade School | Female | 37 | 18.0 | 15 | 8.6 | 142 | 14.7 | 39 | 25.5 | 9 | 33.3 | 242 | 15.9 |
| | Male | 272 | 20.4 | 57 | 11.5 | 489 | 13.8 | 142 | 18.9 | 16 | 18.8 | 976 | 15.7 |
| | Total | 309 | 20.1 | 72 | 10.7 | 631 | 14.0 | 181 | 20.0 | 25 | 22.3 | 1218 | 15.7 |
| Some High | Female | 63 | 30.7 | 75 | 43.1 | 429 | 44.5 | 74 | 48.4 | 9 | 33.3 | 650 | 42.7 |
| School | Male | 409 | 30.7 | 196 | 39.5 | 1521 | 42.9 | 394 | 52.5 | 35 | 41.2 | 2555 | 41.1 |
| | Total | 472 | 30.7 | 271 | 40.4 | 1950 | 43.2 | 468 | 51.8 | 44 | 39.3 | 3205 | 41.4 |
| High School | Female | 69 | 33.7 | 54 | 31.0 | 274 | 28.4 | 36 | 23.5 | 5 | 18.5 | 438 | 28.8 |
| Diploma | Male | 467 | 35.0 | 200 | 40.3 | 1264 | 35.6 | 181 | 24.1 | 27 | 31.8 | 2139 | 34.4 |
| | Total | 536 | 34.9 | 254 | 37.9 | 1538 | 34.1 | 217 | 24.0 | 32 | 28.6 | 2577 | 33.3 |
| Some College | Female | 26 | 12.7 | 28 | 16.1 | 100 | 10.4 | 4 | 2.6 | 3 | 11.1 | 161 | 10.6 |
| | Male | 134 | 10.1 | 34 | 6.9 | 239 | 6.7 | 26 | 3.5 | 7 | 8.2 | 440 | 7.1 |
| | Total | 160 | 10.4 | 62 | 9.3 | 339 | 7.5 | 30 | 3.3 | 10 | 8.9 | 601 | 7.8 |
| College Graduate | Female | 8 | 3.9 | 2 | 1.1 | 13 | 1.3 | | | 1 | 3.7 | 24 | 1.6 |
| | Male | 42 | 3.2 | 6 | 1.2 | 25 | 0.7 | 4 | 0.5 | | | 77 | 1.2 |
| | Total | 50 | 3.3 | 8 | 1.2 | 38 | 0.8 | 4 | 0.4 | 1 | 0.9 | 101 | 1.3 |
| Post Graduate | Female | 2 | 1.0 | | | 6 | 0.6 | | | | | 8 | 0.5 |
| | Male | 9 | 0.7 | 3 | 0.6 | 10 | 0.3 | 3 | 0.4 | | | 25 | 0.4 |
| | Total | 11 | 0.7 | 3 | 0.4 | 16 | 0.4 | 3 | 0.3 | | | 33 | 0.4 |
| Total | Female | 205 | 100.0 | 174 | 100.0 | 964 | 100.0 | 153 | 100.0 | 27 | 100.0 | 1523 | 100.0 |
| | Male | 1333 | 100.0 | 496 | 100.0 | 3548 | 100.0 | 750 | 100.0 | 85 | 100.0 | 6212 | 100.0 |
| | Total | 1538 | 100.0 | 670 | 100.0 | 4512 | 100.0 | 903 | 100.0 | 112 | 100.0 | 7735 | 100.0 |

Table 15.

Educational Attainment of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | |] | Primar | y Drug | | | | | Т | otal |
|---------------------|--------|-----|-------|----|-------|--------|--------|-----|---------|----|-------|-----|-------|
| Other | | Alc | cohol | Co | caine | Не | eroin | Maı | rijuana | О | thers | 1 | Jui |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Grade School | Female | 1 | 2.2 | 2 | 13.3 | 9 | 6.1 | 1 | 6.7 | 1 | 12.5 | 14 | 6.1 |
| | Male | 10 | 5.0 | 1 | 2.9 | 39 | 10.7 | 13 | 15.5 | 2 | 8.7 | 65 | 9.2 |
| | Total | 11 | 4.5 | 3 | 6.0 | 48 | 9.4 | 14 | 14.1 | 3 | 9.7 | 79 | 8.4 |
| Some High School | Female | 11 | 24.4 | 5 | 33.3 | 62 | 42.2 | 9 | 60.0 | 4 | 50.0 | 91 | 39.6 |
| | Male | 48 | 23.9 | 10 | 28.6 | 114 | 31.3 | 33 | 39.3 | 6 | 26.1 | 211 | 29.8 |
| | Total | 59 | 24.0 | 15 | 30.0 | 176 | 34.4 | 42 | 42.4 | 10 | 32.3 | 302 | 32.2 |
| High School Diploma | Female | 21 | 46.7 | 6 | 40.0 | 55 | 37.4 | 4 | 26.7 | 2 | 25.0 | 88 | 38.3 |
| | Male | 80 | 39.8 | 17 | 48.6 | 157 | 43.1 | 27 | 32.1 | 10 | 43.5 | 291 | 41.2 |
| | Total | 101 | 41.1 | 23 | 46.0 | 212 | 41.5 | 31 | 31.3 | 12 | 38.7 | 379 | 40.4 |
| Some College | Female | 7 | 15.6 | 2 | 13.3 | 21 | 14.3 | 1 | 6.7 | 1 | 12.5 | 32 | 13.9 |
| | Male | 32 | 15.9 | 7 | 20.0 | 43 | 11.8 | 9 | 10.7 | 4 | 17.4 | 95 | 13.4 |
| | Total | 39 | 15.9 | 9 | 18.0 | 64 | 12.5 | 10 | 10.1 | 5 | 16.1 | 127 | 13.6 |
| College Graduate | Female | 5 | 11.1 | | | | | | | | | 5 | 2.2 |
| | Male | 23 | 11.4 | | | 10 | 2.7 | 1 | 1.2 | 1 | 4.3 | 35 | 5.0 |
| | Total | 28 | 11.4 | | | 10 | 2.0 | 1 | 1.0 | 1 | 3.2 | 40 | 4.3 |
| Post Graduate | Male | 8 | 4.0 | | | 1 | 0.3 | 1 | 1.2 | | | 10 | 1.4 |
| | Total | 8 | 3.3 | | | 1 | 0.2 | 1 | 1.0 | | | 10 | 1.1 |
| Total | Female | 45 | 100.0 | 15 | 100.0 | 147 | 100.0 | 15 | 100.0 | 8 | 100.0 | 230 | 100.0 |
| | Male | 201 | 100.0 | 35 | 100.0 | 364 | 100.0 | 84 | 100.0 | 23 | 100.0 | 707 | 100.0 |
| | Total | 246 | 100.0 | 50 | 100.0 | 511 | 100.0 | 99 | 100.0 | 31 | 100.0 | 937 | 100.0 |

Table 15.

Educational Attainment of Substance Abusers by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|-------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Tota | al | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | 10 | tui |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Grade | Female | 149 | 3.8 | 84 | 4.2 | 382 | 4.2 | 131 | 13.1 | 31 | 4.6 | 777 | 4.6 |
| School | Male | 626 | 5.3 | 162 | 4.4 | 969 | 5.5 | 531 | 11.0 | 44 | 4.3 | 2332 | 6.0 |
| | Total | 775 | 4.9 | 246 | 4.3 | 1351 | 5.0 | 662 | 11.3 | 75 | 4.4 | 3109 | 5.6 |
| Some | Female | 795 | 20.5 | 687 | 34.2 | 3091 | 33.7 | 501 | 50.0 | 130 | 19.3 | 5204 | 31.1 |
| High School | Male | 2656 | 22.5 | 1042 | 28.4 | 5600 | 31.6 | 2485 | 51.4 | 257 | 25.3 | 12040 | 30.8 |
| | Total | 3451 | 22.0 | 1729 | 30.5 | 8691 | 32.3 | 2986 | 51.1 | 387 | 22.9 | 17244 | 30.9 |
| High | Female | 1851 | 47.6 | 842 | 42.0 | 4143 | 45.1 | 290 | 29.0 | 310 | 46.1 | 7436 | 44.4 |
| School Diploma | Male | 5836 | 49.5 | 1789 | 48.8 | 8531 | 48.1 | 1480 | 30.6 | 463 | 45.6 | 18099 | 46.4 |
| | Total | 7687 | 49.0 | 2631 | 46.4 | 12674 | 47.1 | 1770 | 30.3 | 773 | 45.8 | 25535 | 45.8 |
| Some | Female | 702 | 18.1 | 334 | 16.7 | 1353 | 14.7 | 65 | 6.5 | 143 | 21.2 | 2597 | 15.5 |
| College | Male | 1700 | 14.4 | 511 | 13.9 | 2141 | 12.1 | 278 | 5.7 | 162 | 16.0 | 4792 | 12.3 |
| | Total | 2402 | 15.3 | 845 | 14.9 | 3494 | 13.0 | 343 | 5.9 | 305 | 18.1 | 7389 | 13.2 |
| College | Female | 300 | 7.7 | 45 | 2.2 | 177 | 1.9 | 11 | 1.1 | 50 | 7.4 | 583 | 3.5 |
| Graduate | Male | 774 | 6.6 | 123 | 3.4 | 400 | 2.3 | 50 | 1.0 | 63 | 6.2 | 1410 | 3.6 |
| | Total | 1074 | 6.9 | 168 | 3.0 | 577 | 2.1 | 61 | 1.0 | 113 | 6.7 | 1993 | 3.6 |
| Post | Female | 89 | 2.3 | 14 | 0.7 | 38 | 0.4 | 3 | 0.3 | 9 | 1.3 | 153 | 0.9 |
| Graduate | Male | 199 | 1.7 | 39 | 1.1 | 81 | 0.5 | 13 | 0.3 | 26 | 2.6 | 358 | 0.9 |
| | Total | 288 | 1.8 | 53 | 0.9 | 119 | 0.4 | 16 | 0.3 | 35 | 2.1 | 511 | 0.9 |
| Total | Female | 3886 | 100.0 | 2006 | 100.0 | 9184 | 100.0 | 1001 | 100.0 | 673 | 100.0 | 16750 | 100.0 |
| | Male | 11791 | 100.0 | 3666 | 100.0 | 17722 | 100.0 | 4837 | 100.0 | 1015 | 100.0 | 39031 | 100.0 |
| | Total | 15677 | 100.0 | 5672 | 100.0 | 26906 | 100.0 | 5838 | 100.0 | 1688 | 100.0 | 55781 | 100.0 |

Table 16.

Health Insurance Coverage for Substance Abuse Treatment by Ethnicity,
Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|-------------------|--------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| Black | | Alc | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 873 | 100.0 | 1116 | 100.0 | 4105 | 100.0 | 339 | 100.0 | 73 | 100.0 | 6506 | 100.0 |
| | Male | 2457 | 100.0 | 1682 | 100.0 | 6083 | 100.0 | 2090 | 100.0 | 127 | 100.0 | 12439 | 100.0 |
| | Total | 3330 | 100.0 | 2798 | 100.0 | 10188 | 100.0 | 2429 | 100.0 | 200 | 100.0 | 18945 | 100.0 |
| None | Female | 389 | 44.6 | 590 | 52.9 | 2076 | 50.6 | 171 | 50.4 | 40 | 54.8 | 3266 | 50.2 |
| | Male | 1630 | 66.3 | 1276 | 75.9 | 4448 | 73.1 | 1604 | 76.7 | 102 | 80.3 | 9060 | 72.8 |
| | Total | 2019 | 60.6 | 1866 | 66.7 | 6524 | 64.0 | 1775 | 73.1 | 142 | 71.0 | 12326 | 65.1 |
| Medicare | Female | 21 | 2.4 | 19 | 1.7 | 46 | 1.1 | 2 | 0.6 | 2 | 2.7 | 90 | 1.4 |
| | Male | 53 | 2.2 | 39 | 2.3 | 56 | 0.9 | 11 | 0.5 | 2 | 1.6 | 161 | 1.3 |
| | Total | 74 | 2.2 | 58 | 2.1 | 102 | 1.0 | 13 | 0.5 | 4 | 2.0 | 251 | 1.3 |
| Medicaid | Female | 318 | 36.4 | 413 | 37.0 | 1808 | 44.0 | 121 | 35.7 | 23 | 31.5 | 2683 | 41.2 |
| | Male | 213 | 8.7 | 167 | 9.9 | 1186 | 19.5 | 203 | 9.7 | 11 | 8.7 | 1780 | 14.3 |
| | Total | 531 | 15.9 | 580 | 20.7 | 2994 | 29.4 | 324 | 13.3 | 34 | 17.0 | 4463 | 23.6 |
| Blue Cross/Shield | Female | 17 | 1.9 | 4 | 0.4 | 14 | 0.3 | 4 | 1.2 | 0 | 0.0 | 39 | 0.6 |
| | Male | 81 | 3.3 | 38 | 2.3 | 53 | 0.9 | 35 | 1.7 | 1 | 0.8 | 208 | 1.7 |
| | Total | 98 | 2.9 | 42 | 1.5 | 67 | 0.7 | 39 | 1.6 | 1 | 0.5 | 247 | 1.3 |
| Commercial | Female | 38 | 4.4 | 21 | 1.9 | 25 | 0.6 | 2 | 0.6 | 3 | 4.1 | 89 | 1.4 |
| | Male | 168 | 6.8 | 58 | 3.4 | 87 | 1.4 | 38 | 1.8 | 4 | 3.1 | 355 | 2.9 |
| | Total | 206 | 6.2 | 79 | 2.8 | 112 | 1.1 | 40 | 1.6 | 7 | 3.5 | 444 | 2.3 |
| НМО | Female | 38 | 4.4 | 19 | 1.7 | 24 | 0.6 | 10 | 2.9 | 1 | 1.4 | 92 | 1.4 |
| | Male | 127 | 5.2 | 44 | 2.6 | 71 | 1.2 | 62 | 3.0 | 4 | 3.1 | 308 | 2.5 |
| | Total | 165 | 5.0 | 63 | 2.3 | 95 | 0.9 | 72 | 3.0 | 5 | 2.5 | 400 | 2.1 |
| Other | Female | 39 | 4.5 | 42 | 3.8 | 90 | 2.2 | 22 | 6.5 | 3 | 4.1 | 196 | 3.0 |
| | Male | 112 | 4.6 | 54 | 3.2 | 146 | 2.4 | 76 | 3.6 | 2 | 1.6 | 390 | 3.1 |
| | Total | 151 | 4.5 | 96 | 3.4 | 236 | 2.3 | 98 | 4.0 | 5 | 2.5 | 586 | 3.1 |
| Unknown | Female | 19 | 2.2 | 17 | 1.5 | 14 | 0.3 | 9 | 2.7 | 1 | 1.4 | 60 | 0.9 |
| | Male | 81 | 3.3 | 23 | 1.4 | 24 | 0.4 | 51 | 2.4 | 3 | 2.4 | 182 | 1.5 |
| | Total | 100 | 3.0 | 40 | 1.4 | 38 | 0.4 | 60 | 2.5 | 4 | 2.0 | 242 | 1.3 |

Table 16. (Continued)
Health Insurance Coverage for Substance Abuse Treatment by Ethnicity,
Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|-------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| White | | Alco | ohol | Coc | aine | Her | oin | Mari | juana | Otl | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 2781 | 100.0 | 707 | 100.0 | 3981 | 100.0 | 494 | 100.0 | 567 | 100.0 | 8530 | 100.0 |
| | Male | 7845 | 100.0 | 1462 | 100.0 | 7758 | 100.0 | 1916 | 100.0 | 782 | 100.0 | 19763 | 100.0 |
| | Total | 10626 | 100.0 | 2169 | 100.0 | 11739 | 100.0 | 2410 | 100.0 | 1349 | 100.0 | 28293 | 100.0 |
| None | Female | 1024 | 36.8 | 349 | 49.4 | 2565 | 64.4 | 189 | 38.3 | 202 | 35.6 | 4329 | 50.8 |
| | Male | 3859 | 49.2 | 900 | 61.6 | 5706 | 73.5 | 967 | 50.5 | 327 | 41.8 | 11759 | 59.5 |
| | Total | 4883 | 46.0 | 1249 | 57.6 | 8271 | 70.5 | 1156 | 48.0 | 529 | 39.2 | 16088 | 56.9 |
| Medicare | Female | 69 | 2.5 | 22 | 3.1 | 44 | 1.1 | 12 | 2.4 | 18 | 3.2 | 165 | 1.9 |
| | Male | 207 | 2.6 | 29 | 2.0 | 74 | 1.0 | 37 | 1.9 | 18 | 2.3 | 365 | 1.8 |
| | Total | 276 | 2.6 | 51 | 2.4 | 118 | 1.0 | 49 | 2.0 | 36 | 2.7 | 530 | 1.9 |
| Medicaid | Female | 347 | 12.5 | 152 | 21.5 | 732 | 18.4 | 94 | 19.0 | 95 | 16.8 | 1420 | 16.6 |
| | Male | 443 | 5.6 | 89 | 6.1 | 729 | 9.4 | 156 | 8.1 | 63 | 8.1 | 1480 | 7.5 |
| | Total | 790 | 7.4 | 241 | 11.1 | 1461 | 12.4 | 250 | 10.4 | 158 | 11.7 | 2900 | 10.2 |
| Blue Cross/Shield | Female | 243 | 8.7 | 28 | 4.0 | 102 | 2.6 | 27 | 5.5 | 43 | 7.6 | 443 | 5.2 |
| | Male | 554 | 7.1 | 75 | 5.1 | 203 | 2.6 | 139 | 7.3 | 69 | 8.8 | 1040 | 5.3 |
| | Total | 797 | 7.5 | 103 | 4.7 | 305 | 2.6 | 166 | 6.9 | 112 | 8.3 | 1483 | 5.2 |
| Commercial | Female | 480 | 17.3 | 40 | 5.7 | 163 | 4.1 | 54 | 10.9 | 81 | 14.3 | 818 | 9.6 |
| | Male | 1177 | 15.0 | 150 | 10.3 | 379 | 4.9 | 208 | 10.9 | 126 | 16.1 | 2040 | 10.3 |
| | Total | 1657 | 15.6 | 190 | 8.8 | 542 | 4.6 | 262 | 10.9 | 207 | 15.3 | 2858 | 10.1 |
| НМО | Female | 361 | 13.0 | 42 | 5.9 | 140 | 3.5 | 50 | 10.1 | 90 | 15.9 | 683 | 8.0 |
| | Male | 843 | 10.7 | 111 | 7.6 | 259 | 3.3 | 204 | 10.6 | 116 | 14.8 | 1533 | 7.8 |
| | Total | 1204 | 11.3 | 153 | 7.1 | 399 | 3.4 | 254 | 10.5 | 206 | 15.3 | 2216 | 7.8 |
| Other | Female | 153 | 5.5 | 59 | 8.3 | 175 | 4.4 | 48 | 9.7 | 31 | 5.5 | 466 | 5.5 |
| | Male | 428 | 5.5 | 80 | 5.5 | 298 | 3.8 | 114 | 5.9 | 56 | 7.2 | 976 | 4.9 |
| | Total | 581 | 5.5 | 139 | 6.4 | 473 | 4.0 | 162 | 6.7 | 87 | 6.4 | 1442 | 5.1 |
| Unknown | Female | 128 | 4.6 | 20 | 2.8 | 47 | 1.2 | 28 | 5.7 | 14 | 2.5 | 237 | 2.8 |
| | Male | 375 | 4.8 | 31 | 2.1 | 82 | 1.1 | 99 | 5.2 | 11 | 1.4 | 598 | 3.0 |
| | Total | 503 | 4.7 | 51 | 2.4 | 129 | 1.1 | 127 | 5.3 | 25 | 1.9 | 835 | 3.0 |

Table 16. (Continued)
Health Insurance Coverage for Substance Abuse Treatment by Ethnicity,
Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primar | y Drug | | | | | To | otal |
|-------------------|--------|------|-------|-----|-------|--------|--------|-----|--------|-----|-------|------|-------|
| Hispanic | | Alc | ohol | Co | caine | Не | roin | Mar | ijuana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 206 | 100.0 | 175 | 100.0 | 966 | 100.0 | 153 | 100.0 | 27 | 100.0 | 1527 | 100.0 |
| | Male | 1341 | 100.0 | 496 | 100.0 | 3562 | 100.0 | 750 | 100.0 | 85 | 100.0 | 6234 | 100.0 |
| | Total | 1547 | 100.0 | 671 | 100.0 | 4528 | 100.0 | 903 | 100.0 | 112 | 100.0 | 7761 | 100.0 |
| None | Female | 110 | 53.4 | 96 | 54.9 | 541 | 56.0 | 65 | 42.5 | 9 | 33.3 | 821 | 53.8 |
| | Male | 912 | 68.0 | 395 | 79.6 | 2821 | 79.2 | 537 | 71.6 | 61 | 71.8 | 4726 | 75.8 |
| | Total | 1022 | 66.1 | 491 | 73.2 | 3362 | 74.2 | 602 | 66.7 | 70 | 62.5 | 5547 | 71.5 |
| Medicare | Female | 4 | 1.9 | 1 | 0.6 | 3 | 0.3 | 2 | 1.3 | 0 | 0.0 | 10 | 0.7 |
| | Male | 18 | 1.3 | 13 | 2.6 | 29 | 0.8 | 8 | 1.1 | 1 | 1.2 | 69 | 1.1 |
| | Total | 22 | 1.4 | 14 | 2.1 | 32 | 0.7 | 10 | 1.1 | 1 | 0.9 | 79 | 1.0 |
| Medicaid | Female | 54 | 26.2 | 63 | 36.0 | 366 | 37.9 | 49 | 32.0 | 13 | 48.1 | 545 | 35.7 |
| | Male | 67 | 5.0 | 21 | 4.2 | 462 | 13.0 | 83 | 11.1 | 4 | 4.7 | 637 | 10.2 |
| | Total | 121 | 7.8 | 84 | 12.5 | 828 | 18.3 | 132 | 14.6 | 17 | 15.2 | 1182 | 15.2 |
| Blue Cross/Shield | Female | 4 | 1.9 | 0 | 0.0 | 4 | 0.4 | 3 | 2.0 | 2 | 7.4 | 13 | 0.9 |
| | Male | 35 | 2.6 | 6 | 1.2 | 24 | 0.7 | 15 | 2.0 | 3 | 3.5 | 83 | 1.3 |
| | Total | 39 | 2.5 | 6 | 0.9 | 28 | 0.6 | 18 | 2.0 | 5 | 4.5 | 96 | 1.2 |
| Commercial | Female | 15 | 7.3 | 3 | 1.7 | 3 | 0.3 | 3 | 2.0 | 2 | 7.4 | 26 | 1.7 |
| | Male | 123 | 9.2 | 22 | 4.4 | 52 | 1.5 | 18 | 2.4 | 4 | 4.7 | 219 | 3.5 |
| | Total | 138 | 8.9 | 25 | 3.7 | 55 | 1.2 | 21 | 2.3 | 6 | 5.4 | 245 | 3.2 |
| НМО | Female | 12 | 5.8 | 5 | 2.9 | 9 | 0.9 | 9 | 5.9 | 2 | 7.4 | 37 | 2.4 |
| | Male | 75 | 5.6 | 11 | 2.2 | 38 | 1.1 | 32 | 4.3 | 7 | 8.2 | 163 | 2.6 |
| | Total | 87 | 5.6 | 16 | 2.4 | 47 | 1.0 | 41 | 4.5 | 9 | 8.0 | 200 | 2.6 |
| Other | Female | 5 | 2.4 | 6 | 3.4 | 24 | 2.5 | 17 | 11.1 | 0 | 0.0 | 52 | 3.4 |
| | Male | 71 | 5.3 | 13 | 2.6 | 105 | 2.9 | 36 | 4.8 | 1 | 1.2 | 226 | 3.6 |
| | Total | 76 | 4.9 | 19 | 2.8 | 129 | 2.8 | 53 | 5.9 | 1 | 0.9 | 278 | 3.6 |
| Unknown | Female | 7 | 3.4 | 2 | 1.1 | 11 | 1.1 | 8 | 5.2 | 0 | 0.0 | 28 | 1.8 |
| | Male | 41 | 3.1 | 11 | 2.2 | 23 | 0.6 | 19 | 2.5 | 2 | 2.4 | 96 | 1.5 |
| | Total | 48 | 3.1 | 13 | 1.9 | 34 | 0.8 | 27 | 3.0 | 2 | 1.8 | 124 | 1.6 |

Table 16. (Continued)
Health Insurance Coverage for Substance Abuse Treatment by Ethnicity,
Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primaı | ry Drug | | | | | Т | otal |
|-------------------|--------|-----|-------|----|-------|--------|---------|----|---------|----|-------|-----|-------|
| Other | | Ald | cohol | Co | caine | Не | eroin | Ma | rijuana | O | thers | | otai |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 45 | 100.0 | 15 | 100.0 | 147 | 100.0 | 15 | 100.0 | 8 | 100.0 | 230 | 100.0 |
| | Male | 208 | 100.0 | 35 | 100.0 | 366 | 100.0 | 84 | 100.0 | 23 | 100.0 | 716 | 100.0 |
| | Total | 253 | 100.0 | 50 | 100.0 | 513 | 100.0 | 99 | 100.0 | 31 | 100.0 | 946 | 100.0 |
| None | Female | 21 | 46.7 | 4 | 26.7 | 84 | 57.1 | 8 | 53.3 | 5 | 62.5 | 122 | 53.0 |
| | Male | 126 | 60.6 | 29 | 82.9 | 272 | 74.3 | 63 | 75.0 | 14 | 60.9 | 504 | 70.4 |
| | Total | 147 | 58.1 | 33 | 66.0 | 356 | 69.4 | 71 | 71.7 | 19 | 61.3 | 626 | 66.2 |
| Medicare | Female | 0 | 0.0 | 1 | 6.7 | 3 | 2.0 | 0 | 0.0 | 0 | 0.0 | 4 | 1.7 |
| | Male | 3 | 1.4 | 2 | 5.7 | 5 | 1.4 | 1 | 1.2 | 1 | 4.3 | 12 | 1.7 |
| | Total | 3 | 1.2 | 3 | 6.0 | 8 | 1.6 | 1 | 1.0 | 1 | 3.2 | 16 | 1.7 |
| Medicaid | Female | 7 | 15.6 | 7 | 46.7 | 44 | 29.9 | 4 | 26.7 | 1 | 12.5 | 63 | 27.4 |
| | Male | 13 | 6.3 | 1 | 2.9 | 36 | 9.8 | 3 | 3.6 | 1 | 4.3 | 54 | 7.5 |
| | Total | 20 | 7.9 | 8 | 16.0 | 80 | 15.6 | 7 | 7.1 | 2 | 6.5 | 117 | 12.4 |
| Blue Cross/Shield | Female | 1 | 2.2 | 2 | 13.3 | 1 | 0.7 | 1 | 6.7 | 1 | 12.5 | 6 | 2.6 |
| | Male | 9 | 4.3 | 0 | 0.0 | 8 | 2.2 | 0 | 0.0 | 1 | 4.3 | 18 | 2.5 |
| | Total | 10 | 4.0 | 2 | 4.0 | 9 | 1.8 | 1 | 1.0 | 2 | 6.5 | 24 | 2.5 |
| Commercial | Female | 8 | 17.8 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 | 0 | 0.0 | 9 | 3.9 |
| | Male | 16 | 7.7 | 0 | 0.0 | 7 | 1.9 | 5 | 6.0 | 1 | 4.3 | 29 | 4.1 |
| | Total | 24 | 9.5 | 0 | 0.0 | 8 | 1.6 | 5 | 5.1 | 1 | 3.2 | 38 | 4.0 |
| НМО | Female | 5 | 11.1 | 0 | 0.0 | 0 | 0.0 | 2 | 13.3 | 0 | 0.0 | 7 | 3.0 |
| | Male | 18 | 8.7 | 1 | 2.9 | 0 | 0.0 | 5 | 6.0 | 3 | 13.0 | 27 | 3.8 |
| | Total | 23 | 9.1 | 1 | 2.0 | 0 | 0.0 | 7 | 7.1 | 3 | 9.7 | 34 | 3.6 |
| Other | Female | 0 | 0.0 | 0 | 0.0 | 11 | 7.5 | 0 | 0.0 | 1 | 12.5 | 12 | 5.2 |
| | Male | 11 | 5.3 | 1 | 2.9 | 23 | 6.3 | 4 | 4.8 | 1 | 4.3 | 40 | 5.6 |
| | Total | 11 | 4.3 | 1 | 2.0 | 34 | 6.6 | 4 | 4.0 | 2 | 6.5 | 52 | 5.5 |
| Unknown | Female | 2 | 4.4 | 1 | 6.7 | 2 | 1.4 | 0 | 0.0 | 0 | 0.0 | 5 | 2.2 |
| | Male | 14 | 6.7 | 0 | 0.0 | 6 | 1.6 | 2 | 2.4 | 1 | 4.3 | 23 | 3.2 |
| | Total | 16 | 6.3 | 1 | 2.0 | 8 | 1.6 | 2 | 2.0 | 1 | 3.2 | 28 | 3.0 |

Table 16. (Continued)
Health Insurance Coverage for Substance Abuse Treatment by Ethnicity,
Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|----------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Total | | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All | Female | 3905 | 100.0 | 2013 | 100.0 | 9199 | 100.0 | 1001 | 100.0 | 675 | 100.0 | 16793 | 100.0 |
| Responders | Male | 11851 | 100.0 | 3675 | 100.0 | 17769 | 100.0 | 4840 | 100.0 | 1017 | 100.0 | 39152 | 100.0 |
| | Total | 15756 | 100.0 | 5688 | 100.0 | 26968 | 100.0 | 5841 | 100.0 | 1692 | 100.0 | 55945 | 100.0 |
| None | Female | 1544 | 39.5 | 1039 | 51.6 | 5266 | 57.2 | 433 | 43.3 | 256 | 37.9 | 8538 | 50.8 |
| | Male | 6527 | 55.1 | 2600 | 70.7 | 13247 | 74.6 | 3171 | 65.5 | 504 | 49.6 | 26049 | 66.5 |
| | Total | 8071 | 51.2 | 3639 | 64.0 | 18513 | 68.6 | 3604 | 61.7 | 760 | 44.9 | 34587 | 61.8 |
| Medicare | Female | 94 | 2.4 | 43 | 2.1 | 96 | 1.0 | 16 | 1.6 | 20 | 3.0 | 269 | 1.6 |
| | Male | 281 | 2.4 | 83 | 2.3 | 164 | 0.9 | 57 | 1.2 | 22 | 2.2 | 607 | 1.6 |
| | Total | 375 | 2.4 | 126 | 2.2 | 260 | 1.0 | 73 | 1.2 | 42 | 2.5 | 876 | 1.6 |
| Medicaid | Female | 726 | 18.6 | 635 | 31.5 | 2950 | 32.1 | 268 | 26.8 | 132 | 19.6 | 4711 | 28.1 |
| | Male | 736 | 6.2 | 278 | 7.6 | 2413 | 13.6 | 445 | 9.2 | 79 | 7.8 | 3951 | 10.1 |
| | Total | 1462 | 9.3 | 913 | 16.1 | 5363 | 19.9 | 713 | 12.2 | 211 | 12.5 | 8662 | 15.5 |
| Blue Cross/Shield | Female | 265 | 6.8 | 34 | 1.7 | 121 | 1.3 | 35 | 3.5 | 46 | 6.8 | 501 | 3.0 |
| Cross/Snieid | Male | 679 | 5.7 | 119 | 3.2 | 288 | 1.6 | 189 | 3.9 | 74 | 7.3 | 1349 | 3.4 |
| | Total | 944 | 6.0 | 153 | 2.7 | 409 | 1.5 | 224 | 3.8 | 120 | 7.1 | 1850 | 3.3 |
| Commercial | Female | 541 | 13.9 | 64 | 3.2 | 192 | 2.1 | 59 | 5.9 | 86 | 12.7 | 942 | 5.6 |
| | Male | 1484 | 12.5 | 230 | 6.3 | 525 | 3.0 | 269 | 5.6 | 135 | 13.3 | 2643 | 6.8 |
| | Total | 2025 | 12.9 | 294 | 5.2 | 717 | 2.7 | 328 | 5.6 | 221 | 13.1 | 3585 | 6.4 |
| НМО | Female | 416 | 10.7 | 66 | 3.3 | 173 | 1.9 | 71 | 7.1 | 93 | 13.8 | 819 | 4.9 |
| | Male | 1063 | 9.0 | 167 | 4.5 | 368 | 2.1 | 303 | 6.3 | 130 | 12.8 | 2031 | 5.2 |
| | Total | 1479 | 9.4 | 233 | 4.1 | 541 | 2.0 | 374 | 6.4 | 223 | 13.2 | 2850 | 5.1 |
| Other | Female | 197 | 5.0 | 107 | 5.3 | 300 | 3.3 | 87 | 8.7 | 35 | 5.2 | 726 | 4.3 |
| | Male | 622 | 5.2 | 148 | 4.0 | 572 | 3.2 | 230 | 4.8 | 60 | 5.9 | 1632 | 4.2 |
| | Total | 819 | 5.2 | 255 | 4.5 | 872 | 3.2 | 317 | 5.4 | 95 | 5.6 | 2358 | 4.2 |
| Unknown | Female | 156 | 4.0 | 40 | 2.0 | 74 | 0.8 | 45 | 4.5 | 15 | 2.2 | 330 | 2.0 |
| | Male | 511 | 4.3 | 65 | 1.8 | 135 | 0.8 | 171 | 3.5 | 17 | 1.7 | 899 | 2.3 |
| | Total | 667 | 4.2 | 105 | 1.8 | 209 | 0.8 | 216 | 3.7 | 32 | 1.9 | 1229 | 2.2 |

Table 17.

Participation in Self-Help Groups by Ethnicity, Sex and Primary Drug,
2001 NJ Resident Admissions

| | | | | Primary Drug | | | | | | | To | tal | |
|------------|--------|------|-------|--------------|-------|-------|-------|------|-------|-----|-------|-------|-------|
| Black | ζ | Alc | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All | Female | 873 | 100.0 | 1116 | 100.0 | 4105 | 100.0 | 339 | 100.0 | 73 | 100.0 | 6506 | 100.0 |
| Responders | Male | 2457 | 100.0 | 1682 | 100.0 | 6083 | 100.0 | 2090 | 100.0 | 127 | 100.0 | 12439 | 100.0 |
| | Total | 3330 | 100.0 | 2798 | 100.0 | 10188 | 100.0 | 2429 | 100.0 | 200 | 100.0 | 18945 | 100.0 |
| None | Female | 371 | 42.5 | 303 | 27.2 | 1917 | 46.7 | 211 | 62.2 | 29 | 39.7 | 2831 | 43.5 |
| | Male | 1051 | 42.8 | 432 | 25.7 | 2793 | 45.9 | 1137 | 54.4 | 50 | 39.4 | 5463 | 43.9 |
| | Total | 1422 | 42.7 | 735 | 26.3 | 4710 | 46.2 | 1348 | 55.5 | 79 | 39.5 | 8294 | 43.8 |
| Narcotic | Female | 356 | 40.8 | 770 | 69.0 | 2142 | 52.2 | 117 | 34.5 | 38 | 52.1 | 3423 | 52.6 |
| Anonymous | Male | 955 | 38.9 | 1184 | 70.4 | 3216 | 52.9 | 897 | 42.9 | 71 | 55.9 | 6323 | 50.8 |
| | Total | 1311 | 39.4 | 1954 | 69.8 | 5358 | 52.6 | 1014 | 41.7 | 109 | 54.5 | 9746 | 51.4 |
| Alcoholic | Female | 427 | 48.9 | 543 | 48.7 | 1173 | 28.6 | 74 | 21.8 | 24 | 32.9 | 2241 | 34.4 |
| Anonymous | Male | 1250 | 50.9 | 957 | 56.9 | 2082 | 34.2 | 696 | 33.3 | 63 | 49.6 | 5048 | 40.6 |
| | Total | 1677 | 50.4 | 1500 | 53.6 | 3255 | 31.9 | 770 | 31.7 | 87 | 43.5 | 7289 | 38.5 |
| Other | Female | 7 | 0.8 | 18 | 1.6 | 10 | 0.2 | 2 | 0.6 | 4 | 5.5 | 41 | 0.6 |
| | Male | 25 | 1.0 | 15 | 0.9 | 19 | 0.3 | 16 | 0.8 | 3 | 2.4 | 78 | 0.6 |
| | Total | 32 | 1.0 | 33 | 1.2 | 29 | 0.3 | 18 | 0.7 | 7 | 3.5 | 119 | 0.6 |
| Both | Female | 284 | 32.5 | 506 | 45.3 | 1135 | 27.6 | 65 | 19.2 | 22 | 30.1 | 2012 | 30.9 |
| NA&AA | Male | 811 | 33.0 | 895 | 53.2 | 2022 | 33.2 | 653 | 31.2 | 58 | 45.7 | 4439 | 35.7 |
| | Total | 1095 | 32.9 | 1401 | 50.1 | 3157 | 31.0 | 718 | 29.6 | 80 | 40.0 | 6451 | 34.1 |

Table 17. (Continued)
Participation in Self-Help Groups by Ethnicity, Sex and Primary Drug,
2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| White | e | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | iui |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All | Female | 2781 | 100.0 | 707 | 100.0 | 3981 | 100.0 | 494 | 100.0 | 567 | 100.0 | 8530 | 100.0 |
| Responders | Male | 7845 | 100.0 | 1462 | 100.0 | 7758 | 100.0 | 1916 | 100.0 | 782 | 100.0 | 19763 | 100.0 |
| | Total | 10626 | 100.0 | 2169 | 100.0 | 11739 | 100.0 | 2410 | 100.0 | 1349 | 100.0 | 28293 | 100.0 |
| None | Female | 949 | 34.1 | 194 | 27.4 | 1202 | 30.2 | 298 | 60.3 | 204 | 36.0 | 2847 | 33.4 |
| | Male | 2794 | 35.6 | 408 | 27.9 | 2381 | 30.7 | 1077 | 56.2 | 302 | 38.6 | 6962 | 35.2 |
| | Total | 3743 | 35.2 | 602 | 27.8 | 3583 | 30.5 | 1375 | 57.1 | 506 | 37.5 | 9809 | 34.7 |
| Narcotic | Female | 602 | 21.6 | 453 | 64.1 | 2643 | 66.4 | 146 | 29.6 | 295 | 52.0 | 4139 | 48.5 |
| Anonymous | Male | 1775 | 22.6 | 917 | 62.7 | 5084 | 65.5 | 669 | 34.9 | 398 | 50.9 | 8843 | 44.7 |
| | Total | 2377 | 22.4 | 1370 | 63.2 | 7727 | 65.8 | 815 | 33.8 | 693 | 51.4 | 12982 | 45.9 |
| Alcoholic | Female | 1754 | 63.1 | 376 | 53.2 | 1734 | 43.6 | 136 | 27.5 | 246 | 43.4 | 4246 | 49.8 |
| Anonymous | Male | 4874 | 62.1 | 821 | 56.2 | 3542 | 45.7 | 617 | 32.2 | 335 | 42.8 | 10189 | 51.6 |
| | Total | 6628 | 62.4 | 1197 | 55.2 | 5276 | 44.9 | 753 | 31.2 | 581 | 43.1 | 14435 | 51.0 |
| Other | Female | 58 | 2.1 | 9 | 1.3 | 29 | 0.7 | 12 | 2.4 | 8 | 1.4 | 116 | 1.4 |
| | Male | 64 | 0.8 | 21 | 1.4 | 39 | 0.5 | 16 | 0.8 | 17 | 2.2 | 157 | 0.8 |
| | Total | 122 | 1.1 | 30 | 1.4 | 68 | 0.6 | 28 | 1.2 | 25 | 1.9 | 273 | 1.0 |
| Both | Female | 546 | 19.6 | 322 | 45.5 | 1612 | 40.5 | 94 | 19.0 | 183 | 32.3 | 2757 | 32.3 |
| NA&AA | Male | 1632 | 20.8 | 696 | 47.6 | 3273 | 42.2 | 457 | 23.9 | 260 | 33.2 | 6318 | 32.0 |
| | Total | 2178 | 20.5 | 1018 | 46.9 | 4885 | 41.6 | 551 | 22.9 | 443 | 32.8 | 9075 | 32.1 |

Table 17. (Continued)
Participation in Self-Help Groups by Ethnicity, Sex and Primary Drug,
2001 NJ Resident Admissions

| | | | | | | Primary | / Drug | | | | | To | otal |
|----------------|--------|------|-------|-----|-------|---------|--------|-----|--------|-----|-------|------|-------|
| Hispanic | | Alc | ohol | Co | caine | Hei | oin | Mar | ijuana | Ot | hers | | , tui |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 206 | 100.0 | 175 | 100.0 | 966 | 100.0 | 153 | 100.0 | 27 | 100.0 | 1527 | 100.0 |
| | Male | 1341 | 100.0 | 496 | 100.0 | 3562 | 100.0 | 750 | 100.0 | 85 | 100.0 | 6234 | 100.0 |
| | Total | 1547 | 100.0 | 671 | 100.0 | 4528 | 100.0 | 903 | 100.0 | 112 | 100.0 | 7761 | 100.0 |
| None | Female | 111 | 53.9 | 65 | 37.1 | 380 | 39.3 | 107 | 69.9 | 14 | 51.9 | 677 | 44.3 |
| | Male | 770 | 57.4 | 185 | 37.3 | 1499 | 42.1 | 447 | 59.6 | 39 | 45.9 | 2940 | 47.2 |
| | Total | 881 | 56.9 | 250 | 37.3 | 1879 | 41.5 | 554 | 61.4 | 53 | 47.3 | 3617 | 46.6 |
| Narcotic | Female | 49 | 23.8 | 103 | 58.9 | 575 | 59.5 | 36 | 23.5 | 11 | 40.7 | 774 | 50.7 |
| Anonymous | Male | 282 | 21.0 | 276 | 55.6 | 2003 | 56.2 | 278 | 37.1 | 42 | 49.4 | 2881 | 46.2 |
| | Total | 331 | 21.4 | 379 | 56.5 | 2578 | 56.9 | 314 | 34.8 | 53 | 47.3 | 3655 | 47.1 |
| Alcoholic | Female | 82 | 39.8 | 76 | 43.4 | 310 | 32.1 | 32 | 20.9 | 8 | 29.6 | 508 | 33.3 |
| Anonymous | Male | 514 | 38.3 | 227 | 45.8 | 1207 | 33.9 | 198 | 26.4 | 35 | 41.2 | 2181 | 35.0 |
| | Total | 596 | 38.5 | 303 | 45.2 | 1517 | 33.5 | 230 | 25.5 | 43 | 38.4 | 2689 | 34.6 |
| Other | Female | 3 | 1.5 | 1 | 0.6 | 4 | 0.4 | 4 | 2.6 | 0 | 0.0 | 12 | 0.8 |
| | Male | 7 | 0.5 | 2 | 0.4 | 12 | 0.3 | 6 | 0.8 | 1 | 1.2 | 28 | 0.4 |
| | Total | 10 | 0.6 | 3 | 0.4 | 16 | 0.4 | 10 | 1.1 | 1 | 0.9 | 40 | 0.5 |
| Both NA&AA | Female | 38 | 18.4 | 69 | 39.4 | 300 | 31.1 | 27 | 17.6 | 6 | 22.2 | 440 | 28.8 |
| | Male | 230 | 17.2 | 195 | 39.3 | 1158 | 32.5 | 178 | 23.7 | 32 | 37.6 | 1793 | 28.8 |
| | Total | 268 | 17.3 | 264 | 39.3 | 1458 | 32.2 | 205 | 22.7 | 38 | 33.9 | 2233 | 28.8 |

Table 17. (Continued)
Participation in Self-Help Groups by Ethnicity, Sex and Primary Drug,
2001 NJ Resident Admissions

| | | | | |] | Primar | y Drug | | | | | Т | otal |
|---------------------|--------|-----|-------|----|-------|--------|--------|-----|---------|----|-------|-----|-------|
| Other | | Alc | cohol | Co | caine | Не | eroin | Mai | rijuana | О | thers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 45 | 100.0 | 15 | 100.0 | 147 | 100.0 | 15 | 100.0 | 8 | 100.0 | 230 | 100.0 |
| | Male | 208 | 100.0 | 35 | 100.0 | 366 | 100.0 | 84 | 100.0 | 23 | 100.0 | 716 | 100.0 |
| | Total | 253 | 100.0 | 50 | 100.0 | 513 | 100.0 | 99 | 100.0 | 31 | 100.0 | 946 | 100.0 |
| None | Female | 23 | 51.1 | 3 | 20.0 | 61 | 41.5 | 8 | 53.3 | 5 | 62.5 | 100 | 43.5 |
| | Male | 125 | 60.1 | 9 | 25.7 | 177 | 48.4 | 53 | 63.1 | 16 | 69.6 | 380 | 53.1 |
| | Total | 148 | 58.5 | 12 | 24.0 | 238 | 46.4 | 61 | 61.6 | 21 | 67.7 | 480 | 50.7 |
| Narcotic Anonymous | Female | 6 | 13.3 | 11 | 73.3 | 83 | 56.5 | 7 | 46.7 | 2 | 25.0 | 109 | 47.4 |
| | Male | 33 | 15.9 | 21 | 60.0 | 183 | 50.0 | 30 | 35.7 | 7 | 30.4 | 274 | 38.3 |
| | Total | 39 | 15.4 | 32 | 64.0 | 266 | 51.9 | 37 | 37.4 | 9 | 29.0 | 383 | 40.5 |
| Alcoholic Anonymous | Female | 19 | 42.2 | 6 | 40.0 | 54 | 36.7 | 3 | 20.0 | 2 | 25.0 | 84 | 36.5 |
| | Male | 76 | 36.5 | 19 | 54.3 | 115 | 31.4 | 22 | 26.2 | 4 | 17.4 | 236 | 33.0 |
| | Total | 95 | 37.5 | 25 | 50.0 | 169 | 32.9 | 25 | 25.3 | 6 | 19.4 | 320 | 33.8 |
| Other | Female | 1 | 2.2 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 | 0 | 0.0 | 2 | 0.9 |
| | Male | 2 | 1.0 | 1 | 2.9 | 2 | 0.5 | 1 | 1.2 | 0 | 0.0 | 6 | 0.8 |
| | Total | 3 | 1.2 | 1 | 2.0 | 3 | 0.6 | 1 | 1.0 | 0 | 0.0 | 8 | 0.8 |
| Both NA&AA | Female | 4 | 8.9 | 5 | 33.3 | 52 | 35.4 | 3 | 20.0 | 2 | 25.0 | 66 | 28.7 |
| | Male | 27 | 13.0 | 16 | 45.7 | 111 | 30.3 | 21 | 25.0 | 4 | 17.4 | 179 | 25.0 |
| | Total | 31 | 12.3 | 21 | 42.0 | 163 | 31.8 | 24 | 24.2 | 6 | 19.4 | 245 | 25.9 |

Table 17. (Continued)
Participation in Self-Help Groups by Ethnicity, Sex and Primary Drug,
2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | To | tal |
|------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Total | I | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All | Female | 3905 | 100.0 | 2013 | 100.0 | 9199 | 100.0 | 1001 | 100.0 | 675 | 100.0 | 16793 | 100.0 |
| Responders | Male | 11851 | 100.0 | 3675 | 100.0 | 17769 | 100.0 | 4840 | 100.0 | 1017 | 100.0 | 39152 | 100.0 |
| | Total | 15756 | 100.0 | 5688 | 100.0 | 26968 | 100.0 | 5841 | 100.0 | 1692 | 100.0 | 55945 | 100.0 |
| None | Female | 1454 | 37.2 | 565 | 28.1 | 3560 | 38.7 | 624 | 62.3 | 252 | 37.3 | 6455 | 38.4 |
| | Male | 4740 | 40.0 | 1034 | 28.1 | 6850 | 38.6 | 2714 | 56.1 | 407 | 40.0 | 15745 | 40.2 |
| | Total | 6194 | 39.3 | 1599 | 28.1 | 10410 | 38.6 | 3338 | 57.1 | 659 | 38.9 | 22200 | 39.7 |
| Narcotic | Female | 1013 | 25.9 | 1337 | 66.4 | 5443 | 59.2 | 306 | 30.6 | 346 | 51.3 | 8445 | 50.3 |
| Anonymous | Male | 3045 | 25.7 | 2398 | 65.3 | 10486 | 59.0 | 1874 | 38.7 | 518 | 50.9 | 18321 | 46.8 |
| | Total | 4058 | 25.8 | 3735 | 65.7 | 15929 | 59.1 | 2180 | 37.3 | 864 | 51.1 | 26766 | 47.8 |
| Alcoholic | Female | 2282 | 58.4 | 1001 | 49.7 | 3271 | 35.6 | 245 | 24.5 | 280 | 41.5 | 7079 | 42.2 |
| Anonymous | Male | 6714 | 56.7 | 2024 | 55.1 | 6946 | 39.1 | 1533 | 31.7 | 437 | 43.0 | 17654 | 45.1 |
| | Total | 8996 | 57.1 | 3025 | 53.2 | 10217 | 37.9 | 1778 | 30.4 | 717 | 42.4 | 24733 | 44.2 |
| Other | Female | 69 | 1.8 | 28 | 1.4 | 44 | 0.5 | 18 | 1.8 | 12 | 1.8 | 171 | 1.0 |
| | Male | 98 | 0.8 | 39 | 1.1 | 72 | 0.4 | 39 | 0.8 | 21 | 2.1 | 269 | 0.7 |
| | Total | 167 | 1.1 | 67 | 1.2 | 116 | 0.4 | 57 | 1.0 | 33 | 2.0 | 440 | 0.8 |
| Both | Female | 872 | 22.3 | 902 | 44.8 | 3099 | 33.7 | 189 | 18.9 | 213 | 31.6 | 5275 | 31.4 |
| NA&AA | Male | 2700 | 22.8 | 1802 | 49.0 | 6564 | 36.9 | 1309 | 27.0 | 354 | 34.8 | 12729 | 32.5 |
| | Total | 3572 | 22.7 | 2704 | 47.5 | 9663 | 35.8 | 1498 | 25.6 | 567 | 33.5 | 18004 | 32.2 |

Table 18.

Legal Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | То | tal |
|-------------------|--------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| Black | | Alc | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 873 | 100.0 | 1116 | 100.0 | 4105 | 100.0 | 339 | 100.0 | 73 | 100.0 | 6506 | 100.0 |
| | Male | 2457 | 100.0 | 1682 | 100.0 | 6083 | 100.0 | 2090 | 100.0 | 127 | 100.0 | 12439 | 100.0 |
| | Total | 3330 | 100.0 | 2798 | 100.0 | 10188 | 100.0 | 2429 | 100.0 | 200 | 100.0 | 18945 | 100.0 |
| No Legal Problems | Female | 456 | 52.2 | 420 | 37.6 | 3115 | 75.9 | 72 | 21.2 | 35 | 47.9 | 4098 | 63.0 |
| | Male | 993 | 40.4 | 604 | 35.9 | 4081 | 67.1 | 221 | 10.6 | 26 | 20.5 | 5925 | 47.6 |
| | Total | 1449 | 43.5 | 1024 | 36.6 | 7196 | 70.6 | 293 | 12.1 | 61 | 30.5 | 10023 | 52.9 |
| Criminal | Female | 37 | 4.2 | 99 | 8.9 | 197 | 4.8 | 22 | 6.5 | 7 | 9.6 | 362 | 5.6 |
| | Male | 151 | 6.1 | 129 | 7.7 | 337 | 5.5 | 122 | 5.8 | 6 | 4.7 | 745 | 6.0 |
| | Total | 188 | 5.6 | 228 | 8.1 | 534 | 5.2 | 144 | 5.9 | 13 | 6.5 | 1107 | 5.8 |
| Probation | Female | 126 | 14.4 | 222 | 19.9 | 395 | 9.6 | 117 | 34.5 | 22 | 30.1 | 882 | 13.6 |
| | Male | 509 | 20.7 | 431 | 25.6 | 752 | 12.4 | 946 | 45.3 | 42 | 33.1 | 2680 | 21.5 |
| | Total | 635 | 19.1 | 653 | 23.3 | 1147 | 11.3 | 1063 | 43.8 | 64 | 32.0 | 3562 | 18.8 |
| Parole | Female | 23 | 2.6 | 61 | 5.5 | 87 | 2.1 | 12 | 3.5 | 2 | 2.7 | 185 | 2.8 |
| | Male | 301 | 12.3 | 274 | 16.3 | 447 | 7.3 | 385 | 18.4 | 25 | 19.7 | 1432 | 11.5 |
| | Total | 324 | 9.7 | 335 | 12.0 | 534 | 5.2 | 397 | 16.3 | 27 | 13.5 | 1617 | 8.5 |
| DWI | Female | 42 | 4.8 | 28 | 2.5 | 26 | 0.6 | 2 | 0.6 | 1 | 1.4 | 99 | 1.5 |
| | Male | 290 | 11.8 | 67 | 4.0 | 78 | 1.3 | 14 | 0.7 | 3 | 2.4 | 452 | 3.6 |
| | Total | 332 | 10.0 | 95 | 3.4 | 104 | 1.0 | 16 | 0.7 | 4 | 2.0 | 551 | 2.9 |
| Inmate | Female | 4 | 0.5 | 35 | 3.1 | 36 | 0.9 | 7 | 2.1 | 1 | 1.4 | 83 | 1.3 |
| | Male | 204 | 8.3 | 201 | 12.0 | 375 | 6.2 | 463 | 22.2 | 31 | 24.4 | 1274 | 10.2 |
| | Total | 208 | 6.2 | 236 | 8.4 | 411 | 4.0 | 470 | 19.3 | 32 | 16.0 | 1357 | 7.2 |
| DYFS/Family Court | Female | 199 | 22.8 | 340 | 30.5 | 301 | 7.3 | 123 | 36.3 | 8 | 11.0 | 971 | 14.9 |
| | Male | 50 | 2.0 | 44 | 2.6 | 51 | 0.8 | 63 | 3.0 | 3 | 2.4 | 211 | 1.7 |
| | Total | 249 | 7.5 | 384 | 13.7 | 352 | 3.5 | 186 | 7.7 | 11 | 5.5 | 1182 | 6.2 |
| Other | Female | 29 | 3.3 | 49 | 4.4 | 80 | 1.9 | 13 | 3.8 | 3 | 4.1 | 174 | 2.7 |
| | Male | 99 | 4.0 | 94 | 5.6 | 176 | 2.9 | 50 | 2.4 | 5 | 3.9 | 424 | 3.4 |
| | Total | 128 | 3.8 | 143 | 5.1 | 256 | 2.5 | 63 | 2.6 | 8 | 4.0 | 598 | 3.2 |

Table 18. (Continued)
Legal Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | То | tal |
|-------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| White | | Alco | hol | Coc | aine | Her | oin | Mari | juana | Otl | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 2781 | 100.0 | 707 | 100.0 | 3981 | 100.0 | 494 | 100.0 | 567 | 100.0 | 8530 | 100.0 |
| | Male | 7845 | 100.0 | 1462 | 100.0 | 7758 | 100.0 | 1916 | 100.0 | 782 | 100.0 | 19763 | 100.0 |
| | Total | 10626 | 100.0 | 2169 | 100.0 | 11739 | 100.0 | 2410 | 100.0 | 1349 | 100.0 | 28293 | 100.0 |
| No Legal Problems | Female | 1478 | 53.1 | 252 | 35.6 | 2319 | 58.3 | 179 | 36.2 | 346 | 61.0 | 4574 | 53.6 |
| | Male | 2986 | 38.1 | 543 | 37.1 | 4722 | 60.9 | 412 | 21.5 | 452 | 57.8 | 9115 | 46.1 |
| | Total | 4464 | 42.0 | 795 | 36.7 | 7041 | 60.0 | 591 | 24.5 | 798 | 59.2 | 13689 | 48.4 |
| Criminal | Female | 204 | 7.3 | 114 | 16.1 | 643 | 16.2 | 47 | 9.5 | 56 | 9.9 | 1064 | 12.5 |
| | Male | 790 | 10.1 | 252 | 17.2 | 1057 | 13.6 | 272 | 14.2 | 90 | 11.5 | 2461 | 12.5 |
| | Total | 994 | 9.4 | 366 | 16.9 | 1700 | 14.5 | 319 | 13.2 | 146 | 10.8 | 3525 | 12.5 |
| Probation | Female | 234 | 8.4 | 176 | 24.9 | 791 | 19.9 | 182 | 36.8 | 81 | 14.3 | 1464 | 17.2 |
| | Male | 1329 | 16.9 | 450 | 30.8 | 1461 | 18.8 | 1002 | 52.3 | 153 | 19.6 | 4395 | 22.2 |
| | Total | 1563 | 14.7 | 626 | 28.9 | 2252 | 19.2 | 1184 | 49.1 | 234 | 17.3 | 5859 | 20.7 |
| Parole | Female | 16 | 0.6 | 22 | 3.1 | 76 | 1.9 | 8 | 1.6 | 8 | 1.4 | 130 | 1.5 |
| | Male | 212 | 2.7 | 110 | 7.5 | 251 | 3.2 | 98 | 5.1 | 22 | 2.8 | 693 | 3.5 |
| | Total | 228 | 2.1 | 132 | 6.1 | 327 | 2.8 | 106 | 4.4 | 30 | 2.2 | 823 | 2.9 |
| DWI | Female | 581 | 20.9 | 24 | 3.4 | 100 | 2.5 | 10 | 2.0 | 21 | 3.7 | 736 | 8.6 |
| | Male | 2481 | 31.6 | 96 | 6.6 | 264 | 3.4 | 69 | 3.6 | 33 | 4.2 | 2943 | 14.9 |
| | Total | 3062 | 28.8 | 120 | 5.5 | 364 | 3.1 | 79 | 3.3 | 54 | 4.0 | 3679 | 13.0 |
| Inmate | Female | 25 | 0.9 | 24 | 3.4 | 71 | 1.8 | 6 | 1.2 | 5 | 0.9 | 131 | 1.5 |
| | Male | 197 | 2.5 | 85 | 5.8 | 239 | 3.1 | 69 | 3.6 | 22 | 2.8 | 612 | 3.1 |
| | Total | 222 | 2.1 | 109 | 5.0 | 310 | 2.6 | 75 | 3.1 | 27 | 2.0 | 743 | 2.6 |
| DYFS/Family Court | Female | 306 | 11.0 | 154 | 21.8 | 179 | 4.5 | 75 | 15.2 | 52 | 9.2 | 766 | 9.0 |
| | Male | 188 | 2.4 | 32 | 2.2 | 47 | 0.6 | 65 | 3.4 | 10 | 1.3 | 342 | 1.7 |
| | Total | 494 | 4.6 | 186 | 8.6 | 226 | 1.9 | 140 | 5.8 | 62 | 4.6 | 1108 | 3.9 |
| Other | Female | 119 | 4.3 | 34 | 4.8 | 126 | 3.2 | 21 | 4.3 | 25 | 4.4 | 325 | 3.8 |
| | Male | 393 | 5.0 | 87 | 6.0 | 290 | 3.7 | 108 | 5.6 | 41 | 5.2 | 919 | 4.7 |
| | Total | 512 | 4.8 | 121 | 5.6 | 416 | 3.5 | 129 | 5.4 | 66 | 4.9 | 1244 | 4.4 |

Table 18. (Continued)
Legal Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | y Drug | | | | | To | otal |
|-------------------|--------|------|-------|-----|-------|---------|--------|-----|--------|-----|-------|------|---|
| Hispanic | | Alc | ohol | Co | caine | He | roin | Mar | ijuana | Ot | hers | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 206 | 100.0 | 175 | 100.0 | 966 | 100.0 | 153 | 100.0 | 27 | 100.0 | 1527 | 100.0 |
| | Male | 1341 | 100.0 | 496 | 100.0 | 3562 | 100.0 | 750 | 100.0 | 85 | 100.0 | 6234 | 100.0 |
| | Total | 1547 | 100.0 | 671 | 100.0 | 4528 | 100.0 | 903 | 100.0 | 112 | 100.0 | 7761 | 100.0 |
| No Legal Problems | Female | 84 | 40.8 | 49 | 28.0 | 658 | 68.1 | 38 | 24.8 | 17 | 63.0 | 846 | 55.4 |
| | Male | 452 | 33.7 | 145 | 29.2 | 2399 | 67.3 | 105 | 14.0 | 24 | 28.2 | 3125 | 50.1 |
| | Total | 536 | 34.6 | 194 | 28.9 | 3057 | 67.5 | 143 | 15.8 | 41 | 36.6 | 3971 | 51.2 |
| Criminal | Female | 16 | 7.8 | 11 | 6.3 | 81 | 8.4 | 8 | 5.2 | 1 | 3.7 | 117 | 7.7 |
| | Male | 80 | 6.0 | 48 | 9.7 | 257 | 7.2 | 53 | 7.1 | 10 | 11.8 | 448 | 7.2 |
| | Total | 96 | 6.2 | 59 | 8.8 | 338 | 7.5 | 61 | 6.8 | 11 | 9.8 | 565 | 7.3 |
| Probation | Female | 26 | 12.6 | 37 | 21.1 | 144 | 14.9 | 34 | 22.2 | 3 | 11.1 | 244 | 16.0 |
| | Male | 260 | 19.4 | 161 | 32.5 | 472 | 13.3 | 366 | 48.8 | 23 | 27.1 | 1282 | 20.6 |
| | Total | 286 | 18.5 | 198 | 29.5 | 616 | 13.6 | 400 | 44.3 | 26 | 23.2 | 1526 | 19.7 |
| Parole | Female | 6 | 2.9 | 8 | 4.6 | 16 | 1.7 | 7 | 4.6 | 0 | 0.0 | 37 | 2.4 |
| | Male | 96 | 7.2 | 79 | 15.9 | 219 | 6.1 | 119 | 15.9 | 15 | 17.6 | 528 | 8.5 |
| | Total | 102 | 6.6 | 87 | 13.0 | 235 | 5.2 | 126 | 14.0 | 15 | 13.4 | 565 | 7.3 |
| DWI | Female | 18 | 8.7 | 4 | 2.3 | 4 | 0.4 | 2 | 1.3 | 0 | 0.0 | 28 | 1.8 |
| | Male | 362 | 27.0 | 15 | 3.0 | 43 | 1.2 | 16 | 2.1 | 4 | 4.7 | 440 | 7.1 |
| | Total | 380 | 24.6 | 19 | 2.8 | 47 | 1.0 | 18 | 2.0 | 4 | 3.6 | 468 | 6.0 |
| Inmate | Female | 0 | 0.0 | 5 | 2.9 | 20 | 2.1 | 7 | 4.6 | 0 | 0.0 | 32 | 2.1 |
| | Male | 50 | 3.7 | 46 | 9.3 | 178 | 5.0 | 102 | 13.6 | 13 | 15.3 | 389 | 6.2 |
| | Total | 50 | 3.2 | 51 | 7.6 | 198 | 4.4 | 109 | 12.1 | 13 | 11.6 | 421 | 5.4 |
| DYFS/Family Court | Female | 59 | 28.6 | 67 | 38.3 | 67 | 6.9 | 57 | 37.3 | 6 | 22.2 | 256 | 16.8 |
| | Male | 52 | 3.9 | 16 | 3.2 | 10 | 0.3 | 33 | 4.4 | 1 | 1.2 | 112 | 1.8 |
| | Total | 111 | 7.2 | 83 | 12.4 | 77 | 1.7 | 90 | 10.0 | 7 | 6.3 | 368 | 4.7 |
| Other | Female | 7 | 3.4 | 6 | 3.4 | 19 | 2.0 | 10 | 6.5 | 1 | 3.7 | 43 | 2.8 |
| | Male | 48 | 3.6 | 16 | 3.2 | 100 | 2.8 | 29 | 3.9 | 7 | 8.2 | 200 | 3.2 |
| | Total | 55 | 3.6 | 22 | 3.3 | 119 | 2.6 | 39 | 4.3 | 8 | 7.1 | 243 | 3.1 |

Table 18. (Continued)
Legal Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primai | ry Drug | | | | | Т | otal |
|-------------------|--------|-----|-------|----|-------|--------|---------|----|---------|----|-------|-----|-------|
| Other | | Alc | ohol | Co | caine | Не | eroin | Ma | rijuana | О | thers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 45 | 100.0 | 15 | 100.0 | 147 | 100.0 | 15 | 100.0 | 8 | 100.0 | 230 | 100.0 |
| | Male | 208 | 100.0 | 35 | 100.0 | 366 | 100.0 | 84 | 100.0 | 23 | 100.0 | 716 | 100.0 |
| | Total | 253 | 100.0 | 50 | 100.0 | 513 | 100.0 | 99 | 100.0 | 31 | 100.0 | 946 | 100.0 |
| No Legal Problems | Female | 23 | 51.1 | 10 | 66.7 | 100 | 68.0 | 3 | 20.0 | 4 | 50.0 | 140 | 60.9 |
| | Male | 66 | 31.7 | 11 | 31.4 | 255 | 69.7 | 7 | 8.3 | 10 | 43.5 | 349 | 48.7 |
| | Total | 89 | 35.2 | 21 | 42.0 | 355 | 69.2 | 10 | 10.1 | 14 | 45.2 | 489 | 51.7 |
| Criminal | Female | 2 | 4.4 | 0 | 0.0 | 18 | 12.2 | 2 | 13.3 | 0 | 0.0 | 22 | 9.6 |
| | Male | 14 | 6.7 | 3 | 8.6 | 29 | 7.9 | 9 | 10.7 | 3 | 13.0 | 58 | 8.1 |
| | Total | 16 | 6.3 | 3 | 6.0 | 47 | 9.2 | 11 | 11.1 | 3 | 9.7 | 80 | 8.5 |
| Probation | Female | 8 | 17.8 | 2 | 13.3 | 17 | 11.6 | 4 | 26.7 | 1 | 12.5 | 32 | 13.9 |
| | Male | 42 | 20.2 | 16 | 45.7 | 45 | 12.3 | 55 | 65.5 | 7 | 30.4 | 165 | 23.0 |
| | Total | 50 | 19.8 | 18 | 36.0 | 62 | 12.1 | 59 | 59.6 | 8 | 25.8 | 197 | 20.8 |
| Parole | Female | 1 | 2.2 | 0 | 0.0 | 5 | 3.4 | 1 | 6.7 | 0 | 0.0 | 7 | 3.0 |
| | Male | 11 | 5.3 | 5 | 14.3 | 19 | 5.2 | 7 | 8.3 | 1 | 4.3 | 43 | 6.0 |
| | Total | 12 | 4.7 | 5 | 10.0 | 24 | 4.7 | 8 | 8.1 | 1 | 3.2 | 50 | 5.3 |
| DWI | Female | 7 | 15.6 | 0 | 0.0 | 2 | 1.4 | 0 | 0.0 | 1 | 12.5 | 10 | 4.3 |
| | Male | 66 | 31.7 | 1 | 2.9 | 2 | 0.5 | 2 | 2.4 | 0 | 0.0 | 71 | 9.9 |
| | Total | 73 | 28.9 | 1 | 2.0 | 4 | 0.8 | 2 | 2.0 | 1 | 3.2 | 81 | 8.6 |
| Inmate | Female | 0 | 0.0 | 0 | 0.0 | 2 | 1.4 | 0 | 0.0 | 0 | 0.0 | 2 | 0.9 |
| | Male | 3 | 1.4 | 3 | 8.6 | 9 | 2.5 | 9 | 10.7 | 1 | 4.3 | 25 | 3.5 |
| | Total | 3 | 1.2 | 3 | 6.0 | 11 | 2.1 | 9 | 9.1 | 1 | 3.2 | 27 | 2.9 |
| DYFS/Family Court | Female | 8 | 17.8 | 4 | 26.7 | 9 | 6.1 | 5 | 33.3 | 0 | 0.0 | 26 | 11.3 |
| | Male | 5 | 2.4 | 0 | 0.0 | 4 | 1.1 | 3 | 3.6 | 0 | 0.0 | 12 | 1.7 |
| | Total | 13 | 5.1 | 4 | 8.0 | 13 | 2.5 | 8 | 8.1 | 0 | 0.0 | 38 | 4.0 |
| Other | Female | 1 | 2.2 | 2 | 13.3 | 3 | 2.0 | 0 | 0.0 | 1 | 12.5 | 7 | 3.0 |
| | Male | 11 | 5.3 | 1 | 2.9 | 8 | 2.2 | 0 | 0.0 | 1 | 4.3 | 21 | 2.9 |
| | Total | 12 | 4.7 | 3 | 6.0 | 11 | 2.1 | 0 | 0.0 | 2 | 6.5 | 28 | 3.0 |

Table 18. (Continued)
Legal Status by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primary | Drug | | | | | То | tal |
|-------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Total | | Alco | hol | Coc | aine | Her | oin | Mari | juana | Otl | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| All Responders | Female | 3905 | 100.0 | 2013 | 100.0 | 9199 | 100.0 | 1001 | 100.0 | 675 | 100.0 | 16793 | 100.0 |
| | Male | 11851 | 100.0 | 3675 | 100.0 | 17769 | 100.0 | 4840 | 100.0 | 1017 | 100.0 | 39152 | 100.0 |
| | Total | 15756 | 100.0 | 5688 | 100.0 | 26968 | 100.0 | 5841 | 100.0 | 1692 | 100.0 | 55945 | 100.0 |
| No Legal Problems | Female | 2041 | 52.3 | 731 | 36.3 | 6192 | 67.3 | 292 | 29.2 | 402 | 59.6 | 9658 | 57.5 |
| | Male | 4497 | 37.9 | 1303 | 35.5 | 11457 | 64.5 | 745 | 15.4 | 512 | 50.3 | 18514 | 47.3 |
| | Total | 6538 | 41.5 | 2034 | 35.8 | 17649 | 65.4 | 1037 | 17.8 | 914 | 54.0 | 28172 | 50.4 |
| Criminal | Female | 259 | 6.6 | 224 | 11.1 | 939 | 10.2 | 79 | 7.9 | 64 | 9.5 | 1565 | 9.3 |
| | Male | 1035 | 8.7 | 432 | 11.8 | 1680 | 9.5 | 456 | 9.4 | 109 | 10.7 | 3712 | 9.5 |
| | Total | 1294 | 8.2 | 656 | 11.5 | 2619 | 9.7 | 535 | 9.2 | 173 | 10.2 | 5277 | 9.4 |
| Probation | Female | 394 | 10.1 | 437 | 21.7 | 1347 | 14.6 | 337 | 33.7 | 107 | 15.9 | 2622 | 15.6 |
| | Male | 2140 | 18.1 | 1058 | 28.8 | 2730 | 15.4 | 2369 | 48.9 | 225 | 22.1 | 8522 | 21.8 |
| | Total | 2534 | 16.1 | 1495 | 26.3 | 4077 | 15.1 | 2706 | 46.3 | 332 | 19.6 | 11144 | 19.9 |
| Parole | Female | 46 | 1.2 | 91 | 4.5 | 184 | 2.0 | 28 | 2.8 | 10 | 1.5 | 359 | 2.1 |
| | Male | 620 | 5.2 | 468 | 12.7 | 936 | 5.3 | 609 | 12.6 | 63 | 6.2 | 2696 | 6.9 |
| | Total | 666 | 4.2 | 559 | 9.8 | 1120 | 4.2 | 637 | 10.9 | 73 | 4.3 | 3055 | 5.5 |
| DWI | Female | 648 | 16.6 | 56 | 2.8 | 132 | 1.4 | 14 | 1.4 | 23 | 3.4 | 873 | 5.2 |
| | Male | 3199 | 27.0 | 179 | 4.9 | 387 | 2.2 | 101 | 2.1 | 40 | 3.9 | 3906 | 10.0 |
| | Total | 3847 | 24.4 | 235 | 4.1 | 519 | 1.9 | 115 | 2.0 | 63 | 3.7 | 4779 | 8.5 |
| Inmate | Female | 29 | 0.7 | 64 | 3.2 | 129 | 1.4 | 20 | 2.0 | 6 | 0.9 | 248 | 1.5 |
| | Male | 454 | 3.8 | 335 | 9.1 | 801 | 4.5 | 643 | 13.3 | 67 | 6.6 | 2300 | 5.9 |
| | Total | 483 | 3.1 | 399 | 7.0 | 930 | 3.4 | 663 | 11.4 | 73 | 4.3 | 2548 | 4.6 |
| DYFS/Family Court | Female | 572 | 14.6 | 565 | 28.1 | 556 | 6.0 | 260 | 26.0 | 66 | 9.8 | 2019 | 12.0 |
| | Male | 295 | 2.5 | 92 | 2.5 | 112 | 0.6 | 164 | 3.4 | 14 | 1.4 | 677 | 1.7 |
| | Total | 867 | 5.5 | 657 | 11.6 | 668 | 2.5 | 424 | 7.3 | 80 | 4.7 | 2696 | 4.8 |
| Other | Female | 156 | 4.0 | 91 | 4.5 | 228 | 2.5 | 44 | 4.4 | 30 | 4.4 | 549 | 3.3 |
| | Male | 551 | 4.6 | 198 | 5.4 | 574 | 3.2 | 187 | 3.9 | 54 | 5.3 | 1564 | 4.0 |
| | Total | 707 | 4.5 | 289 | 5.1 | 802 | 3.0 | 231 | 4.0 | 84 | 5.0 | 2113 | 3.8 |

Table 19a.
Primary Drug Abused, 2001 NJ Resident Admissions

| | | |] | Primary 1 | Drug | | | | | Tot | tal |
|-------|------|------|------|-----------|------|-------|------|------|-----|-------|-------|
| Alco | hol | Coca | aine | Hero | oin | Marij | uana | Othe | ers | | |
| N | % | N | % | N | % | N | % | N | % | N | % |
| 15756 | 28.2 | 5688 | 10.2 | 26968 | 48.2 | 5841 | 10.4 | 1692 | 3.0 | 55945 | 100.0 |

Table 19b.
Secondary Drug Abused, 2001 NJ Resident Admissions

| | | | Sec | condary | Drug | 5 | | | | Tot | tal |
|------|---------------------------------------|-----|-------|---------|------|---|---|---|---|-----|-----|
| Alco | cohol Cocaine Heroin Marijuana Others | | | | | | | | | | |
| N | % | N | % | N | % | N | % | N | % | N | % |
| 8346 | 27.8 | 8.8 | 30050 | 100.0 | | | | | | | |

Table 19c.
Tertiary Drug Abused, 2001 NJ Resident Admissions

| | | | Т | `ertiary | y Drug | g | | | | To | tal |
|------|---|------|------|----------|--------|------|------|------|------|-------|-------|
| Alco | Alcohol Cocaine Heroin Marijuana Others | | | | | | | | | | |
| N | % | N | % | N | % | N | % | N | % | N | % |
| 3611 | 33.1 | 2033 | 18.7 | 408 | 3.7 | 2877 | 26.4 | 1970 | 18.1 | 10899 | 100.0 |

Table 19d.

Primary, Secondary or Tertiary Drug Abused, 2001 NJ Resident Admissions

| | | | | Primary | Drug | | | | | To | tal |
|-------|---|-------|------|---------|------|-------|------|------|------|-------|-------|
| Alco | Alcohol Cocaine Heroin Marijuana Others | | | | | | | | | | |
| N | % | N | % | N | % | N | % | N | % | N | % |
| 27713 | 49.5 | 19457 | 34.8 | 28793 | 51.5 | 14630 | 26.2 | 6301 | 11.3 | 55945 | 100.0 |

Table 20.

Primary Drug by Secondary Drug Abused, 2001 NJ Resident Admissions

| | | | | S | econda | ry Drug | | | | | Tot | tal |
|--------------|------|-------|-------|-------|--------|---------|------|-------|------|-------|-------|-------|
| Primary Drug | Alc | ohol | Coca | nine | Her | oin | Mari | juana | Oth | ners | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| Alcohol | | | 2636 | 22.5 | 675 | 47.7 | 2818 | 47.7 | 566 | 21.4 | 6695 | 22.3 |
| Cocaine | 2415 | 28.9 | | | 509 | 35.9 | 1115 | 18.9 | 161 | 6.1 | 4200 | 14.0 |
| Heroin | 2772 | 33.2 | 8453 | 72.0 | | | 1726 | 29.2 | 1240 | 47.0 | 14191 | 47.2 |
| Marijuana | 2859 | 34.3 | 503 | 4.3 | 122 | 8.6 | | | 419 | 15.9 | 3903 | 13.0 |
| Others | 299 | 3.6 | 144 | 1.2 | 110 | 7.8 | 252 | 4.3 | 253 | 9.6 | 1058 | 3.5 |
| Total | 8345 | 100.0 | 11736 | 100.0 | 1416 | 100.0 | 5911 | 100.0 | 2639 | 100.0 | 30047 | 100.0 |

Table 21.

Primary Drug by Tertiary Drug Abused, 2001 NJ Resident Admissions

| | | | | | Tertia | ry Drug | | | | | To | tal |
|--------------|------|-------|------|-------|--------|---------|------|-------|------|-------|-------|-------|
| Primary Drug | Alc | ohol | Coc | aine | Не | eroin | Mari | juana | Oth | ners | | |
| | N | % | N | % | N | % | N | % | N | % | N | % |
| Alcohol | | | 710 | 34.9 | 187 | 45.8 | 796 | 27.7 | 428 | 21.7 | 2121 | 19.5 |
| Cocaine | 787 | 21.8 | | | 126 | 30.9 | 622 | 21.6 | 176 | 8.9 | 1711 | 15.7 |
| Heroin | 2251 | 62.4 | 983 | 48.4 | | | 1347 | 46.8 | 891 | 45.1 | 5472 | 50.2 |
| Marijuana | 379 | 10.5 | 273 | 13.4 | 67 | 16.4 | | | 366 | 18.5 | 1085 | 10.0 |
| Others | 193 | 5.3 | 66 | 3.2 | 28 | 6.9 | 112 | 3.9 | 114 | 5.8 | 513 | 4.7 |
| Total | 3610 | 100.0 | 2032 | 100.0 | 408 | 100.0 | 2877 | 100.0 | 1975 | 100.0 | 10902 | 100.0 |

Table 22.
Frequency of Drug Use by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
Black

| T. | CTI 1 | | | | | Primary | Drug | | | | | То | tal |
|--------------------|--------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| Frequency o Sex | • | Alco | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Daily | Female | 436 | 50.1 | 482 | 43.2 | 3736 | 91.1 | 133 | 39.3 | 46 | 63.0 | 4833 | 74.4 |
| | Male | 1108 | 45.1 | 730 | 43.4 | 5396 | 88.7 | 884 | 42.3 | 57 | 44.9 | 8175 | 65.7 |
| | Total | 1544 | 46.4 | 1212 | 43.3 | 9132 | 89.7 | 1017 | 41.9 | 103 | 51.5 | 13008 | 68.7 |
| Weekly | Female | 211 | 24.2 | 297 | 26.6 | 122 | 3.0 | 88 | 26.0 | 9 | 12.3 | 727 | 11.2 |
| | Male | 566 | 23.0 | 438 | 26.0 | 203 | 3.3 | 398 | 19.0 | 18 | 14.2 | 1623 | 13.0 |
| | Total | 777 | 23.4 | 735 | 26.3 | 325 | 3.2 | 486 | 20.0 | 27 | 13.5 | 2350 | 12.4 |
| Less than | Female | 68 | 7.8 | 84 | 7.5 | 42 | 1.0 | 29 | 8.6 | 6 | 8.2 | 229 | 3.5 |
| Weekly | Male | 215 | 8.8 | 131 | 7.8 | 62 | 1.0 | 207 | 9.9 | 6 | 4.7 | 621 | 5.0 |
| | Total | 283 | 8.5 | 215 | 7.7 | 104 | 1.0 | 236 | 9.7 | 12 | 6.0 | 850 | 4.5 |
| Not Used | Female | 156 | 17.9 | 253 | 22.7 | 200 | 4.9 | 88 | 26.0 | 12 | 16.4 | 709 | 10.9 |
| Past Month | Male | 567 | 23.1 | 383 | 22.8 | 421 | 6.9 | 601 | 28.8 | 46 | 36.2 | 2018 | 16.2 |
| | Total | 723 | 21.7 | 636 | 22.7 | 621 | 6.1 | 689 | 28.4 | 58 | 29.0 | 2727 | 14.4 |
| Total | Female | 871 | 100.0 | 1116 | 100.0 | 4100 | 100.0 | 338 | 100.0 | 73 | 100.0 | 6498 | 100.0 |
| i Otai | Male | 2456 | 100.0 | 1682 | 100.0 | 6082 | 100.0 | 2090 | 100.0 | 127 | 100.0 | 12437 | 100.0 |
| | Total | 3327 | 100.0 | 2798 | 100.0 | 10182 | 100.0 | 2428 | 100.0 | 200 | 100.0 | 18935 | 100.0 |

Table 22.
Frequency of Drug Use by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
White

| - | CTT 1 | | | | | Primary | Drug | | | | | To | tal |
|--------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Frequency o Sex | • | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Daily | Female | 1422 | 51.1 | 324 | 45.8 | 3544 | 89.1 | 175 | 35.4 | 440 | 77.6 | 5905 | 69.3 |
| | Male | 3729 | 47.6 | 591 | 40.4 | 7011 | 90.4 | 715 | 37.3 | 568 | 72.8 | 12614 | 63.9 |
| | Total | 5151 | 48.5 | 915 | 42.2 | 10555 | 90.0 | 890 | 36.9 | 1008 | 74.8 | 18519 | 65.5 |
| Weekly | Female | 611 | 22.0 | 169 | 23.9 | 127 | 3.2 | 127 | 25.7 | 46 | 8.1 | 1080 | 12.7 |
| | Male | 1950 | 24.9 | 471 | 32.2 | 234 | 3.0 | 502 | 26.2 | 84 | 10.8 | 3241 | 16.4 |
| | Total | 2561 | 24.1 | 640 | 29.5 | 361 | 3.1 | 629 | 26.1 | 130 | 9.7 | 4321 | 15.3 |
| Less than | Female | 274 | 9.9 | 56 | 7.9 | 57 | 1.4 | 67 | 13.6 | 12 | 2.1 | 466 | 5.5 |
| Weekly | Male | 797 | 10.2 | 99 | 6.8 | 84 | 1.1 | 196 | 10.2 | 22 | 2.8 | 1198 | 6.1 |
| | Total | 1071 | 10.1 | 155 | 7.1 | 141 | 1.2 | 263 | 10.9 | 34 | 2.5 | 1664 | 5.9 |
| Not Used | Female | 474 | 17.0 | 158 | 22.3 | 249 | 6.3 | 125 | 25.3 | 69 | 12.2 | 1075 | 12.6 |
| Past Month | Male | 1361 | 17.4 | 301 | 20.6 | 424 | 5.5 | 502 | 26.2 | 106 | 13.6 | 2694 | 13.6 |
| | Total | 1835 | 17.3 | 459 | 21.2 | 673 | 5.7 | 627 | 26.0 | 175 | 13.0 | 3769 | 13.3 |
| Total | Female | 2781 | 100.0 | 707 | 100.0 | 3977 | 100.0 | 494 | 100.0 | 567 | 100.0 | 8526 | 100.0 |
| | Male | 7837 | 100.0 | 1462 | 100.0 | 7753 | 100.0 | 1915 | 100.0 | 780 | 100.0 | 19747 | 100.0 |
| | Total | 10618 | 100.0 | 2169 | 100.0 | 11730 | 100.0 | 2409 | 100.0 | 1347 | 100.0 | 28273 | 100.0 |

Table 22.
Frequency of Drug Use by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
Hispanic

| | | | | | | Primary | Drug | | | | | То | tal |
|-----------------|-----------|------|-------|-----|-------|---------|-------|-----|--------|-----|-------|------|-------|
| Frequency of Us | se by Sex | Alco | ohol | Co | caine | Hei | oin | Mar | ijuana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Daily | Female | 73 | 35.4 | 65 | 37.1 | 868 | 89.9 | 48 | 31.4 | 18 | 66.7 | 1072 | 70.2 |
| | Male | 458 | 34.2 | 177 | 35.8 | 3214 | 90.3 | 297 | 39.6 | 36 | 42.4 | 4182 | 67.1 |
| | Total | 531 | 34.3 | 242 | 36.2 | 4082 | 90.2 | 345 | 38.2 | 54 | 48.2 | 5254 | 67.7 |
| Weekly | Female | 54 | 26.2 | 50 | 28.6 | 22 | 2.3 | 38 | 24.8 | 3 | 11.1 | 167 | 10.9 |
| | Male | 377 | 28.1 | 143 | 28.9 | 89 | 2.5 | 146 | 19.5 | 18 | 21.2 | 773 | 12.4 |
| | Total | 431 | 27.9 | 193 | 28.8 | 111 | 2.5 | 184 | 20.4 | 21 | 18.8 | 940 | 12.1 |
| Less than | Female | 23 | 11.2 | 13 | 7.4 | 13 | 1.3 | 13 | 8.5 | 3 | 11.1 | 65 | 4.3 |
| Weekly | Male | 169 | 12.6 | 33 | 6.7 | 30 | 0.8 | 76 | 10.1 | 6 | 7.1 | 314 | 5.0 |
| | Total | 192 | 12.4 | 46 | 6.9 | 43 | 1.0 | 89 | 9.9 | 9 | 8.0 | 379 | 4.9 |
| Not Used Past | Female | 56 | 27.2 | 47 | 26.9 | 62 | 6.4 | 54 | 35.3 | 3 | 11.1 | 222 | 14.5 |
| Month | Male | 337 | 25.1 | 141 | 28.5 | 228 | 6.4 | 231 | 30.8 | 25 | 29.4 | 962 | 15.4 |
| | Total | 393 | 25.4 | 188 | 28.1 | 290 | 6.4 | 285 | 31.6 | 28 | 25.0 | 1184 | 15.3 |
| Total | Female | 206 | 100.0 | 175 | 100.0 | 965 | 100.0 | 153 | 100.0 | 27 | 100.0 | 1526 | 100.0 |
| ivial | Male | 1341 | 100.0 | 494 | 100.0 | 3561 | 100.0 | 750 | 100.0 | 85 | 100.0 | 6231 | 100.0 |
| | Total | 1547 | 100.0 | 669 | 100.0 | 4526 | 100.0 | 903 | 100.0 | 112 | 100.0 | 7757 | 100.0 |

Table 22.
Frequency of Drug Use by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
Other

| | | | | | J | Primar | y Drug | | | | | Т | otal |
|---------------------|--------|-----|-------|----|-------|--------|--------|-----|---------|----|-------|-----|-------|
| Frequency of Use b | y Sex | Alc | cohol | Co | caine | Не | eroin | Maı | rijuana | O | thers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Daily | Female | 22 | 48.9 | 5 | 33.3 | 130 | 88.4 | 5 | 33.3 | 5 | 62.5 | 167 | 72.6 |
| | Male | 71 | 34.1 | 10 | 29.4 | 337 | 92.1 | 29 | 34.5 | 15 | 65.2 | 462 | 64.6 |
| | Total | 93 | 36.8 | 15 | 30.6 | 467 | 91.0 | 34 | 34.3 | 20 | 64.5 | 629 | 66.6 |
| Weekly | Female | 10 | 22.2 | 4 | 26.7 | 5 | 3.4 | 5 | 33.3 | 2 | 25.0 | 26 | 11.3 |
| | Male | 58 | 27.9 | 6 | 17.6 | 7 | 1.9 | 26 | 31.0 | 4 | 17.4 | 101 | 14.1 |
| | Total | 68 | 26.9 | 10 | 20.4 | 12 | 2.3 | 31 | 31.3 | 6 | 19.4 | 127 | 13.4 |
| Less than Weekly | Female | 7 | 15.6 | 1 | 6.7 | 2 | 1.4 | 3 | 20.0 | 1 | 12.5 | 14 | 6.1 |
| | Male | 31 | 14.9 | 3 | 8.8 | 1 | 0.3 | 7 | 8.3 | | | 42 | 5.9 |
| | Total | 38 | 15.0 | 4 | 8.2 | 3 | 0.6 | 10 | 10.1 | 1 | 3.2 | 56 | 5.9 |
| Not Used Past Month | Female | 6 | 13.3 | 5 | 33.3 | 10 | 6.8 | 2 | 13.3 | | | 23 | 10.0 |
| | Male | 48 | 23.1 | 15 | 44.1 | 21 | 5.7 | 22 | 26.2 | 4 | 17.4 | 110 | 15.4 |
| | Total | 54 | 21.3 | 20 | 40.8 | 31 | 6.0 | 24 | 24.2 | 4 | 12.9 | 133 | 14.1 |
| Total | Female | 45 | 100.0 | 15 | 100.0 | 147 | 100.0 | 15 | 100.0 | 8 | 100.0 | 230 | 100.0 |
| | Male | 208 | 100.0 | 34 | 100.0 | 366 | 100.0 | 84 | 100.0 | 23 | 100.0 | 715 | 100.0 |
| | Total | 253 | 100.0 | 49 | 100.0 | 513 | 100.0 | 99 | 100.0 | 31 | 100.0 | 945 | 100.0 |

Table 22.
Frequency of Drug Use by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
Total

| - | CTT 1 | | | | | Primary | Drug | | | | | To | tal |
|-------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Frequency o | - | Alco | hol | Coc | aine | Her | oin | Mari | juana | Otł | ners | 10 | · |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Daily | Female | 1953 | 50.0 | 876 | 43.5 | 8278 | 90.1 | 361 | 36.1 | 509 | 75.4 | 11977 | 71.4 |
| | Male | 5366 | 45.3 | 1508 | 41.1 | 15958 | 89.8 | 1925 | 39.8 | 676 | 66.6 | 25433 | 65.0 |
| | Total | 7319 | 46.5 | 2384 | 41.9 | 24236 | 89.9 | 2286 | 39.2 | 1185 | 70.1 | 37410 | 66.9 |
| Weekly | Female | 886 | 22.7 | 520 | 25.8 | 276 | 3.0 | 258 | 25.8 | 60 | 8.9 | 2000 | 11.9 |
| | Male | 2951 | 24.9 | 1058 | 28.8 | 533 | 3.0 | 1072 | 22.2 | 124 | 12.2 | 5738 | 14.7 |
| | Total | 3837 | 24.4 | 1578 | 27.8 | 809 | 3.0 | 1330 | 22.8 | 184 | 10.9 | 7738 | 13.8 |
| Less than | Female | 372 | 9.5 | 154 | 7.7 | 114 | 1.2 | 112 | 11.2 | 22 | 3.3 | 774 | 4.6 |
| Weekly | Male | 1212 | 10.2 | 266 | 7.2 | 177 | 1.0 | 486 | 10.0 | 34 | 3.3 | 2175 | 5.6 |
| | Total | 1584 | 10.1 | 420 | 7.4 | 291 | 1.1 | 598 | 10.2 | 56 | 3.3 | 2949 | 5.3 |
| Not Used | Female | 692 | 17.7 | 463 | 23.0 | 521 | 5.7 | 269 | 26.9 | 84 | 12.4 | 2029 | 12.1 |
| Past Month | Male | 2313 | 19.5 | 840 | 22.9 | 1094 | 6.2 | 1356 | 28.0 | 181 | 17.8 | 5784 | 14.8 |
| | Total | 3005 | 19.1 | 1303 | 22.9 | 1615 | 6.0 | 1625 | 27.8 | 265 | 15.7 | 7813 | 14.0 |
| Total | Female | 3903 | 100.0 | 2013 | 100.0 | 9189 | 100.0 | 1000 | 100.0 | 675 | 100.0 | 16780 | 100.0 |
| | Male | 11842 | 100.0 | 3672 | 100.0 | 17762 | 100.0 | 4839 | 100.0 | 1015 | 100.0 | 39130 | 100.0 |
| | Total | 15745 | 100.0 | 5685 | 100.0 | 26951 | 100.0 | 5839 | 100.0 | 1690 | 100.0 | 55910 | 100.0 |

Table 23.
Route of Administration by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
Black

| D (CA 1 | | | | | | Primary | Drug | | | | | To | tal |
|--------------------|---------|------|-------|------|-------|---------|-------|------|-------|-----|-------|-------|-------|
| Route of Ad Sex | min. by | Alco | ohol | Coc | aine | Her | oin | Mari | juana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Inject | Female | | | 11 | 1.0 | 607 | 14.8 | 1 | 0.3 | 2 | 2.7 | 621 | 9.6 |
| | Male | | | 26 | 1.5 | 1289 | 21.2 | 4 | 0.2 | 11 | 8.7 | 1330 | 10.7 |
| | Total | | | 37 | 1.3 | 1896 | 18.6 | 5 | 0.2 | 13 | 6.5 | 1951 | 10.3 |
| Oral | Female | 873 | 100.0 | 3 | 0.3 | 7 | 0.2 | 2 | 0.6 | 43 | 58.9 | 928 | 14.3 |
| | Male | 2457 | 100.0 | 14 | 0.8 | 17 | 0.3 | 29 | 1.4 | 36 | 28.3 | 2553 | 20.5 |
| | Total | 3330 | 100.0 | 17 | 0.6 | 24 | 0.2 | 31 | 1.3 | 79 | 39.5 | 3481 | 18.4 |
| Smoke | Female | | | 944 | 84.6 | 40 | 1.0 | 332 | 97.9 | 22 | 30.1 | 1338 | 20.6 |
| | Male | | | 1236 | 73.5 | 63 | 1.0 | 2038 | 97.5 | 63 | 49.6 | 3400 | 27.3 |
| | Total | | | 2180 | 77.9 | 103 | 1.0 | 2370 | 97.6 | 85 | 42.5 | 4738 | 25.0 |
| Snort/Inhale | Female | | | 158 | 14.2 | 3444 | 84.0 | 4 | 1.2 | 6 | 8.2 | 3612 | 55.6 |
| | Male | | | 406 | 24.1 | 4711 | 77.5 | 19 | 0.9 | 17 | 13.4 | 5153 | 41.4 |
| | Total | | | 564 | 20.2 | 8155 | 80.1 | 23 | 0.9 | 23 | 11.5 | 8765 | 46.3 |
| Total Black | Female | 873 | 100.0 | 1116 | 100.0 | 4098 | 100.0 | 339 | 100.0 | 73 | 100.0 | 6499 | 100.0 |
| | Male | 2457 | 100.0 | 1682 | 100.0 | 6080 | 100.0 | 2090 | 100.0 | 127 | 100.0 | 12436 | 100.0 |
| | Total | 3330 | 100.0 | 2798 | 100.0 | 10178 | 100.0 | 2429 | 100.0 | 200 | 100.0 | 18935 | 100.0 |

Table 23.

Route of Administration by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

White

| D (CA) | | | | | | Primary | Drug | | | | | To | tal |
|--------------------|--------|-------|-------|------|-------|---------|-------|------|-------|------|-------|-------|-------|
| Route of Ad Sex | | Alco | hol | Coc | aine | Her | oin | Mari | juana | Oth | ners | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Inject | Female | | | 26 | 3.7 | 2246 | 56.5 | 1 | 0.2 | 34 | 6.0 | 2307 | 27.1 |
| | Male | | | 45 | 3.1 | 4194 | 54.1 | 1 | 0.1 | 37 | 4.7 | 4277 | 21.7 |
| | Total | | | 71 | 3.3 | 6440 | 54.9 | 2 | 0.1 | 71 | 5.3 | 6584 | 23.3 |
| Oral | Female | 2781 | 100.0 | 8 | 1.1 | 18 | 0.5 | 7 | 1.4 | 494 | 87.1 | 3308 | 38.8 |
| | Male | 7845 | 100.0 | 13 | 0.9 | 28 | 0.4 | 34 | 1.8 | 651 | 83.4 | 8571 | 43.4 |
| | Total | 10626 | 100.0 | 21 | 1.0 | 46 | 0.4 | 41 | 1.7 | 1145 | 84.9 | 11879 | 42.0 |
| Smoke | Female | | | 435 | 61.5 | 27 | 0.7 | 482 | 97.6 | 17 | 3.0 | 961 | 11.3 |
| | Male | | | 800 | 54.7 | 62 | 0.8 | 1864 | 97.3 | 30 | 3.8 | 2756 | 14.0 |
| | Total | | | 1235 | 56.9 | 89 | 0.8 | 2346 | 97.3 | 47 | 3.5 | 3717 | 13.1 |
| Snort/Inhale | Female | | | 238 | 33.7 | 1687 | 42.4 | 4 | 0.8 | 22 | 3.9 | 1951 | 22.9 |
| | Male | | | 604 | 41.3 | 3467 | 44.7 | 17 | 0.9 | 63 | 8.1 | 4151 | 21.0 |
| | Total | | | 842 | 38.8 | 5154 | 43.9 | 21 | 0.9 | 85 | 6.3 | 6102 | 21.6 |
| Total | Female | 2781 | 100.0 | 707 | 100.0 | 3978 | 100.0 | 494 | 100.0 | 567 | 100.0 | 8527 | 100.0 |
| | Male | 7845 | 100.0 | 1462 | 100.0 | 7751 | 100.0 | 1916 | 100.0 | 781 | 100.0 | 19755 | 100.0 |
| | Total | 10626 | 100.0 | 2169 | 100.0 | 11729 | 100.0 | 2410 | 100.0 | 1348 | 100.0 | 28282 | 100.0 |

Table 23.

Route of Administration by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
Hispanic

| | | | | | | Primary | Drug | | | | | To | otal |
|--------------|-------------|------|-------|-----|-------|---------|-------|-----|--------|-----|-------|------|-------|
| Route of Adm | nin. by Sex | Alc | ohol | Coo | caine | Her | oin | Mar | ijuana | Ot | hers | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Inject | Female | | | 4 | 2.3 | 428 | 44.4 | | | 2 | 7.4 | 434 | 28.4 |
| | Male | | | 9 | 1.8 | 1651 | 46.4 | 1 | 0.1 | 6 | 7.1 | 1667 | 26.8 |
| | Total | | | 13 | 1.9 | 2079 | 46.0 | 1 | 0.1 | 8 | 7.1 | 2101 | 27.1 |
| Oral | Female | 206 | 100.0 | | | 2 | 0.2 | 1 | 0.7 | 17 | 63.0 | 226 | 14.8 |
| | Male | 1341 | 100.0 | 5 | 1.0 | 9 | 0.3 | 9 | 1.2 | 35 | 41.2 | 1399 | 22.5 |
| | Total | 1547 | 100.0 | 5 | 0.7 | 11 | 0.2 | 10 | 1.1 | 52 | 46.4 | 1625 | 20.9 |
| Smoke | Female | | | 105 | 60.0 | 6 | 0.6 | 152 | 99.3 | 5 | 18.5 | 268 | 17.6 |
| | Male | | | 237 | 47.8 | 19 | 0.5 | 735 | 98.0 | 38 | 44.7 | 1029 | 16.5 |
| | Total | | | 342 | 51.0 | 25 | 0.6 | 887 | 98.2 | 43 | 38.4 | 1297 | 16.7 |
| Snort/Inhale | Female | | | 66 | 37.7 | 529 | 54.8 | | | 3 | 11.1 | 598 | 39.2 |
| | Male | | | 245 | 49.4 | 1880 | 52.8 | 5 | 0.7 | 6 | 7.1 | 2136 | 34.3 |
| | Total | | | 311 | 46.3 | 2409 | 53.2 | 5 | 0.6 | 9 | 8.0 | 2734 | 35.2 |
| Total | Female | 206 | 100.0 | 175 | 100.0 | 965 | 100.0 | 153 | 100.0 | 27 | 100.0 | 1526 | 100.0 |
| Otal | Male | 1341 | 100.0 | 496 | 100.0 | 3559 | 100.0 | 750 | 100.0 | 85 | 100.0 | 6231 | 100.0 |
| | Total | 1547 | 100.0 | 671 | 100.0 | 4524 | 100.0 | 903 | 100.0 | 112 | 100.0 | 7757 | 100.0 |

Table 23.
Route of Administration by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions
Other

| | | | Primary Drug | | | | | | | | | | | |
|--------------|------------------------|-----|--------------|----|---------|-----|--------|----|-----------|----|--------|-----|-------|--|
| Route of Adm | Route of Admin. by Sex | | Alcohol | | Cocaine | | Heroin | | Marijuana | | Others | | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % | |
| Inject | Female | | | | | 64 | 43.5 | | | | | 64 | 27.9 | |
| | Male | | | 1 | 2.9 | 142 | 38.9 | | | 2 | 8.7 | 145 | 20.3 | |
| | Total | | | 1 | 2.0 | 206 | 40.2 | | | 2 | 6.7 | 209 | 22.2 | |
| Oral | Female | 45 | 100.0 | | | 1 | 0.7 | | | 4 | 57.1 | 50 | 21.8 | |
| | Male | 208 | 100.0 | 3 | 8.8 | | | 3 | 3.6 | 11 | 47.8 | 225 | 31.5 | |
| | Total | 253 | 100.0 | 3 | 6.1 | 1 | 0.2 | 3 | 3.0 | 15 | 50.0 | 275 | 29.2 | |
| Smoke | Female | | | 9 | 60.0 | | | 14 | 93.3 | | | 23 | 10.0 | |
| | Male | | | 17 | 50.0 | 5 | 1.4 | 79 | 94.0 | 8 | 34.8 | 109 | 15.3 | |
| | Total | | | 26 | 53.1 | 5 | 1.0 | 93 | 93.9 | 8 | 26.7 | 132 | 14.0 | |
| Snort/Inhale | Female | | | 6 | 40.0 | 82 | 55.8 | 1 | 6.7 | 3 | 42.9 | 92 | 40.2 | |
| | Male | | | 13 | 38.2 | 218 | 59.7 | 2 | 2.4 | 2 | 8.7 | 235 | 32.9 | |
| | Total | | | 19 | 38.8 | 300 | 58.6 | 3 | 3.0 | 5 | 16.7 | 327 | 34.7 | |
| Total | Female | 45 | 100.0 | 15 | 100.0 | 147 | 100.0 | 15 | 100.0 | 7 | 100.0 | 229 | 100.0 | |
| | Male | 208 | 100.0 | 34 | 100.0 | 365 | 100.0 | 84 | 100.0 | 23 | 100.0 | 714 | 100.0 | |
| | Total | 253 | 100.0 | 49 | 100.0 | 512 | 100.0 | 99 | 100.0 | 30 | 100.0 | 943 | 100.0 | |

Table 23.

Route of Administration by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

Total

| Route of Admin. by Sex | | | Primary Drug | | | | | | | | | | |
|---------------------------|--------|---------|--------------|---------|-------|--------|-------|-----------|-------|--------|-------|-------|-------|
| | | Alcohol | | Cocaine | | Heroin | | Marijuana | | Others | | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| Inject | Female | | | 41 | 2.0 | 3345 | 36.4 | 2 | 0.2 | 38 | 5.6 | 3426 | 20.4 |
| | Male | | | 81 | 2.2 | 7276 | 41.0 | 6 | 0.1 | 56 | 5.5 | 7419 | 19.0 |
| | Total | | | 122 | 2.1 | 10621 | 39.4 | 8 | 0.1 | 94 | 5.6 | 10845 | 19.4 |
| Oral | Female | 3905 | 100.0 | 11 | 0.5 | 28 | 0.3 | 10 | 1.0 | 558 | 82.8 | 4512 | 26.9 |
| | Male | 11851 | 100.0 | 35 | 1.0 | 54 | 0.3 | 75 | 1.5 | 733 | 72.1 | 12748 | 32.6 |
| | Total | 15756 | 100.0 | 46 | 0.8 | 82 | 0.3 | 85 | 1.5 | 1291 | 76.4 | 17260 | 30.9 |
| Smoke | Female | | | 1493 | 74.2 | 73 | 0.8 | 980 | 97.9 | 44 | 6.5 | 2590 | 15.4 |
| | Male | | | 2290 | 62.3 | 149 | 0.8 | 4716 | 97.4 | 139 | 13.7 | 7294 | 18.6 |
| | Total | | | 3783 | 66.5 | 222 | 0.8 | 5696 | 97.5 | 183 | 10.8 | 9884 | 17.7 |
| Snort/Inhale | Female | | | 468 | 23.2 | 5742 | 62.5 | 9 | 0.9 | 34 | 5.0 | 6253 | 37.3 |
| | Male | | | 1268 | 34.5 | 10276 | 57.9 | 43 | 0.9 | 88 | 8.7 | 11675 | 29.8 |
| | Total | | | 1736 | 30.5 | 16018 | 59.5 | 52 | 0.9 | 122 | 7.2 | 17928 | 32.1 |
| Total | Female | 3905 | 100.0 | 2013 | 100.0 | 9188 | 100.0 | 1001 | 100.0 | 674 | 100.0 | 16781 | 100.0 |
| | Male | 11851 | 100.0 | 3674 | 100.0 | 17755 | 100.0 | 4840 | 100.0 | 1016 | 100.0 | 39136 | 100.0 |
| | Total | 15756 | 100.0 | 5687 | 100.0 | 26943 | 100.0 | 5841 | 100.0 | 1690 | 100.0 | 55917 | 100.0 |

Table 24.

Mean Age at First Use of Primary Drug by Ethnicity. Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | Primary Drug | | | | | | | | | | | tal |
|------------------|--------|--------------|------|-------------------------|------|-------------------|------|-------------------|-------|-------------------|------|-------|------|
| | | | hol | Cocaine Age at 1st Use | | Her | oin | Mari | juana | Others | | 10001 | |
| Ethnicity by Sex | | Age a | | | | Age at 1st Use | | Age at 1st Use | | Age at 1st Use | | Age a | |
| | | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean |
| Black | Female | 821 | 17.2 | 1078 | 23.0 | 4038 | 25.3 | 327 | 16.0 | 66 | 25.7 | 6330 | 23.4 |
| | Male | 2277 | 16.1 | 1644 | 23.1 | 5977 | 23.9 | 2042 | 14.8 | 121 | 20.0 | 12061 | 20.8 |
| | Total | 3098 | 16.4 | 2722 | 23.0 | 10015 | 24.5 | 2369 | 15.0 | 187 | 22.0 | 18391 | 21.7 |
| White | Female | 2606 | 16.7 | 673 | 21.8 | 3863 | 22.6 | 473 | 14.6 | 524 | 27.9 | 8139 | 20.5 |
| | Male | 7436 | 15.6 | 1393 | 21.0 | 7536 | 22.4 | 1852 | 14.2 | 749 | 26.8 | 18966 | 19.0 |
| | Total | 10042 | 15.9 | 2066 | 21.2 | 11399 | 22.4 | 2325 | 14.3 | 1273 | 27.3 | 27105 | 19.5 |
| Hispanic | Female | 198 | 17.2 | 170 | 21.6 | 947 | 23.2 | 145 | 15.0 | 24 | 25.9 | 1484 | 21.5 |
| | Male | 1292 | 16.9 | 477 | 21.3 | 3483 | 21.7 | 729 | 14.4 | 80 | 20.5 | 6061 | 19.7 |
| | Total | 1490 | 16.9 | 647 | 21.4 | 4430 | 22.0 | 874 | 14.5 | 104 | 21.7 | 7545 | 20.1 |
| Other | Female | 41 | 16.7 | 14 | 19.1 | 142 | 22.5 | 15 | 13.3 | 8 | 32.3 | 220 | 21.0 |
| | Male | 191 | 17.5 | 34 | 21.4 | 361 | 22.5 | 83 | 16.1 | 21 | 24.2 | 690 | 20.4 |
| | Total | 232 | 17.4 | 48 | 20.7 | 503 | 22.5 | 98 | 15.6 | 29 | 26.4 | 910 | 20.5 |
| Total | Female | 3666 | 16.9 | 1935 | 22.4 | 8990 | 23.9 | 960 | 15.1 | 622 | 27.7 | 16173 | 21.7 |
| | Male | 11196 | 15.9 | 3548 | 22.0 | 17357 | 22.8 | 4706 | 14.5 | 971 | 25.4 | 37778 | 19.7 |
| | Total | 14862 | 16.1 | 5483 | 22.1 | 26347 | 23.1 | 5666 | 14.6 | 1593 | 26.3 | 53951 | 20.3 |

Table 25.

Mean Number of Past Treatment Episodes by Ethnicity, Sex and Primary Drug, 2001 NJ
Resident Admissions

| | | | Primary Drug | | | | | | | | | | | |
|------------------|--------|-------|--------------|------|------|--------------------|------|----------|-------|----------|------|----------|------|--|
| Ethnicity by Sex | | Alcol | hol | Coc | aine | Heroin Episodes | | Mari | juana | Others | | Total | | |
| | | Episo | des | Epis | odes | | | Episodes | | Episodes | | Episodes | | |
| | | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | |
| Black | Female | 873 | 1.4 | 1116 | 1.8 | 4105 | 2.1 | 339 | 0.7 | 73 | 1.0 | 6506 | 1.9 | |
| | Male | 2457 | 1.2 | 1682 | 1.5 | 6083 | 1.8 | 2090 | 0.6 | 127 | 1.0 | 12439 | 1.4 | |
| | Total | 3330 | 1.2 | 2798 | 1.6 | 10188 | 1.9 | 2429 | 0.6 | 200 | 1.0 | 18945 | 1.6 | |
| White | Female | 2781 | 1.5 | 707 | 1.7 | 3981 | 2.7 | 494 | 1.1 | 567 | 1.8 | 8530 | 2.1 | |
| | Male | 7845 | 1.4 | 1462 | 1.7 | 7758 | 2.5 | 1916 | 1.0 | 782 | 1.5 | 19763 | 1.8 | |
| | Total | 10626 | 1.4 | 2169 | 1.7 | 11739 | 2.6 | 2410 | 1.0 | 1349 | 1.6 | 28293 | 1.9 | |
| Hispanic | Female | 206 | 0.9 | 175 | 1.4 | 966 | 2.4 | 153 | 0.6 | 27 | 1.0 | 1527 | 1.8 | |
| | Male | 1341 | 0.8 | 496 | 1.0 | 3562 | 1.9 | 750 | 0.9 | 85 | 1.1 | 6234 | 1.4 | |
| | Total | 1547 | 0.8 | 671 | 1.1 | 4528 | 2.0 | 903 | 0.9 | 112 | 1.1 | 7761 | 1.5 | |
| Other | Female | 45 | 0.9 | 15 | 2.0 | 147 | 2.7 | 15 | 1.3 | 8 | 1.4 | 230 | 2.1 | |
| | Male | 208 | 0.8 | 35 | 1.7 | 366 | 1.9 | 84 | 1.4 | 23 | 0.9 | 716 | 1.5 | |
| | Total | 253 | 0.8 | 50 | 1.8 | 513 | 2.1 | 99 | 1.3 | 31 | 1.0 | 946 | 1.7 | |
| Total | Female | 3905 | 1.4 | 2013 | 1.8 | 9199 | 2.4 | 1001 | 0.9 | 675 | 1.6 | 16793 | 2.0 | |
| | Male | 11851 | 1.3 | 3675 | 1.5 | 17769 | 2.1 | 4840 | 0.8 | 1017 | 1.4 | 39152 | 1.6 | |
| | Total | 15756 | 1.3 | 5688 | 1.6 | 26968 | 2.2 | 5841 | 0.8 | 1692 | 1.5 | 55945 | 1.7 | |

Table 26.

Mean Duration of Use of Primary Drug among First-time Admissions by Ethnicity, Sex and Primary Drug, 2001 NJ Resident Admissions

| | | | | | | Primar | y Drug | | | | | To | tal |
|-----------|--------|------|---------|------|---------|--------|---------|------|--------|-----|----------------|--------------|------|
| | | Alc | ohol | Coc | aine | He | roin | Mari | juana | Ot | hers | | |
| Ethnicity | by Sex | | cion of | | cion of | | tion of | | ion of | | tion of Jse | Durati Us | |
| | | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean | N | Mean |
| Black | Female | 328 | 18.5 | 285 | 16.6 | 947 | 13.5 | 188 | 8.0 | 29 | 11.3 | 1777 | 14.3 |
| | Male | 1025 | 18.6 | 560 | 18.1 | 1649 | 16.0 | 1194 | 8.5 | 54 | 10.0 | 4482 | 14.8 |
| | Total | 1353 | 18.6 | 845 | 17.6 | 2596 | 15.1 | 1382 | 8.5 | 83 | 10.5 | 6259 | 14.7 |
| White | Female | 1070 | 19.2 | 222 | 11.8 | 786 | 8.3 | 272 | 7.4 | 191 | 11.0 | 2541 | 13.3 |
| | Male | 3180 | 20.0 | 460 | 15.3 | 1500 | 10.6 | 960 | 7.4 | 293 | 9.6 | 6393 | 15.1 |
| | Total | 4250 | 19.8 | 682 | 14.1 | 2286 | 9.8 | 1232 | 7.4 | 484 | 10.1 | 8934 | 14.6 |
| Hispanic | Female | 121 | 14.3 | 67 | 10.6 | 201 | 9.4 | 83 | 7.9 | 12 | 6.1 | 484 | 10.4 |
| | Male | 785 | 18.4 | 225 | 15.5 | 1009 | 12.8 | 386 | 7.5 | 34 | 8.2 | 2439 | 14.0 |
| | Total | 906 | 17.9 | 292 | 14.4 | 1210 | 12.3 | 469 | 7.6 | 46 | 7.7 | 2923 | 13.4 |
| Other | Female | 20 | 20.4 | 3 | 9.7 | 30 | 11.3 | 8 | 6.9 | 2 | 1.5 | 63 | 13.2 |
| | Male | 117 | 16.7 | 12 | 15.8 | 102 | 10.8 | 50 | 7.7 | 12 | 11.6 | 293 | 12.9 |
| | Total | 137 | 17.2 | 15 | 14.5 | 132 | 10.9 | 58 | 7.6 | 14 | 10.1 | 356 | 12.9 |
| Total | Female | 1539 | 18.7 | 577 | 14.0 | 1964 | 10.9 | 551 | 7.7 | 234 | 10.7 | 4865 | 13.4 |
| | Male | 5107 | 19.4 | 1257 | 16.6 | 4260 | 13.2 | 2590 | 7.9 | 393 | 9.6 | 13607 | 14.8 |
| | Total | 6646 | 19.2 | 1834 | 15.8 | 6224 | 12.5 | 3141 | 7.9 | 627 | 10.0 | 18472 | 14.4 |

Table 27.
Substance Use in the Past Six Months Prior to Admission by Sex,
2001 NJ Resident Admissions

| | Fem | ale | Ma | lle | To | tal |
|-----------------------------|-------|-------|-------|-------|-------|-------|
| | N | % | N | % | N | % |
| All Responders | 16793 | 100.0 | 39152 | 100.0 | 55945 | 100.0 |
| Alcohol | 7232 | 43.1 | 19498 | 49.8 | 26730 | 47.8 |
| Heroin | 9563 | 56.9 | 18007 | 46.0 | 27570 | 49.3 |
| Non-Prescription Methadone | 223 | 1.3 | 388 | 1.0 | 611 | 1.1 |
| Other Opiates | 906 | 5.4 | 1491 | 3.8 | 2397 | 4.3 |
| Crack/Cocaine | 6851 | 40.8 | 11641 | 29.7 | 18492 | 33.1 |
| Marijuana | 3401 | 20.3 | 10146 | 25.9 | 13547 | 24.2 |
| Methamphetamine | 69 | 0.4 | 213 | 0.5 | 282 | 0.5 |
| Other Amphetamines | 104 | 0.6 | 180 | 0.5 | 284 | 0.5 |
| Other Stimulants | 53 | 0.3 | 74 | 0.2 | 127 | 0.2 |
| Benzodiazepines | 931 | 5.5 | 1291 | 3.3 | 2222 | 4.0 |
| Other Tranquilizers | 170 | 1.0 | 221 | 0.6 | 391 | 0.7 |
| Barbiturates | 116 | 0.7 | 161 | 0.4 | 277 | 0.5 |
| Other Sedatives & Hypnotics | 152 | 0.9 | 213 | 0.5 | 365 | 0.7 |
| PCP | 108 | 0.6 | 384 | 1.0 | 492 | 0.9 |
| Other Hallucinogens | 188 | 1.1 | 537 | 1.4 | 725 | 1.3 |
| Inhalants | 50 | 0.3 | 118 | 0.3 | 168 | 0.3 |
| Over-the-Counter | 203 | 1.2 | 259 | 0.7 | 462 | 0.8 |
| Other | 338 | 2.0 | 598 | 1.5 | 936 | 1.7 |

Table 28.
Substance Use in the Past Six Months Prior to Admission by Ethnicity, 2001 NJ Resident Admissions

| | Bla | ck | Wh | ite | Hisp | oanic | O | ther | Tot | tal |
|-----------------------------|-------|-------|-------|-------|------|-------|-----|-------|-------|-------|
| | N | % | N | % | N | % | N | % | N | % |
| All Responders | 18945 | 100.0 | 28293 | 100.0 | 7761 | 100.0 | 946 | 100.0 | 55945 | 100.0 |
| Alcohol | 7574 | 40.0 | 15812 | 55.9 | 2932 | 37.8 | 412 | 43.6 | 26730 | 47.8 |
| Heroin | 10273 | 54.2 | 12289 | 43.4 | 4493 | 57.9 | 515 | 54.4 | 27570 | 49.3 |
| Non-Prescription Methadone | 152 | 0.8 | 376 | 1.3 | 77 | 1.0 | 6 | 0.6 | 611 | 1.1 |
| Other Opiates | 191 | 1.0 | 2078 | 7.3 | 105 | 1.4 | 23 | 2.4 | 2397 | 4.3 |
| Crack/Cocaine | 7772 | 41.0 | 8179 | 28.9 | 2292 | 29.5 | 249 | 26.3 | 18492 | 33.1 |
| Marijuana | 4010 | 21.2 | 7463 | 26.4 | 1868 | 24.1 | 206 | 21.8 | 13547 | 24.2 |
| Methamphetamine | 28 | 0.1 | 221 | 0.8 | 22 | 0.3 | 11 | 1.2 | 282 | 0.5 |
| Other Amphetamines | 27 | 0.1 | 222 | 0.8 | 29 | 0.4 | 6 | 0.6 | 284 | 0.5 |
| Other Stimulants | 9 | 0.0 | 104 | 0.4 | 12 | 0.2 | 2 | 0.2 | 127 | 0.2 |
| Benzodiazepines | 228 | 1.2 | 1821 | 6.4 | 154 | 2.0 | 19 | 2.0 | 2222 | 4.0 |
| Other Tranquilizers | 26 | 0.1 | 335 | 1.2 | 26 | 0.3 | 4 | 0.4 | 391 | 0.7 |
| Barbiturates | 48 | 0.3 | 209 | 0.7 | 17 | 0.2 | 3 | 0.3 | 277 | 0.5 |
| Other Sedatives & Hypnotics | 33 | 0.2 | 299 | 1.1 | 27 | 0.3 | 6 | 0.6 | 365 | 0.7 |
| PCP | 188 | 1.0 | 198 | 0.7 | 93 | 1.2 | 13 | 1.4 | 492 | 0.9 |
| Other Hallucinogens | 65 | 0.3 | 590 | 2.1 | 53 | 0.7 | 17 | 1.8 | 725 | 1.3 |
| Inhalants | 14 | 0.1 | 137 | 0.5 | 14 | 0.2 | 3 | 0.3 | 168 | 0.3 |
| Over-the-Counter | 78 | 0.4 | 351 | 1.2 | 28 | 0.4 | 5 | 0.5 | 462 | 0.8 |
| Other | 257 | 1.4 | 566 | 2.0 | 96 | 1.2 | 17 | 1.8 | 936 | 1.7 |

Table 29.
Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence, 2001 NJ Resident Admissions

| | | | | | | S | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Female | | | | | Male | | | | | | | |
| Stat | tewide | | Ethni | icity | | Total | | Ethni | city | | Total | | Ethni | city | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 8 | 112 | 15 | 1 | 136 | 67 | 237 | 39 | 7 | 350 | 75 | 349 | 54 | 8 | 486 |
| | Drugs | 76 | 323 | 66 | 11 | 476 | 503 | 892 | 251 | 25 | 1671 | 579 | 1215 | 317 | 36 | 2147 |
| | Total | 84 | 435 | 81 | 12 | 612 | 570 | 1129 | 290 | 32 | 2021 | 654 | 1564 | 371 | 44 | 2633 |
| 18-20 | Alcohol | 15 | 99 | 10 | 1 | 125 | 86 | 347 | 62 | 6 | 501 | 101 | 446 | 72 | 7 | 626 |
| | Drugs | 87 | 743 | 73 | 21 | 924 | 428 | 1417 | 277 | 43 | 2165 | 515 | 2160 | 350 | 64 | 3089 |
| | Total | 102 | 842 | 83 | 22 | 1049 | 514 | 1764 | 339 | 49 | 2666 | 616 | 2606 | 422 | 71 | 3715 |
| 21-24 | Alcohol | 59 | 136 | 17 | 5 | 217 | 241 | 614 | 154 | 20 | 1029 | 300 | 750 | 171 | 25 | 1246 |
| | Drugs | 207 | 1019 | 154 | 18 | 1398 | 646 | 1902 | 564 | 76 | 3188 | 853 | 2921 | 718 | 94 | 4586 |
| | Total | 266 | 1155 | 171 | 23 | 1615 | 887 | 2516 | 718 | 96 | 4217 | 1153 | 3671 | 889 | 119 | 5832 |
| 25-29 | Alcohol | 74 | 209 | 25 | 7 | 315 | 264 | 714 | 203 | 25 | 1206 | 338 | 923 | 228 | 32 | 1521 |
| | Drugs | 465 | 785 | 223 | 29 | 1502 | 941 | 1758 | 911 | 88 | 3698 | 1406 | 2543 | 1134 | 117 | 5200 |
| | Total | 539 | 994 | 248 | 36 | 1817 | 1205 | 2472 | 1114 | 113 | 4904 | 1744 | 3466 | 1362 | 149 | 6721 |
| 30-34 | Alcohol | 152 | 388 | 40 | 7 | 587 | 340 | 1029 | 173 | 36 | 1578 | 492 | 1417 | 213 | 43 | 2165 |
| | Drugs | 1365 | 943 | 310 | 38 | 2656 | 1865 | 1728 | 1028 | 98 | 4719 | 3230 | 2671 | 1338 | 136 | 7375 |
| | Total | 1517 | 1331 | 350 | 45 | 3243 | 2205 | 2757 | 1201 | 134 | 6297 | 3722 | 4088 | 1551 | 179 | 9540 |
| 35-39 | Alcohol | 215 | 592 | 33 | 9 | 849 | 451 | 1465 | 239 | 38 | 2193 | 666 | 2057 | 272 | 47 | 3042 |
| | Drugs | 1503 | 885 | 248 | 29 | 2665 | 2112 | 1717 | 884 | 72 | 4785 | 3615 | 2602 | 1132 | 101 | 7450 |
| | Total | 1718 | 1477 | 281 | 38 | 3514 | 2563 | 3182 | 1123 | 110 | 6978 | 4281 | 4659 | 1404 | 148 | 10492 |
| 40-44 | Alcohol | 178 | 607 | 38 | 8 | 831 | 415 | 1385 | 163 | 35 | 1998 | 593 | 1992 | 201 | 43 | 2829 |
| | Drugs | 1127 | 622 | 160 | 23 | 1932 | 1774 | 1298 | 560 | 58 | 3690 | 2901 | 1920 | 720 | 81 | 5622 |
| | Total | 1305 | 1229 | 198 | 31 | 2763 | 2189 | 2683 | 723 | 93 | 5688 | 3494 | 3912 | 921 | 124 | 8451 |
| 45-49 | Alcohol | 85 | 317 | 16 | 4 | 422 | 254 | 935 | 128 | 19 | 1336 | 339 | 1252 | 144 | 23 | 1758 |
| | Drugs | 520 | 298 | 58 | 13 | 889 | 1015 | 742 | 275 | 33 | 2065 | 1535 | 1040 | 333 | 46 | 2954 |
| | Total | 605 | 615 | 74 | 17 | 1311 | 1269 | 1677 | 403 | 52 | 3401 | 1874 | 2292 | 477 | 69 | 4712 |
| 50-54 | Alcohol | 41 | 162 | 7 | 1 | 211 | 168 | 581 | 105 | 12 | 866 | 209 | 743 | 112 | 13 | 1077 |
| | Drugs | 218 | 81 | 15 | 2 | 316 | 478 | 325 | 91 | 11 | 905 | 696 | 406 | 106 | 13 | 1221 |
| | Total | 259 | 243 | 22 | 3 | 527 | 646 | 906 | 196 | 23 | 1771 | 905 | 1149 | 218 | 26 | 2298 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|
| | | | | Female | | | | | Male | | | | | | | |
| Stat | tewide | | Ethni | icity | | Total | | Ethni | city | | Total | | Ethni | city | | Total |
| | | Black | White | Hisp. | Other | 10141 | Black | White | Hisp. | Other | 101111 | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 26 | 96 | 3 | 1 | 126 | 87 | 310 | 42 | 8 | 447 | 113 | 406 | 45 | 9 | 573 |
| | Drugs | 43 | 24 | 9 | | 76 | 159 | 94 | 31 | 3 | 287 | 202 | 118 | 40 | 3 | 363 |
| | Total | 69 | 120 | 12 | 1 | 202 | 246 | 404 | 73 | 11 | 734 | 315 | 524 | 85 | 12 | 936 |
| 60-64 | Alcohol | 13 | 33 | 2 | 1 | 49 | 44 | 127 | 22 | 1 | 194 | 57 | 160 | 24 | 2 | 243 |
| | Drugs | 8 | 4 | | | 12 | 25 | 16 | 10 | | 51 | 33 | 20 | 10 | | 63 |
| | Total | 21 | 37 | 2 | 1 | 61 | 69 | 143 | 32 | 1 | 245 | 90 | 180 | 34 | 2 | 306 |
| 65 + | Alcohol | 6 | 26 | | | 32 | 34 | 90 | 11 | 1 | 136 | 40 | 116 | 11 | 1 | 168 |
| | Drugs | 7 | 4 | 3 | | 14 | 16 | 10 | | | 26 | 23 | 14 | 3 | | 40 |
| | Total | 13 | 30 | 3 | | 46 | 50 | 100 | 11 | 1 | 162 | 63 | 130 | 14 | 1 | 208 |
| Total | Alcohol | 872 | 2777 | 206 | 45 | 3900 | 2451 | 7834 | 1341 | 208 | 11834 | 3323 | 10611 | 1547 | 253 | 15734 |
| | Drugs | 5626 | 5731 | 1319 | 184 | 12860 | 9962 | 11899 | 4882 | 507 | 27250 | 15588 | 17630 | 6201 | 691 | 40110 |
| | Total | 6498 | 8508 | 1525 | 229 | 16760 | 12413 | 19733 | 6223 | 715 | 39084 | 18911 | 28241 | 7748 | 944 | 55844 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | | | Female | | | | | Male | | | | | | | |
| Atl | lantic | | Ethni | icity | | Total | | Ethni | city | | Total | | Ethn | icity | | Tota |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 4 | | | 4 | 4 | 1 | 1 | 1 | 7 | 4 | 5 | 1 | 1 | 11 |
| | Drugs | 7 | 19 | 1 | 1 | 28 | 47 | 26 | 13 | | 86 | 54 | 45 | 14 | 1 | 114 |
| | Total | 7 | 23 | 1 | 1 | 32 | 51 | 27 | 14 | 1 | 93 | 58 | 50 | 15 | 2 | 125 |
| 18-20 | Alcohol | | 4 | | | 4 | 4 | 5 | | 1 | 10 | 4 | 9 | | 1 | 14 |
| | Drugs | 4 | 23 | 5 | | 32 | 24 | 69 | 9 | | 102 | 28 | 92 | 14 | | 134 |
| | Total | 4 | 27 | 5 | | 36 | 28 | 74 | 9 | 1 | 112 | 32 | 101 | 14 | 1 | 148 |
| 21-24 | Alcohol | 3 | 8 | | | 11 | 5 | 24 | 2 | | 31 | 8 | 32 | 2 | | 42 |
| | Drugs | 6 | 32 | 4 | 2 | 44 | 26 | 63 | 25 | 3 | 117 | 32 | 95 | 29 | 5 | 161 |
| | Total | 9 | 40 | 4 | 2 | 55 | 31 | 87 | 27 | 3 | 148 | 40 | 127 | 31 | 5 | 203 |
| 25-29 | Alcohol | 4 | 11 | 1 | 1 | 17 | 17 | 33 | 14 | 3 | 67 | 21 | 44 | 15 | 4 | 84 |
| | Drugs | 16 | 27 | 9 | | 52 | 35 | 68 | 30 | 3 | 136 | 51 | 95 | 39 | 3 | 188 |
| | Total | 20 | 38 | 10 | 1 | 69 | 52 | 101 | 44 | 6 | 203 | 72 | 139 | 54 | 7 | 272 |
| 30-34 | Alcohol | 11 | 16 | | | 27 | 10 | 55 | 11 | 3 | 79 | 21 | 71 | 11 | 3 | 106 |
| | Drugs | 43 | 23 | 8 | 3 | 77 | 65 | 66 | 33 | | 164 | 108 | 89 | 41 | 3 | 241 |
| | Total | 54 | 39 | 8 | 3 | 104 | 75 | 121 | 44 | 3 | 243 | 129 | 160 | 52 | 6 | 347 |
| 35-39 | Alcohol | 7 | 32 | | | 39 | 34 | 85 | 16 | 1 | 136 | 41 | 117 | 16 | 1 | 175 |
| | Drugs | 44 | 21 | 3 | 1 | 69 | 83 | 66 | 24 | 4 | 177 | 127 | 87 | 27 | 5 | 246 |
| | Total | 51 | 53 | 3 | 1 | 108 | 117 | 151 | 40 | 5 | 313 | 168 | 204 | 43 | 6 | 421 |
| 40-44 | Alcohol | 9 | 27 | 2 | 1 | 39 | 23 | 60 | 8 | | 91 | 32 | 87 | 10 | 1 | 130 |
| | Drugs | 27 | 30 | 2 | 2 | 61 | 64 | 50 | 35 | 2 | 151 | 91 | 80 | 37 | 4 | 212 |
| | Total | 36 | 57 | 4 | 3 | 100 | 87 | 110 | 43 | 2 | 242 | 123 | 167 | 47 | 5 | 342 |
| 45-49 | Alcohol | 8 | 12 | 2 | | 22 | 18 | 35 | 8 | | 61 | 26 | 47 | 10 | | 83 |
| | Drugs | 23 | 15 | 2 | | 40 | 39 | 29 | 11 | 1 | 80 | 62 | 44 | 13 | 1 | 120 |
| | Total | 31 | 27 | 4 | | 62 | 57 | 64 | 19 | 1 | 141 | 88 | 91 | 23 | 1 | 203 |
| 50-54 | Alcohol | 1 | 7 | | | 8 | 13 | 25 | 6 | | 44 | 14 | 32 | 6 | | 52 |
| | Drugs | 4 | 2 | 1 | | 7 | 22 | 8 | 8 | 1 | 39 | 26 | 10 | 9 | 1 | 46 |
| | Total | 5 | 9 | 1 | | 15 | 35 | 33 | 14 | 1 | 83 | 40 | 42 | 15 | 1 | 98 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Female | | | | | Male | | | | | | | |
| Atl | lantic | | Ethn | icity | | Total | | Ethni | city | | Total | | Ethni | icity | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 1 | 7 | | | 8 | 11 | 10 | 3 | 1 | 25 | 12 | 17 | 3 | 1 | 33 |
| | Drugs | | 3 | 1 | | 4 | 5 | 3 | | | 8 | 5 | 6 | 1 | | 12 |
| | Total | 1 | 10 | 1 | | 12 | 16 | 13 | 3 | 1 | 33 | 17 | 23 | 4 | 1 | 45 |
| 60-64 | Alcohol | | 2 | | | 2 | 4 | 8 | 2 | | 14 | 4 | 10 | 2 | | 16 |
| | Drugs | | | | | | 1 | | | | 1 | 1 | | | | 1 |
| | Total | | 2 | | | 2 | 5 | 8 | 2 | | 15 | 5 | 10 | 2 | | 17 |
| 65 + | Alcohol | | 3 | | | 3 | 5 | 3 | | | 8 | 5 | 6 | | | 11 |
| | Drugs | 1 | | | | 1 | 2 | | | | 2 | 3 | | | | 3 |
| | Total | 1 | 3 | | | 4 | 7 | 3 | | | 10 | 8 | 6 | | | 14 |
| Total | Alcohol | 44 | 133 | 5 | 2 | 184 | 148 | 344 | 71 | 10 | 573 | 192 | 477 | 76 | 12 | 757 |
| | Drugs | 175 | 195 | 36 | 9 | 415 | 413 | 448 | 188 | 14 | 1063 | 588 | 643 | 224 | 23 | 1478 |
| | Total | 219 | 328 | 41 | 11 | 599 | 561 | 792 | 259 | 24 | 1636 | 780 | 1120 | 300 | 35 | 2235 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | x | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Ве | ergen | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 10 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 4 | | | 4 | 2 | 9 | 2 | | 13 | 2 | 13 | 2 | | 17 |
| | Drugs | 1 | 8 | 3 | 2 | 14 | 8 | 27 | 6 | | 41 | 9 | 35 | 9 | 2 | 55 |
| | Total | 1 | 12 | 3 | 2 | 18 | 10 | 36 | 8 | | 54 | 11 | 48 | 11 | 2 | 72 |
| 18-20 | Alcohol | 1 | 14 | | | 15 | 5 | 28 | 12 | 1 | 46 | 6 | 42 | 12 | 1 | 61 |
| | Drugs | 2 | 54 | | 3 | 59 | 19 | 78 | 16 | 2 | 115 | 21 | 132 | 16 | 5 | 174 |
| | Total | 3 | 68 | | 3 | 74 | 24 | 106 | 28 | 3 | 161 | 27 | 174 | 28 | 6 | 235 |
| 21-24 | Alcohol | 3 | 14 | | 2 | 19 | 15 | 61 | 15 | 3 | 94 | 18 | 75 | 15 | 5 | 113 |
| | Drugs | 5 | 57 | 4 | 2 | 68 | 33 | 99 | 15 | 5 | 152 | 38 | 156 | 19 | 7 | 220 |
| | Total | 8 | 71 | 4 | 4 | 87 | 48 | 160 | 30 | 8 | 246 | 56 | 231 | 34 | 12 | 333 |
| 25-29 | Alcohol | 5 | 22 | 2 | 1 | 30 | 12 | 51 | 21 | 4 | 88 | 17 | 73 | 23 | 5 | 118 |
| | Drugs | 6 | 46 | 5 | 2 | 59 | 21 | 141 | 20 | 8 | 190 | 27 | 187 | 25 | 10 | 249 |
| | Total | 11 | 68 | 7 | 3 | 89 | 33 | 192 | 41 | 12 | 278 | 44 | 260 | 48 | 15 | 367 |
| 30-34 | Alcohol | 4 | 37 | 4 | | 45 | 19 | 96 | 10 | 6 | 131 | 23 | 133 | 14 | 6 | 176 |
| | Drugs | 21 | 89 | 5 | 5 | 120 | 35 | 149 | 23 | 6 | 213 | 56 | 238 | 28 | 11 | 333 |
| | Total | 25 | 126 | 9 | 5 | 165 | 54 | 245 | 33 | 12 | 344 | 79 | 371 | 42 | 17 | 509 |
| 35-39 | Alcohol | 13 | 71 | 1 | | 85 | 16 | 166 | 14 | 7 | 203 | 29 | 237 | 15 | 7 | 288 |
| | Drugs | 43 | 80 | 11 | 2 | 136 | 37 | 148 | 19 | 4 | 208 | 80 | 228 | 30 | 6 | 344 |
| | Total | 56 | 151 | 12 | 2 | 221 | 53 | 314 | 33 | 11 | 411 | 109 | 465 | 45 | 13 | 632 |
| 40-44 | Alcohol | 9 | 85 | 2 | | 96 | 17 | 135 | 12 | 8 | 172 | 26 | 220 | 14 | 8 | 268 |
| | Drugs | 15 | 50 | 4 | 1 | 70 | 35 | 124 | 19 | 6 | 184 | 50 | 174 | 23 | 7 | 254 |
| | Total | 24 | 135 | 6 | 1 | 166 | 52 | 259 | 31 | 14 | 356 | 76 | 394 | 37 | 15 | 522 |
| 45-49 | Alcohol | 6 | 40 | 2 | 2 | 50 | 13 | 93 | 7 | 5 | 118 | 19 | 133 | 9 | 7 | 168 |
| | Drugs | 9 | 31 | | 3 | 43 | 31 | 62 | 1 | 3 | 97 | 40 | 93 | 1 | 6 | 140 |
| | Total | 15 | 71 | 2 | 5 | 93 | 44 | 155 | 8 | 8 | 215 | 59 | 226 | 10 | 13 | 308 |
| 50-54 | Alcohol | 3 | 32 | | | 35 | 8 | 56 | 5 | 3 | 72 | 11 | 88 | 5 | 3 | 107 |
| F | Drugs | 2 | 6 | 1 | | 9 | 3 | 39 | 2 | 1 | 45 | 5 | 45 | 3 | 1 | 54 |
| | Total | 5 | 38 | 1 | | 44 | 11 | 95 | 7 | 4 | 117 | 16 | 133 | 8 | 4 | 161 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Ве | ergen | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 10441 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 6 | 6 | | | 12 | 3 | 32 | 3 | | 38 | 9 | 38 | 3 | | 50 |
| | Drugs | 2 | | | | 2 | 4 | 10 | 3 | 1 | 18 | 6 | 10 | 3 | 1 | 20 |
| | Total | 8 | 6 | | | 14 | 7 | 42 | 6 | 1 | 56 | 15 | 48 | 6 | 1 | 70 |
| 60-64 | Alcohol | 2 | 4 | | | 6 | 3 | 16 | 2 | | 21 | 5 | 20 | 2 | | 27 |
| | Drugs | | | | | | 1 | 1 | | | 2 | 1 | 1 | | | 2 |
| | Total | 2 | 4 | | | 6 | 4 | 17 | 2 | | 23 | 6 | 21 | 2 | | 29 |
| 65 + | Alcohol | 3 | 4 | | | 7 | 2 | 13 | | | 15 | 5 | 17 | | | 22 |
| | Drugs | | | | | | 2 | | | | 2 | 2 | | | | 2 |
| | Total | 3 | 4 | | | 7 | 4 | 13 | | | 17 | 7 | 17 | | | 24 |
| Total | Alcohol | 55 | 333 | 11 | 5 | 404 | 115 | 756 | 103 | 37 | 1011 | 170 | 1089 | 114 | 42 | 1415 |
| | Drugs | 106 | 421 | 33 | 20 | 580 | 229 | 878 | 124 | 36 | 1267 | 335 | 1299 | 157 | 56 | 1847 |
| | Total | 161 | 754 | 44 | 25 | 984 | 344 | 1634 | 227 | 73 | 2278 | 505 | 2388 | 271 | 98 | 3262 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Burl | ington | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 5 | | | 6 | 9 | 22 | 1 | 1 | 33 | 10 | 27 | 1 | 1 | 39 |
| | Drugs | 2 | 14 | 1 | 1 | 18 | 22 | 33 | 2 | | 57 | 24 | 47 | 3 | 1 | 75 |
| | Total | 3 | 19 | 1 | 1 | 24 | 31 | 55 | 3 | 1 | 90 | 34 | 74 | 4 | 2 | 114 |
| 18-20 | Alcohol | 1 | 5 | | | 6 | 3 | 21 | 1 | 2 | 27 | 4 | 26 | 1 | 2 | 33 |
| | Drugs | 3 | 39 | 1 | 2 | 45 | 7 | 62 | 8 | 1 | 78 | 10 | 101 | 9 | 3 | 123 |
| | Total | 4 | 44 | 1 | 2 | 51 | 10 | 83 | 9 | 3 | 105 | 14 | 127 | 10 | 5 | 156 |
| 21-24 | Alcohol | 6 | 10 | | | 16 | 14 | 35 | 5 | 1 | 55 | 20 | 45 | 5 | 1 | 71 |
| | Drugs | 13 | 64 | 4 | | 81 | 11 | 92 | 5 | 3 | 111 | 24 | 156 | 9 | 3 | 192 |
| | Total | 19 | 74 | 4 | | 97 | 25 | 127 | 10 | 4 | 166 | 44 | 201 | 14 | 4 | 263 |
| 25-29 | Alcohol | 4 | 8 | 1 | | 13 | 11 | 45 | 4 | | 60 | 15 | 53 | 5 | | 73 |
| | Drugs | 10 | 39 | 1 | | 50 | 19 | 71 | 7 | 2 | 99 | 29 | 110 | 8 | 2 | 149 |
| | Total | 14 | 47 | 2 | | 63 | 30 | 116 | 11 | 2 | 159 | 44 | 163 | 13 | 2 | 222 |
| 30-34 | Alcohol | 9 | 29 | | | 38 | 15 | 47 | 5 | | 67 | 24 | 76 | 5 | | 105 |
| | Drugs | 12 | 28 | 6 | | 46 | 40 | 38 | 4 | 1 | 83 | 52 | 66 | 10 | 1 | 129 |
| | Total | 21 | 57 | 6 | | 84 | 55 | 85 | 9 | 1 | 150 | 76 | 142 | 15 | 1 | 234 |
| 35-39 | Alcohol | 10 | 34 | 2 | 2 | 48 | 23 | 74 | 1 | 2 | 100 | 33 | 108 | 3 | 4 | 148 |
| | Drugs | 19 | 24 | 2 | | 45 | 29 | 50 | 7 | | 86 | 48 | 74 | 9 | | 131 |
| | Total | 29 | 58 | 4 | 2 | 93 | 52 | 124 | 8 | 2 | 186 | 81 | 182 | 12 | 4 | 279 |
| 40-44 | Alcohol | 3 | 38 | 2 | 1 | 44 | 11 | 67 | 2 | 2 | 82 | 14 | 105 | 4 | 3 | 126 |
| | Drugs | 12 | 16 | 2 | | 30 | 32 | 44 | | 1 | 77 | 44 | 60 | 2 | 1 | 107 |
| | Total | 15 | 54 | 4 | 1 | 74 | 43 | 111 | 2 | 3 | 159 | 58 | 165 | 6 | 4 | 233 |
| 45-49 | Alcohol | 4 | 24 | | | 28 | 11 | 37 | 1 | 2 | 51 | 15 | 61 | 1 | 2 | 79 |
| | Drugs | 5 | 13 | | | 18 | 16 | 20 | | | 36 | 21 | 33 | | | 54 |
| | Total | 9 | 37 | | | 46 | 27 | 57 | 1 | 2 | 87 | 36 | 94 | 1 | 2 | 133 |
| 50-54 | Alcohol | 3 | 6 | | | 9 | 4 | 18 | 1 | | 23 | 7 | 24 | 1 | | 32 |
| | Drugs | 5 | 2 | | | 7 | 7 | 4 | 1 | | 12 | 12 | 6 | 1 | | 19 |
| | Total | 8 | 8 | | | 16 | 11 | 22 | 2 | | 35 | 19 | 30 | 2 | | 51 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | X | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Burl | ington | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethni | icity | | Total |
| | | Black | White | Hisp. | Other | 10141 | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 4 | | | 4 | 2 | 5 | | | 7 | 2 | 2 9 3 2 | | | 11 |
| | Drugs | 1 | 1 | | | 2 | 2 | 1 | | | 3 | 3 2 | | | 5 | |
| | Total | 1 | 5 | | | 6 | 4 | 6 | | | 10 | 5 | 11 | | | 16 |
| 60-64 | Alcohol | 1 | 9 | | | 10 | 4 | 9 | | | 13 | 5 | 18 | | | 23 |
| | Drugs | | | | | | | 1 | | | 1 | | 1 | | | 1 |
| | Total | 1 | 9 | | | 10 | 4 | 10 | | | 14 | 5 | 19 | | | 24 |
| 65 + | Alcohol | 1 | 2 | | | 3 | 1 | 4 | | | 5 | 2 | 6 | | | 8 |
| | Total | 1 | 2 | | | 3 | 1 | 4 | | | 5 | 2 | 6 | | | 8 |
| Total | Alcohol | 43 | 174 | 5 | 3 | 225 | 108 | 384 | 21 | 10 | 523 | 151 | 558 | 26 | 13 | 748 |
| | Drugs | 82 | 240 | 17 | 3 | 342 | 185 | 416 | 34 | 8 | 643 | 267 | 656 | 51 | 11 | 985 |
| | Total | 125 | 414 | 22 | 6 | 567 | 293 | 800 | 55 | 18 | 1166 | 418 | 1214 | 77 | 24 | 1733 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | x | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Ca | mden | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 2 | | | 3 | 6 | 11 | 3 | | 20 | 7 | 13 | 3 | | 23 |
| | Drugs | 3 | 14 | 4 | | 21 | 30 | 60 | 38 | 2 | 130 | 33 | 74 | 42 | 2 | 151 |
| | Total | 4 | 16 | 4 | | 24 | 36 | 71 | 41 | 2 | 150 | 40 | 87 | 45 | 2 | 174 |
| 18-20 | Alcohol | 1 | 7 | | | 8 | 10 | 31 | 7 | | 48 | 11 | 38 | 7 | | 56 |
| | Drugs | 6 | 61 | 8 | | 75 | 56 | 127 | 36 | 3 | 222 | 62 | 188 | 44 | 3 | 297 |
| | Total | 7 | 68 | 8 | | 83 | 66 | 158 | 43 | 3 | 270 | 73 | 226 | 51 | 3 | 353 |
| 21-24 | Alcohol | 3 | 9 | 2 | | 14 | 26 | 71 | 9 | 5 | 111 | 29 | 80 | 11 | 5 | 125 |
| | Drugs | 16 | 70 | 12 | | 98 | 60 | 171 | 49 | 6 | 286 | 76 | 241 | 61 | 6 | 384 |
| | Total | 19 | 79 | 14 | | 112 | 86 | 242 | 58 | 11 | 397 | 105 | 321 | 72 | 11 | 509 |
| 25-29 | Alcohol | 3 | 13 | | 1 | 17 | 21 | 63 | 20 | 4 | 108 | 24 | 76 | 20 | 5 | 125 |
| | Drugs | 41 | 56 | 28 | 1 | 126 | 77 | 151 | 72 | 3 | 303 | 118 | 207 | 100 | 4 | 429 |
| | Total | 44 | 69 | 28 | 2 | 143 | 98 | 214 | 92 | 7 | 411 | 142 | 283 | 120 | 9 | 554 |
| 30-34 | Alcohol | 16 | 34 | 4 | | 54 | 39 | 81 | 10 | 2 | 132 | 55 | 115 | 14 | 2 | 186 |
| | Drugs | 74 | 63 | 27 | 2 | 166 | 119 | 100 | 91 | 6 | 316 | 193 | 163 | 118 | 8 | 482 |
| | Total | 90 | 97 | 31 | 2 | 220 | 158 | 181 | 101 | 8 | 448 | 248 | 278 | 132 | 10 | 668 |
| 35-39 | Alcohol | 16 | 47 | 3 | | 66 | 42 | 126 | 17 | 7 | 192 | 58 | 173 | 20 | 7 | 258 |
| | Drugs | 60 | 65 | 38 | | 163 | 128 | 120 | 93 | 2 | 343 | 188 | 185 | 131 | 2 | 506 |
| | Total | 76 | 112 | 41 | | 229 | 170 | 246 | 110 | 9 | 535 | 246 | 358 | 151 | 9 | 764 |
| 40-44 | Alcohol | 18 | 27 | 4 | | 49 | 46 | 122 | 13 | 4 | 185 | 64 | 149 | 17 | 4 | 234 |
| | Drugs | 45 | 52 | 18 | 1 | 116 | 113 | 106 | 54 | 1 | 274 | 158 | 158 | 72 | 2 | 390 |
| | Total | 63 | 79 | 22 | 1 | 165 | 159 | 228 | 67 | 5 | 459 | 222 | 307 | 89 | 6 | 624 |
| 45-49 | Alcohol | 7 | 23 | | | 30 | 28 | 70 | 8 | | 106 | 35 | 93 | 8 | | 136 |
| | Drugs | 29 | 13 | 9 | | 51 | 88 | 77 | 33 | | 198 | 117 | 90 | 42 | | 249 |
| | Total | 36 | 36 | 9 | | 81 | 116 | 147 | 41 | | 304 | 152 | 183 | 50 | | 385 |
| 50-54 | Alcohol | 4 | 6 | | | 10 | 19 | 27 | 14 | | 60 | 23 | 33 | 14 | | 70 |
| | Drugs | 9 | 6 | 1 | | 16 | 55 | 26 | 23 | | 104 | 64 | 32 | 24 | | 120 |
| | Total | 13 | 12 | 1 | | 26 | 74 | 53 | 37 | | 164 | 87 | 65 | 38 | | 190 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Car | mden | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 6 | 1 | | 7 | 11 | 24 | 5 | 1 | 41 | 11 | 30 | 6 | 1 | 48 |
| | Drugs | 5 | 2 | 1 | | 8 | 11 | 4 | 2 | | 17 | 16 | 6 | 3 | | 25 |
| | Total | 5 | 8 | 2 | | 15 | 22 | 28 | 7 | 1 | 58 | 27 | 36 | 9 | 1 | 73 |
| 60-64 | Alcohol | 1 | | | | 1 | 1 | 5 | 2 | | 8 | 2 | 5 | 2 | | 9 |
| | Drugs | | | | | | 4 | | | | 4 | 4 | | | | 4 |
| | Total | 1 | | | | 1 | 5 | 5 | 2 | | 12 | 6 | 5 | 2 | | 13 |
| 65 + | Alcohol | | | | | | 2 | 10 | 1 | 1 | 14 | 2 | 10 | 1 | 1 | 14 |
| | Drugs | 1 | | | | 1 | 3 | 2 | | | 5 | 4 | 2 | | | 6 |
| | Total | 1 | | | | 1 | 5 | 12 | 1 | 1 | 19 | 6 | 12 | 1 | 1 | 20 |
| Total | Alcohol | 70 | 174 | 14 | 1 | 259 | 251 | 641 | 109 | 24 | 1025 | 321 | 815 | 123 | 25 | 1284 |
| | Drugs | 289 | 402 | 146 | 4 | 841 | 744 | 944 | 491 | 23 | 2202 | 1033 | 1346 | 637 | 27 | 3043 |
| | Total | 359 | 576 | 160 | 5 | 1100 | 995 | 1585 | 600 | 47 | 3227 | 1354 | 2161 | 760 | 52 | 4327 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | x | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Female | | | | | Male | | | | | | | |
| Cap | e May | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 16 | 3 | | 20 | 8 | 41 | 2 | 1 | 52 | 9 | 57 | 5 | 1 | 72 |
| | Drugs | | 9 | 1 | | 10 | 3 | 42 | 2 | | 47 | 3 | 51 | 3 | | 57 |
| | Total | 1 | 25 | 4 | | 30 | 11 | 83 | 4 | 1 | 99 | 12 | 108 | 8 | 1 | 129 |
| 18-20 | Alcohol | | 5 | | | 5 | 2 | 13 | 1 | | 16 | 2 | 18 | 1 | | 21 |
| | Drugs | | 8 | | | 8 | 7 | 25 | 1 | 1 | 34 | 7 | 33 | 1 | 1 | 42 |
| | Total | | 13 | | | 13 | 9 | 38 | 2 | 1 | 50 | 9 | 51 | 2 | 1 | 63 |
| 21-24 | Alcohol | | 7 | | | 7 | 3 | 30 | 3 | | 36 | 3 | 37 | 3 | | 43 |
| | Drugs | 4 | 18 | 2 | | 24 | 2 | 28 | 2 | | 32 | 6 | 46 | 4 | | 56 |
| | Total | 4 | 25 | 2 | | 31 | 5 | 58 | 5 | | 68 | 9 | 83 | 7 | | 99 |
| 25-29 | Alcohol | | 13 | 2 | | 15 | 5 | 26 | | | 31 | 5 | 39 | 2 | | 46 |
| | Drugs | 2 | 24 | 3 | | 29 | 4 | 20 | 5 | | 29 | 6 | 44 | 8 | | 58 |
| | Total | 2 | 37 | 5 | | 44 | 9 | 46 | 5 | | 60 | 11 | 83 | 10 | | 104 |
| 30-34 | Alcohol | | 17 | 2 | | 19 | 4 | 35 | | 1 | 40 | 4 | 52 | 2 | 1 | 59 |
| | Drugs | 6 | 22 | 2 | | 30 | 7 | 26 | 2 | | 35 | 13 | 48 | 4 | | 65 |
| | Total | 6 | 39 | 4 | | 49 | 11 | 61 | 2 | 1 | 75 | 17 | 100 | 6 | 1 | 124 |
| 35-39 | Alcohol | 4 | 31 | | | 35 | 3 | 49 | 5 | | 57 | 7 | 80 | 5 | | 92 |
| | Drugs | 3 | 17 | | | 20 | 8 | 33 | 8 | | 49 | 11 | 50 | 8 | | 69 |
| | Total | 7 | 48 | | | 55 | 11 | 82 | 13 | | 106 | 18 | 130 | 13 | | 161 |
| 40-44 | Alcohol | 1 | 21 | | 1 | 23 | 5 | 33 | 1 | 1 | 40 | 6 | 54 | 1 | 2 | 63 |
| | Drugs | 1 | 13 | | | 14 | 8 | 25 | 4 | | 37 | 9 | 38 | 4 | | 51 |
| | Total | 2 | 34 | | 1 | 37 | 13 | 58 | 5 | 1 | 77 | 15 | 92 | 5 | 2 | 114 |
| 45-49 | Alcohol | | 10 | | | 10 | 1 | 35 | 1 | | 37 | 1 | 45 | 1 | | 47 |
| | Drugs | 3 | 3 | | | 6 | 6 | 20 | 1 | | 27 | 9 | 23 | 1 | | 33 |
| | Total | 3 | 13 | | | 16 | 7 | 55 | 2 | | 64 | 10 | 68 | 2 | | 80 |
| 50-54 | Alcohol | | 7 | | | 7 | | 15 | | | 15 | | 22 | | | 22 |
| | Drugs | 2 | 1 | | | 3 | 1 | 13 | | 1 | 15 | 3 | 14 | | 1 | 18 |
| | Total | 2 | 8 | | | 10 | 1 | 28 | | 1 | 30 | 3 | 36 | | 1 | 40 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Cap | e May | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 6 | | | 6 | | 17 | | | 17 | | 23 | | | 23 |
| | Drugs | | 1 | | | 1 | 1 | 3 | | | 4 | 1 | 4 | | | 5 |
| | Total | | 7 | | | 7 | 1 | 20 | | | 21 | 1 | 27 | | | 28 |
| 60-64 | Alcohol | | 1 | | | 1 | 1 | 7 | | | 8 | 1 | 8 | | | 9 |
| | Total | | 1 | | | 1 | 1 | 7 | | | 8 | 1 | 8 | | | 9 |
| 65 + | Alcohol | | 1 | | | 1 | 1 | 2 | | | 3 | 1 | 3 | | | 4 |
| | Total | | 1 | | | 1 | 1 | 2 | | | 3 | 1 | 3 | | | 4 |
| Total | Alcohol | 6 | 135 | 7 | 1 | 149 | 33 | 303 | 13 | 3 | 352 | 39 | 438 | 20 | 4 | 501 |
| | Drugs | 21 | 116 | 8 | | 145 | 47 | 235 | 25 | 2 | 309 | 68 | 351 | 33 | 2 | 454 |
| | Total | 27 | 251 | 15 | 1 | 294 | 80 | 538 | 38 | 5 | 661 | 107 | 789 | 53 | 6 | 955 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Cum | berland | | Ethni | city | | Total | | Ethn | icity | | Total | | Et hn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 6 | 1 | | 8 | 2 | 9 | 2 | | 13 | 3 | 15 | 3 | | 21 |
| | Drugs | 3 | 8 | 2 | 1 | 14 | 15 | 37 | 5 | | 57 | 18 | 45 | 7 | 1 | 71 |
| | Total | 4 | 14 | 3 | 1 | 22 | 17 | 46 | 7 | | 70 | 21 | 60 | 10 | 1 | 92 |
| 18-20 | Alcohol | | 2 | | | 2 | 5 | 5 | 3 | | 13 | 5 | 7 | 3 | | 15 |
| | Drugs | 2 | 3 | 7 | | 12 | 14 | 24 | 10 | 1 | 49 | 16 | 27 | 17 | 1 | 61 |
| | Total | 2 | 5 | 7 | | 14 | 19 | 29 | 13 | 1 | 62 | 21 | 34 | 20 | 1 | 76 |
| 21-24 | Alcohol | 3 | 3 | 1 | | 7 | 9 | 23 | 13 | 1 | 46 | 12 | 26 | 14 | 1 | 53 |
| | Drugs | 7 | 16 | 13 | | 36 | 28 | 42 | 30 | 3 | 103 | 35 | 58 | 43 | 3 | 139 |
| | Total | 10 | 19 | 14 | | 43 | 37 | 65 | 43 | 4 | 149 | 47 | 84 | 57 | 4 | 192 |
| 25-29 | Alcohol | 2 | 3 | | | 5 | 16 | 15 | 14 | 2 | 47 | 18 | 18 | 14 | 2 | 52 |
| | Drugs | 14 | 15 | 7 | | 36 | 21 | 31 | 46 | 4 | 102 | 35 | 46 | 53 | 4 | 138 |
| | Total | 16 | 18 | 7 | | 41 | 37 | 46 | 60 | 6 | 149 | 53 | 64 | 67 | 6 | 190 |
| 30-34 | Alcohol | 4 | 10 | | | 14 | 14 | 25 | 7 | 1 | 47 | 18 | 35 | 7 | 1 | 61 |
| | Drugs | 16 | 15 | 13 | 1 | 45 | 24 | 12 | 37 | 2 | 75 | 40 | 27 | 50 | 3 | 120 |
| | Total | 20 | 25 | 13 | 1 | 59 | 38 | 37 | 44 | 3 | 122 | 58 | 62 | 57 | 4 | 181 |
| 35-39 | Alcohol | 7 | 12 | 4 | 1 | 24 | 21 | 43 | 12 | | 76 | 28 | 55 | 16 | 1 | 100 |
| | Drugs | 18 | 13 | 1 | 1 | 33 | 21 | 26 | 39 | 1 | 87 | 39 | 39 | 40 | 2 | 120 |
| | Total | 25 | 25 | 5 | 2 | 57 | 42 | 69 | 51 | 1 | 163 | 67 | 94 | 56 | 3 | 220 |
| 40-44 | Alcohol | 8 | 6 | 2 | | 16 | 19 | 33 | 6 | 1 | 59 | 27 | 39 | 8 | 1 | 75 |
| | Drugs | 14 | 8 | 2 | 1 | 25 | 20 | 20 | 22 | 2 | 64 | 34 | 28 | 24 | 3 | 89 |
| | Total | 22 | 14 | 4 | 1 | 41 | 39 | 53 | 28 | 3 | 123 | 61 | 67 | 32 | 4 | 164 |
| 45-49 | Alcohol | 5 | 3 | | | 8 | 7 | 20 | 7 | | 34 | 12 | 23 | 7 | | 42 |
| | Drugs | 4 | 3 | 1 | 1 | 9 | 8 | 9 | 3 | 1 | 21 | 12 | 12 | 4 | 2 | 30 |
| | Total | 9 | 6 | 1 | 1 | 17 | 15 | 29 | 10 | 1 | 55 | 24 | 35 | 11 | 2 | 72 |
| 50-54 | Alcohol | 1 | 1 | | | 2 | 3 | 11 | 5 | | 19 | 4 | 12 | 5 | | 21 |
| | Drugs | 1 | 1 | | | 2 | 4 | 2 | 3 | | 9 | 5 | 3 | 3 | | 11 |
| | Total | 2 | 2 | | | 4 | 7 | 13 | 8 | | 28 | 9 | 15 | 8 | | 32 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Cum | berland | | Ethni | city | | Total | | Ethni | city | | Total | | Et hn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 1 | | | | 1 | 4 | 6 | 1 | 1 | 12 | 5 | 6 | 1 | 1 | 13 |
| | Drugs | | | | | | | | 1 | | 1 | | | 1 | | 1 |
| | Total | 1 | | | | 1 | 4 | 6 | 2 | 1 | 13 | 5 | 6 | 2 | 1 | 14 |
| 60-64 | Alcohol | | | | | | 2 | 5 | | | 7 | 2 | 5 | | | 7 |
| | Total | | | | | | 2 | 5 | | | 7 | 2 | 5 | | | 7 |
| 65 + | Alcohol | 1 | | | | 1 | 2 | | | | 2 | 3 | | | | 3 |
| | Drugs | | | 1 | | 1 | | | | | | | | 1 | | 1 |
| | Total | 1 | | 1 | | 2 | 2 | | | | 2 | 3 | | 1 | | 4 |
| Total | Alcohol | 33 | 46 | 8 | 1 | 88 | 104 | 195 | 70 | 6 | 375 | 137 | 241 | 78 | 7 | 463 |
| | Drugs | 79 | 82 | 47 | 5 | 213 | 155 | 203 | 196 | 14 | 568 | 234 | 285 | 243 | 19 | 781 |
| | Total | 112 | 128 | 55 | 6 | 301 | 259 | 398 | 266 | 20 | 943 | 371 | 526 | 321 | 26 | 1244 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| _ | | |] | Female | | | | | Male | | | | | | | |
| E | ssex | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Tota |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 2 | 1 | | 4 | 11 | 3 | 3 | | 17 | 12 | 5 | 4 | | 21 |
| | Drugs | 19 | 2 | 6 | | 27 | 76 | 12 | 14 | 1 | 103 | 95 | 14 | 20 | 1 | 130 |
| | Total | 20 | 4 | 7 | | 31 | 87 | 15 | 17 | 1 | 120 | 107 | 19 | 24 | 1 | 151 |
| 18-20 | Alcohol | 1 | 3 | | | 4 | 6 | 8 | 2 | | 16 | 7 | 11 | 2 | | 20 |
| | Drugs | 17 | 24 | 6 | 6 | 53 | 49 | 48 | 27 | 3 | 127 | 66 | 72 | 33 | 9 | 180 |
| | Total | 18 | 27 | 6 | 6 | 57 | 55 | 56 | 29 | 3 | 143 | 73 | 83 | 35 | 9 | 200 |
| 21-24 | Alcohol | 6 | 1 | 4 | | 11 | 32 | 12 | 12 | | 56 | 38 | 13 | 16 | | 67 |
| | Drugs | 55 | 44 | 18 | 5 | 122 | 112 | 74 | 89 | 10 | 285 | 167 | 118 | 107 | 15 | 407 |
| | Total | 61 | 45 | 22 | 5 | 133 | 144 | 86 | 101 | 10 | 341 | 205 | 131 | 123 | 15 | 474 |
| 25-29 | Alcohol | 19 | 9 | 3 | 1 | 32 | 37 | 26 | 20 | | 83 | 56 | 35 | 23 | 1 | 115 |
| | Drugs | 189 | 60 | 45 | 10 | 304 | 247 | 124 | 168 | 22 | 561 | 436 | 184 | 213 | 32 | 865 |
| | Total | 208 | 69 | 48 | 11 | 336 | 284 | 150 | 188 | 22 | 644 | 492 | 219 | 236 | 33 | 980 |
| 30-34 | Alcohol | 32 | 4 | 3 | 1 | 40 | 52 | 27 | 23 | | 102 | 84 | 31 | 26 | 1 | 142 |
| | Drugs | 613 | 67 | 60 | 7 | 747 | 705 | 124 | 201 | 29 | 1059 | 1318 | 191 | 261 | 36 | 1806 |
| | Total | 645 | 71 | 63 | 8 | 787 | 757 | 151 | 224 | 29 | 1161 | 1402 | 222 | 287 | 37 | 1948 |
| 35-39 | Alcohol | 49 | 16 | | | 65 | 77 | 35 | 23 | 1 | 136 | 126 | 51 | 23 | 1 | 201 |
| | Drugs | 684 | 48 | 64 | 9 | 805 | 800 | 164 | 183 | 19 | 1166 | 1484 | 212 | 247 | 28 | 1971 |
| | Total | 733 | 64 | 64 | 9 | 870 | 877 | 199 | 206 | 20 | 1302 | 1610 | 263 | 270 | 29 | 2172 |
| 40-44 | Alcohol | 42 | 17 | 3 | | 62 | 67 | 46 | 18 | 2 | 133 | 109 | 63 | 21 | 2 | 195 |
| | Drugs | 531 | 53 | 39 | 6 | 629 | 639 | 112 | 112 | 14 | 877 | 1170 | 165 | 151 | 20 | 1506 |
| | Total | 573 | 70 | 42 | 6 | 691 | 706 | 158 | 130 | 16 | 1010 | 1279 | 228 | 172 | 22 | 170 |
| 45-49 | Alcohol | 15 | 14 | 1 | 2 | 32 | 39 | 36 | 10 | | 85 | 54 | 50 | 11 | 2 | 11' |
| | Drugs | 244 | 26 | 6 | 4 | 280 | 351 | 57 | 71 | 11 | 490 | 595 | 83 | 77 | 15 | 770 |
| | Total | 259 | 40 | 7 | 6 | 312 | 390 | 93 | 81 | 11 | 575 | 649 | 133 | 88 | 17 | 887 |
| 50-54 | Alcohol | 11 | 11 | 1 | | 23 | 22 | 24 | 12 | 1 | 59 | 33 | 35 | 13 | 1 | 8: |
| | Drugs | 104 | 10 | 5 | 2 | 121 | 167 | 38 | 13 | 3 | 221 | 271 | 48 | 18 | 5 | 342 |
| | Total | 115 | 21 | 6 | 2 | 144 | 189 | 62 | 25 | 4 | 280 | 304 | 83 | 31 | 6 | 424 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Е | ssex | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethni | icity | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 6 | 3 | | | 9 | 12 | 11 | 8 | 1 | 32 | 18 | 14 | 8 | 1 | 41 |
| | Drugs | 21 | 2 | 1 | | 24 | 64 | 23 | 10 | 1 | 98 | 85 | 25 | 11 | 1 | 122 |
| | Total | 27 | 5 | 1 | | 33 | 76 | 34 | 18 | 2 | 130 | 103 | 39 | 19 | 2 | 163 |
| 60-64 | Alcohol | 2 | 2 | | | 4 | 10 | 8 | 3 | | 21 | 12 | 10 | 3 | | 25 |
| | Drugs | 5 | | | | 5 | 11 | 3 | 4 | | 18 | 16 | 3 | 4 | | 23 |
| | Total | 7 | 2 | | | 9 | 21 | 11 | 7 | | 39 | 28 | 13 | 7 | | 48 |
| 65 + | Alcohol | 1 | 2 | | | 3 | 3 | 6 | 3 | | 12 | 4 | 8 | 3 | | 15 |
| | Drugs | 4 | 1 | 1 | | 6 | 6 | | | | 6 | 10 | 1 | 1 | | 12 |
| | Total | 5 | 3 | 1 | | 9 | 9 | 6 | 3 | | 18 | 14 | 9 | 4 | | 27 |
| Total | Alcohol | 185 | 84 | 16 | 4 | 289 | 368 | 242 | 137 | 5 | 752 | 553 | 326 | 153 | 9 | 1041 |
| | Drugs | 2486 | 337 | 251 | 49 | 3123 | 3227 | 779 | 892 | 113 | 5011 | 5713 | 1116 | 1143 | 162 | 8134 |
| | Total | 2671 | 421 | 267 | 53 | 3412 | 3595 | 1021 | 1029 | 118 | 5763 | 6266 | 1442 | 1296 | 171 | 9175 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | x | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| CL | | | | Female | | | | | Male | | | | | | | |
| Glou | ıcester | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Tota |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 6 | | | 7 | | 10 | | 1 | 11 | 1 | 16 | | 1 | 18 |
| | Drugs | 1 | 20 | 1 | | 22 | 5 | 76 | 2 | 2 | 85 | 6 | 96 | 3 | 2 | 107 |
| | Total | 2 | 26 | 1 | | 29 | 5 | 86 | 2 | 3 | 96 | 7 | 112 | 3 | 3 | 125 |
| 18-20 | Alcohol | 1 | | | | 1 | 3 | 31 | 1 | | 35 | 4 | 31 | 1 | | 36 |
| | Drugs | 2 | 29 | | | 31 | 9 | 77 | 3 | 1 | 90 | 11 | 106 | 3 | 1 | 121 |
| | Total | 3 | 29 | | | 32 | 12 | 108 | 4 | 1 | 125 | 15 | 137 | 4 | 1 | 157 |
| 21-24 | Alcohol | 1 | 7 | | | 8 | 11 | 49 | 4 | 1 | 65 | 12 | 56 | 4 | 1 | 73 |
| | Drugs | 1 | 38 | | | 39 | 8 | 109 | 1 | 1 | 119 | 9 | 147 | 1 | 1 | 158 |
| | Total | 2 | 45 | | | 47 | 19 | 158 | 5 | 2 | 184 | 21 | 203 | 5 | 2 | 231 |
| 25-29 | Alcohol | 4 | 13 | | | 17 | 4 | 56 | 2 | 1 | 63 | 8 | 69 | 2 | 1 | 80 |
| | Drugs | 6 | 28 | 1 | | 35 | 8 | 81 | 1 | 1 | 91 | 14 | 109 | 2 | 1 | 126 |
| | Total | 10 | 41 | 1 | | 52 | 12 | 137 | 3 | 2 | 154 | 22 | 178 | 4 | 2 | 206 |
| 30-34 | Alcohol | 2 | 18 | | | 20 | 12 | 90 | 2 | 2 | 106 | 14 | 108 | 2 | 2 | 126 |
| | Drugs | 8 | 31 | 3 | 2 | 44 | 8 | 75 | 2 | 1 | 86 | 16 | 106 | 5 | 3 | 130 |
| | Total | 10 | 49 | 3 | 2 | 64 | 20 | 165 | 4 | 3 | 192 | 30 | 214 | 7 | 5 | 256 |
| 35-39 | Alcohol | 5 | 27 | 1 | | 33 | 10 | 78 | 2 | | 90 | 15 | 105 | 3 | | 123 |
| | Drugs | 4 | 39 | 2 | | 45 | 11 | 44 | 3 | | 58 | 15 | 83 | 5 | | 103 |
| | Total | 9 | 66 | 3 | | 78 | 21 | 122 | 5 | | 148 | 30 | 188 | 8 | | 226 |
| 40-44 | Alcohol | 5 | 19 | | | 24 | 8 | 55 | 2 | 1 | 66 | 13 | 74 | 2 | 1 | 90 |
| | Drugs | 3 | 23 | 2 | 1 | 29 | 9 | 57 | 2 | 1 | 69 | 12 | 80 | 4 | 2 | 98 |
| | Total | 8 | 42 | 2 | 1 | 53 | 17 | 112 | 4 | 2 | 135 | 25 | 154 | 6 | 3 | 188 |
| 45-49 | Alcohol | | 8 | | | 8 | 5 | 28 | | | 33 | 5 | 36 | | | 41 |
| | Drugs | 5 | 12 | | | 17 | 13 | 26 | 2 | | 41 | 18 | 38 | 2 | | 58 |
| | Total | 5 | 20 | | | 25 | 18 | 54 | 2 | | 74 | 23 | 74 | 2 | | 99 |
| 50-54 | Alcohol | 1 | 3 | | | 4 | 5 | 25 | | | 30 | 6 | 28 | | | 34 |
| | Drugs | 1 | 1 | | | 2 | 5 | 11 | | | 16 | 6 | 12 | | | 18 |
| | Total | 2 | 4 | | | 6 | 10 | 36 | | | 46 | 12 | 40 | | | 52 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|-------------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Glou | ucester | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 5 | | | 5 | | 9 | | | 9 | | 14 | | | 14 |
| | Drugs | | | | | | 1 | 1 | | | 2 | 1 | 1 | | | 2 |
| | Total | | 5 | | | 5 | 1 | 10 | | | 11 | 1 | 15 | | | 16 |
| 60-64 | Alcohol | | | | | | | 1 | | | 1 | | 1 | | | 1 |
| | Total | | | | | | | 1 | | | 1 | | 1 | | | 1 |
| 65 + | Alcohol | | | | | | 2 | 3 | | | 5 | 2 | 3 | | | 5 |
| | Drugs | 1 | | | | 1 | | | | | | 1 | | | | 1 |
| | Total | 1 | | | | 1 | 2 | 3 | | | 5 | 3 | 3 | | | 6 |
| Total | Alcohol | 20 | 106 | 1 | | 127 | 60 | 435 | 13 | 6 | 514 | 80 | 541 | 14 | 6 | 641 |
| | Drugs | 32 | 221 | 9 | 3 | 265 | 77 | 557 | 16 | 7 | 657 | 109 | 778 | 25 | 10 | 922 |
| | Drugs Total | 52 | 327 | 10 | 3 | 392 | 137 | 992 | 29 | 13 | 1171 | 189 | 1319 | 39 | 16 | 1563 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | Female Ethnicity | | | Se | X | | | | | | | Total | | |
|-------|---------|-------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | _ | | | | | | | | Male | | | | | | | |
| Hu | ıdson | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Tota |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 5 | 5 | | 10 | 2 | 6 | 8 | | 16 | 2 | 11 | 13 | | 26 |
| | Drugs | 3 | 12 | 13 | 1 | 29 | 42 | 22 | 53 | 4 | 121 | 45 | 34 | 66 | 5 | 150 |
| | Total | 3 | 17 | 18 | 1 | 39 | 44 | 28 | 61 | 4 | 137 | 47 | 45 | 79 | 5 | 176 |
| 18-20 | Alcohol | | | 4 | | 4 | 2 | 4 | 13 | 1 | 20 | 2 | 4 | 17 | 1 | 24 |
| | Drugs | 3 | 11 | 17 | | 31 | 31 | 27 | 38 | 3 | 99 | 34 | 38 | 55 | 3 | 130 |
| | Total | 3 | 11 | 21 | | 35 | 33 | 31 | 51 | 4 | 119 | 36 | 42 | 72 | 4 | 154 |
| 21-24 | Alcohol | 4 | 1 | 3 | | 8 | 16 | 11 | 26 | | 53 | 20 | 12 | 29 | | 61 |
| | Drugs | 13 | 30 | 37 | 2 | 82 | 59 | 67 | 107 | 13 | 246 | 72 | 97 | 144 | 15 | 328 |
| | Total | 17 | 31 | 40 | 2 | 90 | 75 | 78 | 133 | 13 | 299 | 92 | 109 | 173 | 15 | 389 |
| 25-29 | Alcohol | 4 | 8 | 7 | | 19 | 25 | 39 | 28 | 3 | 95 | 29 | 47 | 35 | 3 | 114 |
| | Drugs | 16 | 59 | 48 | 5 | 128 | 109 | 116 | 180 | 11 | 416 | 125 | 175 | 228 | 16 | 544 |
| | Total | 20 | 67 | 55 | 5 | 147 | 134 | 155 | 208 | 14 | 511 | 154 | 222 | 263 | 19 | 658 |
| 30-34 | Alcohol | 12 | 13 | 7 | | 32 | 37 | 47 | 31 | 3 | 118 | 49 | 60 | 38 | 3 | 150 |
| | Drugs | 110 | 70 | 55 | 3 | 238 | 182 | 159 | 191 | 10 | 542 | 292 | 229 | 246 | 13 | 780 |
| | Total | 122 | 83 | 62 | 3 | 270 | 219 | 206 | 222 | 13 | 660 | 341 | 289 | 284 | 16 | 930 |
| 35-39 | Alcohol | 14 | 24 | 4 | 3 | 45 | 44 | 65 | 46 | | 155 | 58 | 89 | 50 | 3 | 200 |
| | Drugs | 100 | 58 | 36 | 2 | 196 | 181 | 182 | 141 | 16 | 520 | 281 | 240 | 177 | 18 | 716 |
| | Total | 114 | 82 | 40 | 5 | 241 | 225 | 247 | 187 | 16 | 675 | 339 | 329 | 227 | 21 | 916 |
| 40-44 | Alcohol | 14 | 16 | 6 | | 36 | 29 | 59 | 35 | 2 | 125 | 43 | 75 | 41 | 2 | 161 |
| | Drugs | 101 | 37 | 25 | 1 | 164 | 172 | 108 | 95 | 8 | 383 | 273 | 145 | 120 | 9 | 547 |
| | Total | 115 | 53 | 31 | 1 | 200 | 201 | 167 | 130 | 10 | 508 | 316 | 220 | 161 | 11 | 708 |
| 45-49 | Alcohol | 11 | 15 | 2 | | 28 | 15 | 51 | 29 | 1 | 96 | 26 | 66 | 31 | 1 | 124 |
| | Drugs | 26 | 22 | 7 | 2 | 57 | 97 | 74 | 46 | 6 | 223 | 123 | 96 | 53 | 8 | 280 |
| | Total | 37 | 37 | 9 | 2 | 85 | 112 | 125 | 75 | 7 | 319 | 149 | 162 | 84 | 9 | 404 |
| 50-54 | Alcohol | 2 | 7 | 3 | | 12 | 8 | 43 | 16 | | 67 | 10 | 50 | 19 | | 79 |
| | Drugs | 15 | 4 | | | 19 | 35 | 27 | 12 | | 74 | 50 | 31 | 12 | | 93 |
| | Total | 17 | 11 | 3 | | 31 | 43 | 70 | 28 | | 141 | 60 | 81 | 31 | | 172 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Hu | ıdson | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 2 | 4 | 1 | | 7 | 1 | 26 | 9 | 1 | 37 | 3 | 30 | 10 | 1 | 44 |
| | Drugs | 4 | 1 | 2 | | 7 | 9 | 8 | 1 | | 18 | 13 | 9 | 3 | | 25 |
| | Total | 6 | 5 | 3 | | 14 | 10 | 34 | 10 | 1 | 55 | 16 | 39 | 13 | 1 | 69 |
| 60-64 | Alcohol | | | | | | 1 | 4 | 3 | | 8 | 1 | 4 | 3 | | 8 |
| | Drugs | | | | | | | 1 | 1 | | 2 | | 1 | 1 | | 2 |
| | Total | | | | | | 1 | 5 | 4 | | 10 | 1 | 5 | 4 | | 10 |
| 65 + | Alcohol | | 2 | | | 2 | | 2 | 3 | | 5 | | 4 | 3 | | 7 |
| | Drugs | | 1 | 1 | | 2 | 1 | 3 | | | 4 | 1 | 4 | 1 | | 6 |
| | Total | | 3 | 1 | | 4 | 1 | 5 | 3 | | 9 | 1 | 8 | 4 | | 13 |
| Total | Alcohol | 63 | 95 | 42 | 3 | 203 | 180 | 357 | 247 | 11 | 795 | 243 | 452 | 289 | 14 | 998 |
| | Drugs | 391 | 305 | 241 | 16 | 953 | 918 | 794 | 865 | 71 | 2648 | 1309 | 1099 | 1106 | 87 | 3601 |
| | Total | 454 | 400 | 283 | 19 | 1156 | 1098 | 1151 | 1112 | 82 | 3443 | 1552 | 1551 | 1395 | 101 | 4599 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Sex | | | | | | | Total | | |
|-------|---------|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | Fem | ale | | | | Male | | | | | | | |
| Hun | terdon | F | Ethnicity | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 5 | | 5 | | 13 | | | 13 | | 18 | | | 18 |
| | Drugs | 2 | 21 | 1 | 24 | 2 | 42 | 1 | | 45 | 4 | 63 | 2 | | 69 |
| | Total | 2 | 26 | 1 | 29 | 2 | 55 | 1 | | 58 | 4 | 81 | 2 | | 87 |
| 18-20 | Alcohol | | 6 | | 6 | | 17 | 1 | | 18 | | 23 | 1 | | 24 |
| | Drugs | | 27 | | 27 | 1 | 56 | 2 | | 59 | 1 | 83 | 2 | | 86 |
| | Total | | 33 | | 33 | 1 | 73 | 3 | | 77 | 1 | 106 | 3 | | 110 |
| 21-24 | Alcohol | | 6 | | 6 | | 22 | 1 | 1 | 24 | | 28 | 1 | 1 | 30 |
| | Drugs | 2 | 36 | | 38 | | 45 | | 1 | 46 | 2 | 81 | | 1 | 84 |
| | Total | 2 | 42 | | 44 | | 67 | 1 | 2 | 70 | 2 | 109 | 1 | 2 | 114 |
| 25-29 | Alcohol | | 10 | | 10 | 1 | 20 | 2 | | 23 | 1 | 30 | 2 | | 33 |
| | Drugs | 1 | 13 | 2 | 16 | 1 | 28 | 1 | | 30 | 2 | 41 | 3 | | 46 |
| | Total | 1 | 23 | 2 | 26 | 2 | 48 | 3 | | 53 | 3 | 71 | 5 | | 79 |
| 30-34 | Alcohol | | 9 | | 9 | | 23 | 1 | 1 | 25 | | 32 | 1 | 1 | 34 |
| | Drugs | | 12 | | 12 | 2 | 17 | | | 19 | 2 | 29 | | | 31 |
| | Total | | 21 | | 21 | 2 | 40 | 1 | 1 | 44 | 2 | 61 | 1 | 1 | 65 |
| 35-39 | Alcohol | 1 | 17 | | 18 | 1 | 38 | 1 | | 40 | 2 | 55 | 1 | | 58 |
| | Drugs | | 14 | | 14 | 3 | 18 | 1 | | 22 | 3 | 32 | 1 | | 36 |
| | Total | 1 | 31 | | 32 | 4 | 56 | 2 | | 62 | 5 | 87 | 2 | | 94 |
| 40-44 | Alcohol | 1 | 34 | | 35 | | 33 | 2 | | 35 | 1 | 67 | 2 | | 70 |
| | Drugs | 2 | 8 | | 10 | 3 | 6 | 2 | | 11 | 5 | 14 | 2 | | 21 |
| | Total | 3 | 42 | | 45 | 3 | 39 | 4 | | 46 | 6 | 81 | 4 | | 91 |
| 45-49 | Alcohol | | 15 | 1 | 16 | 2 | 26 | 2 | | 30 | 2 | 41 | 3 | | 46 |
| | Drugs | | 7 | | 7 | 1 | 10 | 1 | | 12 | 1 | 17 | 1 | | 19 |
| | Total | | 22 | 1 | 23 | 3 | 36 | 3 | | 42 | 3 | 58 | 4 | | 65 |
| 50-54 | Alcohol | | 12 | | 12 | 1 | 22 | | | 23 | 1 | 34 | | | 35 |
| | Drugs | | 2 | | 2 | | 4 | | | 4 | | 6 | | | 6 |
| | Total | | 14 | | 14 | 1 | 26 | | | 27 | 1 | 40 | | | 41 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Sex | | | | | | | Total | | |
|-------|---------|-------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | Fem | ale | | | | Male | | | | | | | |
| Hun | terdon |] | Ethnicity | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | 10.00 | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 4 | | 4 | 1 | 7 | | | 8 | 1 | 11 | | | 12 |
| | Drugs | 1 | | | 1 | | 3 | | | 3 | 1 | 3 | | | 4 |
| | Total | 1 | 4 | | 5 | 1 | 10 | | | 11 | 2 | 14 | | | 16 |
| 60-64 | Alcohol | | 1 | | 1 | | 1 | | | 1 | | 2 | | | 2 |
| | Total | | 1 | | 1 | | 1 | | | 1 | | 2 | | | 2 |
| 65 + | Alcohol | | | | | | 2 | | | 2 | | 2 | | | 2 |
| | Total | | | | | | 2 | | | 2 | | 2 | | | 2 |
| Total | Alcohol | 2 | 119 | 1 | 122 | 6 | 224 | 10 | 2 | 242 | 8 | 343 | 11 | 2 | 364 |
| | Drugs | 8 | 140 | 3 | 151 | 13 | 229 | 8 | 1 | 251 | 21 | 369 | 11 | 1 | 402 |
| | Total | 10 | 259 | 4 | 273 | 19 | 453 | 18 | 3 | 493 | 29 | 712 | 22 | 3 | 766 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | x | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| M | ercer | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| | Alcohol | | 7 | | | 7 | 8 | 7 | 4 | 1 | 20 | 8 | 14 | 4 | 1 | 27 |
| 00-17 | Drugs | 8 | 12 | 1 | | 21 | 75 | 32 | 18 | 1 | 126 | 83 | 44 | 19 | 1 | 147 |
| | Total | 8 | 19 | 1 | | 28 | 83 | 39 | 22 | 2 | 146 | 91 | 58 | 23 | 2 | 174 |
| 18-20 | Alcohol | | 6 | 2 | | 8 | 8 | 11 | | 1 | 20 | 8 | 17 | 2 | 1 | 28 |
| | Drugs | 4 | 6 | 2 | | 12 | 38 | 25 | 11 | | 74 | 42 | 31 | 13 | | 86 |
| | Total | 4 | 12 | 4 | | 20 | 46 | 36 | 11 | 1 | 94 | 50 | 48 | 15 | 1 | 114 |
| 21-24 | Alcohol | 4 | 5 | 1 | 1 | 11 | 17 | 14 | 2 | | 33 | 21 | 19 | 3 | 1 | 44 |
| | Drugs | 11 | 12 | 3 | | 26 | 59 | 53 | 20 | 2 | 134 | 70 | 65 | 23 | 2 | 160 |
| | Total | 15 | 17 | 4 | 1 | 37 | 76 | 67 | 22 | 2 | 167 | 91 | 84 | 26 | 3 | 204 |
| 25-29 | Alcohol | 10 | 9 | 2 | 1 | 22 | 25 | 26 | 9 | | 60 | 35 | 35 | 11 | 1 | 82 |
| | Drugs | 13 | 26 | 7 | | 46 | 67 | 52 | 30 | | 149 | 80 | 78 | 37 | | 195 |
| | Total | 23 | 35 | 9 | 1 | 68 | 92 | 78 | 39 | | 209 | 115 | 113 | 48 | 1 | 277 |
| 30-34 | Alcohol | 15 | 15 | 2 | | 32 | 23 | 35 | 10 | | 68 | 38 | 50 | 12 | | 100 |
| | Drugs | 30 | 23 | 9 | 1 | 63 | 88 | 53 | 28 | 1 | 170 | 118 | 76 | 37 | 2 | 233 |
| | Total | 45 | 38 | 11 | 1 | 95 | 111 | 88 | 38 | 1 | 238 | 156 | 126 | 49 | 2 | 333 |
| 35-39 | Alcohol | 21 | 12 | 1 | | 34 | 52 | 32 | 9 | 2 | 95 | 73 | 44 | 10 | 2 | 129 |
| | Drugs | 40 | 33 | 8 | 1 | 82 | 90 | 47 | 29 | 2 | 168 | 130 | 80 | 37 | 3 | 250 |
| | Total | 61 | 45 | 9 | 1 | 116 | 142 | 79 | 38 | 4 | 263 | 203 | 124 | 47 | 5 | 379 |
| 40-44 | Alcohol | 16 | 15 | | 1 | 32 | 68 | 43 | 3 | | 114 | 84 | 58 | 3 | 1 | 146 |
| | Drugs | 46 | 17 | 10 | 1 | 74 | 99 | 44 | 14 | 2 | 159 | 145 | 61 | 24 | 3 | 233 |
| | Total | 62 | 32 | 10 | 2 | 106 | 167 | 87 | 17 | 2 | 273 | 229 | 119 | 27 | 4 | 379 |
| 45-49 | Alcohol | 5 | 8 | 2 | | 15 | 37 | 29 | 4 | 1 | 71 | 42 | 37 | 6 | 1 | 86 |
| | Drugs | 24 | 8 | 1 | | 33 | 51 | 25 | 7 | 1 | 84 | 75 | 33 | 8 | 1 | 117 |
| | Total | 29 | 16 | 3 | | 48 | 88 | 54 | 11 | 2 | 155 | 117 | 70 | 14 | 2 | 203 |
| 50-54 | Alcohol | 2 | 2 | | | 4 | 23 | 24 | 4 | 2 | 53 | 25 | 26 | 4 | 2 | 57 |
| | Drugs | 5 | 2 | | | 7 | 26 | 7 | 2 | | 35 | 31 | 9 | 2 | | 42 |
| | Total | 7 | 4 | | | 11 | 49 | 31 | 6 | 2 | 88 | 56 | 35 | 6 | 2 | 99 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| M | ercer | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1 otal | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 2 | 3 | | | 5 | 12 | 6 | | 1 | 19 | 14 | 9 | | 1 | 24 |
| | Drugs | | 2 | | | 2 | 13 | 3 | 1 | | 17 | 13 | 5 | 1 | | 19 |
| | Total | 2 | 5 | | | 7 | 25 | 9 | 1 | 1 | 36 | 27 | 14 | 1 | 1 | 43 |
| 60-64 | Alcohol | 2 | | | | 2 | 6 | 7 | 1 | | 14 | 8 | 7 | 1 | | 16 |
| | Drugs | | | | | | | 3 | 1 | | 4 | | 3 | 1 | | 4 |
| | Total | 2 | | | | 2 | 6 | 10 | 2 | | 18 | 8 | 10 | 2 | | 20 |
| 65 + | Alcohol | | 1 | | | 1 | 5 | 2 | | | 7 | 5 | 3 | | | 8 |
| | Drugs | | | | | | | 1 | | | 1 | | 1 | | | 1 |
| | Total | | 1 | | | 1 | 5 | 3 | | | 8 | 5 | 4 | | | 9 |
| Total | Alcohol | 77 | 83 | 10 | 3 | 173 | 284 | 236 | 46 | 8 | 574 | 361 | 319 | 56 | 11 | 747 |
| | Drugs | 181 | 141 | 41 | 3 | 366 | 606 | 345 | 161 | 9 | 1121 | 787 | 486 | 202 | 12 | 1487 |
| | Total | 258 | 224 | 51 | 6 | 539 | 890 | 581 | 207 | 17 | 1695 | 1148 | 805 | 258 | 23 | 2234 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Mid | dlesex | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 5 | | | 5 | 2 | 12 | 3 | 1 | 18 | 2 | 17 | 3 | 1 | 23 |
| | Drugs | 3 | 16 | 8 | 1 | 28 | 17 | 68 | 35 | 2 | 122 | 20 | 84 | 43 | 3 | 150 |
| | Total | 3 | 21 | 8 | 1 | 33 | 19 | 80 | 38 | 3 | 140 | 22 | 101 | 46 | 4 | 173 |
| 18-20 | Alcohol | 2 | 5 | 2 | | 9 | 6 | 21 | 4 | | 31 | 8 | 26 | 6 | | 40 |
| | Drugs | 6 | 61 | 9 | 2 | 78 | 31 | 129 | 23 | 13 | 196 | 37 | 190 | 32 | 15 | 274 |
| | Total | 8 | 66 | 11 | 2 | 87 | 37 | 150 | 27 | 13 | 227 | 45 | 216 | 38 | 15 | 314 |
| 21-24 | Alcohol | 6 | 7 | 4 | 1 | 18 | 10 | 35 | 18 | 3 | 66 | 16 | 42 | 22 | 4 | 84 |
| | Drugs | 11 | 88 | 14 | 1 | 114 | 46 | 159 | 51 | 9 | 265 | 57 | 247 | 65 | 10 | 379 |
| | Total | 17 | 95 | 18 | 2 | 132 | 56 | 194 | 69 | 12 | 331 | 73 | 289 | 87 | 14 | 463 |
| 25-29 | Alcohol | 3 | 13 | 3 | 1 | 20 | 10 | 49 | 19 | 4 | 82 | 13 | 62 | 22 | 5 | 102 |
| | Drugs | 21 | 67 | 17 | 3 | 108 | 50 | 156 | 75 | 12 | 293 | 71 | 223 | 92 | 15 | 401 |
| | Total | 24 | 80 | 20 | 4 | 128 | 60 | 205 | 94 | 16 | 375 | 84 | 285 | 114 | 20 | 503 |
| 30-34 | Alcohol | 7 | 30 | 1 | 1 | 39 | 12 | 58 | 10 | 5 | 85 | 19 | 88 | 11 | 6 | 124 |
| | Drugs | 37 | 75 | 25 | 5 | 142 | 77 | 155 | 83 | 11 | 326 | 114 | 230 | 108 | 16 | 468 |
| | Total | 44 | 105 | 26 | 6 | 181 | 89 | 213 | 93 | 16 | 411 | 133 | 318 | 119 | 22 | 592 |
| 35-39 | Alcohol | 10 | 37 | 2 | | 49 | 20 | 71 | 16 | 6 | 113 | 30 | 108 | 18 | 6 | 162 |
| | Drugs | 65 | 75 | 14 | 3 | 157 | 110 | 109 | 65 | 4 | 288 | 175 | 184 | 79 | 7 | 445 |
| | Total | 75 | 112 | 16 | 3 | 206 | 130 | 180 | 81 | 10 | 401 | 205 | 292 | 97 | 13 | 607 |
| 40-44 | Alcohol | 8 | 41 | 5 | | 54 | 21 | 97 | 7 | 2 | 127 | 29 | 138 | 12 | 2 | 181 |
| | Drugs | 34 | 50 | 7 | 3 | 94 | 59 | 89 | 28 | 2 | 178 | 93 | 139 | 35 | 5 | 272 |
| | Total | 42 | 91 | 12 | 3 | 148 | 80 | 186 | 35 | 4 | 305 | 122 | 277 | 47 | 7 | 453 |
| 45-49 | Alcohol | 3 | 25 | | | 28 | 12 | 68 | 9 | 3 | 92 | 15 | 93 | 9 | 3 | 120 |
| | Drugs | 16 | 29 | 5 | 1 | 51 | 35 | 43 | 17 | 1 | 96 | 51 | 72 | 22 | 2 | 147 |
| | Total | 19 | 54 | 5 | 1 | 79 | 47 | 111 | 26 | 4 | 188 | 66 | 165 | 31 | 5 | 267 |
| 50-54 | Alcohol | 4 | 6 | | | 10 | 7 | 27 | 8 | 1 | 43 | 11 | 33 | 8 | 1 | 53 |
| | Drugs | 6 | 4 | 2 | | 12 | 12 | 22 | 4 | 3 | 41 | 18 | 26 | 6 | 3 | 53 |
| | Total | 10 | 10 | 2 | | 22 | 19 | 49 | 12 | 4 | 84 | 29 | 59 | 14 | 4 | 106 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Mid | dlesex | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1 otal | Black | White | Hisp. | Other | 10441 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 1 | 2 | | | 3 | 5 | 14 | 1 | 1 | 21 | 6 | 16 | 1 | 1 | 24 |
| | Drugs | 2 | 1 | | | 3 | 5 | 4 | | | 9 | 7 | 5 | | | 12 |
| | Total | 3 | 3 | | | 6 | 10 | 18 | 1 | 1 | 30 | 13 | 21 | 1 | 1 | 36 |
| 60-64 | Alcohol | 3 | 2 | 1 | | 6 | 3 | 7 | 2 | | 12 | 6 | 9 | 3 | | 18 |
| | Drugs | | | | | | | 1 | | | 1 | | 1 | | | 1 |
| | Total | 3 | 2 | 1 | | 6 | 3 | 8 | 2 | | 13 | 6 | 10 | 3 | | 19 |
| 65 + | Alcohol | | 1 | | | 1 | 3 | 8 | 1 | | 12 | 3 | 9 | 1 | | 13 |
| | Drugs | | 1 | | | 1 | | 2 | | | 2 | | 3 | | | 3 |
| | Total | | 2 | | | 2 | 3 | 10 | 1 | | 14 | 3 | 12 | 1 | | 16 |
| Total | Alcohol | 47 | 174 | 18 | 3 | 242 | 111 | 467 | 98 | 26 | 702 | 158 | 641 | 116 | 29 | 944 |
| | Drugs | 201 | 467 | 101 | 19 | 788 | 442 | 937 | 381 | 57 | 1817 | 643 | 1404 | 482 | 76 | 2605 |
| | Total | 248 | 641 | 119 | 22 | 1030 | 553 | 1404 | 479 | 83 | 2519 | 801 | 2045 | 598 | 105 | 3549 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Mon | mouth | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 18 | 1 | | 19 | 4 | 32 | | 1 | 37 | 4 | 50 | 1 | 1 | 56 |
| | Drugs | 8 | 48 | 4 | 1 | 61 | 49 | 154 | 8 | 5 | 216 | 57 | 202 | 12 | 6 | 277 |
| | Total | 8 | 66 | 5 | 1 | 80 | 53 | 186 | 8 | 6 | 253 | 61 | 252 | 13 | 7 | 333 |
| 18-20 | Alcohol | 1 | 6 | 1 | | 8 | 12 | 40 | | | 52 | 13 | 46 | 1 | | 60 |
| | Drugs | 9 | 83 | 4 | 1 | 97 | 38 | 165 | 18 | 3 | 224 | 47 | 248 | 22 | 4 | 321 |
| | Total | 10 | 89 | 5 | 1 | 105 | 50 | 205 | 18 | 3 | 276 | 60 | 294 | 23 | 4 | 381 |
| 21-24 | Alcohol | 5 | 17 | 1 | 1 | 24 | 23 | 55 | 3 | 2 | 83 | 28 | 72 | 4 | 3 | 107 |
| | Drugs | 28 | 113 | 8 | | 149 | 56 | 199 | 21 | 2 | 278 | 84 | 312 | 29 | 2 | 427 |
| | Total | 33 | 130 | 9 | 1 | 173 | 79 | 254 | 24 | 4 | 361 | 112 | 384 | 33 | 5 | 534 |
| 25-29 | Alcohol | 4 | 19 | | | 23 | 28 | 57 | 7 | | 92 | 32 | 76 | 7 | | 115 |
| | Drugs | 35 | 74 | 4 | 1 | 114 | 65 | 157 | 33 | 3 | 258 | 100 | 231 | 37 | 4 | 372 |
| | Total | 39 | 93 | 4 | 1 | 137 | 93 | 214 | 40 | 3 | 350 | 132 | 307 | 44 | 4 | 487 |
| 30-34 | Alcohol | 9 | 37 | 3 | 1 | 50 | 31 | 85 | 11 | 3 | 130 | 40 | 122 | 14 | 4 | 180 |
| | Drugs | 87 | 96 | 10 | | 193 | 91 | 178 | 16 | 9 | 294 | 178 | 274 | 26 | 9 | 487 |
| | Total | 96 | 133 | 13 | 1 | 243 | 122 | 263 | 27 | 12 | 424 | 218 | 396 | 40 | 13 | 667 |
| 35-39 | Alcohol | 16 | 66 | 2 | | 84 | 31 | 150 | 11 | | 192 | 47 | 216 | 13 | | 276 |
| | Drugs | 60 | 93 | 10 | | 163 | 121 | 162 | 28 | 2 | 313 | 181 | 255 | 38 | 2 | 476 |
| | Total | 76 | 159 | 12 | | 247 | 152 | 312 | 39 | 2 | 505 | 228 | 471 | 51 | 2 | 752 |
| 40-44 | Alcohol | 11 | 65 | 3 | | 79 | 33 | 146 | 6 | 1 | 186 | 44 | 211 | 9 | 1 | 265 |
| | Drugs | 58 | 72 | 3 | | 133 | 111 | 110 | 19 | 4 | 244 | 169 | 182 | 22 | 4 | 377 |
| | Total | 69 | 137 | 6 | | 212 | 144 | 256 | 25 | 5 | 430 | 213 | 393 | 31 | 5 | 642 |
| 45-49 | Alcohol | 4 | 22 | 1 | | 27 | 28 | 98 | 3 | | 129 | 32 | 120 | 4 | | 156 |
| | Drugs | 17 | 30 | | 1 | 48 | 60 | 77 | 9 | 1 | 147 | 77 | 107 | 9 | 2 | 195 |
| | Total | 21 | 52 | 1 | 1 | 75 | 88 | 175 | 12 | 1 | 276 | 109 | 227 | 13 | 2 | 351 |
| 50-54 | Alcohol | 4 | 16 | | | 20 | 16 | 55 | 9 | 1 | 81 | 20 | 71 | 9 | 1 | 101 |
| | Drugs | 10 | 9 | | | 19 | 43 | 42 | 1 | | 86 | 53 | 51 | 1 | | 105 |
| | Total | 14 | 25 | | | 39 | 59 | 97 | 10 | 1 | 167 | 73 | 122 | 10 | 1 | 206 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Mor | nmouth | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 10441 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 4 | 7 | | 1 | 12 | 5 | 27 | 4 | 1 | 37 | 9 | 34 | 4 | 2 | 49 |
| | Drugs | 2 | 3 | | | 5 | 8 | 7 | 1 | | 16 | 10 | 10 | 1 | | 21 |
| | Total | 6 | 10 | | 1 | 17 | 13 | 34 | 5 | 1 | 53 | 19 | 44 | 5 | 2 | 70 |
| 60-64 | Alcohol | | 1 | | | 1 | 4 | 7 | | 1 | 12 | 4 | 8 | | 1 | 13 |
| | Drugs | | | | | | 1 | 3 | | | 4 | 1 | 3 | | | 4 |
| | Total | | 1 | | | 1 | 5 | 10 | | 1 | 16 | 5 | 11 | | 1 | 17 |
| 65 + | Alcohol | | 6 | | | 6 | 2 | 8 | | | 10 | 2 | 14 | | | 16 |
| | Total | | 6 | | | 6 | 2 | 8 | | | 10 | 2 | 14 | | | 16 |
| Total | Alcohol | 58 | 280 | 12 | 3 | 353 | 217 | 760 | 54 | 10 | 1041 | 275 | 1040 | 66 | 13 | 1394 |
| | Drugs | 314 | 621 | 43 | 4 | 982 | 643 | 1254 | 154 | 29 | 2080 | 957 | 1875 | 197 | 33 | 3062 |
| | Total | 372 | 901 | 55 | 7 | 1335 | 860 | 2014 | 208 | 39 | 3121 | 1232 | 2915 | 263 | 46 | 4456 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | X | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| M | orris | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 3 | | | 3 | | 4 | | | 4 | | 7 | | | 7 |
| | Drugs | 1 | 6 | 2 | | 9 | 3 | 24 | 2 | | 29 | 4 | 30 | 4 | | 38 |
| | Total | 1 | 9 | 2 | | 12 | 3 | 28 | 2 | | 33 | 4 | 37 | 4 | | 45 |
| 18-20 | Alcohol | | 7 | | | 7 | 1 | 13 | 3 | | 17 | 1 | 20 | 3 | | 24 |
| | Drugs | | 66 | 7 | 1 | 74 | 6 | 90 | 6 | 2 | 104 | 6 | 156 | 13 | 3 | 178 |
| | Total | | 73 | 7 | 1 | 81 | 7 | 103 | 9 | 2 | 121 | 7 | 176 | 16 | 3 | 202 |
| 21-24 | Alcohol | 2 | 10 | | | 12 | 1 | 32 | 3 | | 36 | 3 | 42 | 3 | | 48 |
| | Drugs | 4 | 83 | 4 | 3 | 94 | 5 | 106 | 19 | 5 | 135 | 9 | 189 | 23 | 8 | 229 |
| | Total | 6 | 93 | 4 | 3 | 106 | 6 | 138 | 22 | 5 | 171 | 12 | 231 | 26 | 8 | 277 |
| 25-29 | Alcohol | | 9 | | | 9 | 4 | 38 | 13 | | 55 | 4 | 47 | 13 | | 64 |
| | Drugs | 1 | 35 | 3 | 1 | 40 | 14 | 87 | 20 | 3 | 124 | 15 | 122 | 23 | 4 | 164 |
| | Total | 1 | 44 | 3 | 1 | 49 | 18 | 125 | 33 | 3 | 179 | 19 | 169 | 36 | 4 | 228 |
| 30-34 | Alcohol | 1 | 37 | 5 | 2 | 45 | 6 | 85 | 9 | 1 | 101 | 7 | 122 | 14 | 3 | 146 |
| | Drugs | 10 | 41 | 1 | 1 | 53 | 28 | 80 | 14 | 2 | 124 | 38 | 121 | 15 | 3 | 177 |
| | Total | 11 | 78 | 6 | 3 | 98 | 34 | 165 | 23 | 3 | 225 | 45 | 243 | 29 | 6 | 323 |
| 35-39 | Alcohol | 1 | 37 | 1 | | 39 | 12 | 106 | 13 | 4 | 135 | 13 | 143 | 14 | 4 | 174 |
| | Drugs | 12 | 58 | 1 | 1 | 72 | 26 | 70 | 2 | 1 | 99 | 38 | 128 | 3 | 2 | 171 |
| | Total | 13 | 95 | 2 | 1 | 111 | 38 | 176 | 15 | 5 | 234 | 51 | 271 | 17 | 6 | 345 |
| 40-44 | Alcohol | 3 | 48 | 3 | | 54 | 10 | 100 | 14 | 2 | 126 | 13 | 148 | 17 | 2 | 180 |
| | Drugs | 4 | 26 | 1 | | 31 | 20 | 58 | 12 | 3 | 93 | 24 | 84 | 13 | 3 | 124 |
| | Total | 7 | 74 | 4 | | 85 | 30 | 158 | 26 | 5 | 219 | 37 | 232 | 30 | 5 | 304 |
| 45-49 | Alcohol | 1 | 25 | 1 | | 27 | 4 | 62 | 7 | 3 | 76 | 5 | 87 | 8 | 3 | 103 |
| | Drugs | 3 | 3 | | | 6 | 8 | 26 | | 1 | 35 | 11 | 29 | | 1 | 41 |
| | Total | 4 | 28 | 1 | | 33 | 12 | 88 | 7 | 4 | 111 | 16 | 116 | 8 | 4 | 144 |
| 50-54 | Alcohol | 1 | 9 | 2 | | 12 | 4 | 50 | 8 | | 62 | 5 | 59 | 10 | | 74 |
| | Drugs | | 5 | | | 5 | 3 | 11 | | | 14 | 3 | 16 | | | 19 |
| | Total | 1 | 14 | 2 | | 17 | 7 | 61 | 8 | | 76 | 8 | 75 | 10 | | 93 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| M | lorris | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 9 | | | 9 | 7 | 31 | | | 38 | 7 | 40 | | | 47 |
| | Drugs | | 3 | | | 3 | 1 | 2 | 1 | | 4 | 1 | 5 | 1 | | 7 |
| | Total | | 12 | | | 12 | 8 | 33 | 1 | | 42 | 8 | 45 | 1 | | 54 |
| 60-64 | Alcohol | | 6 | | | 6 | | 11 | 2 | | 13 | | 17 | 2 | | 19 |
| | Drugs | | | | | | | 1 | 1 | | 2 | | 1 | 1 | | 2 |
| | Total | | 6 | | | 6 | | 12 | 3 | | 15 | | 18 | 3 | | 21 |
| 65 + | Alcohol | | 2 | | | 2 | 2 | 5 | 1 | | 8 | 2 | 7 | 1 | | 10 |
| | Drugs | | 1 | | | 1 | | | | | | | 1 | | | 1 |
| | Total | | 3 | | | 3 | 2 | 5 | 1 | | 8 | 2 | 8 | 1 | | 11 |
| Total | Alcohol | 9 | 202 | 12 | 2 | 225 | 51 | 537 | 73 | 10 | 671 | 60 | 739 | 85 | 12 | 896 |
| | Drugs | 35 | 327 | 19 | 7 | 388 | 114 | 555 | 77 | 17 | 763 | 149 | 882 | 96 | 24 | 1151 |
| | Total | 44 | 529 | 31 | 9 | 613 | 165 | 1092 | 150 | 27 | 1434 | 209 | 1621 | 181 | 36 | 2047 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | |] | Female | | | | | Male | | | | | | | |
| O | cean | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Tota |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 12 | | | 12 | 1 | 27 | 1 | | 29 | 1 | 39 | 1 | | 41 |
| | Drugs | 4 | 56 | 1 | 1 | 62 | 4 | 98 | 6 | 3 | 111 | 8 | 154 | 7 | 4 | 173 |
| | Total | 4 | 68 | 1 | 1 | 74 | 5 | 125 | 7 | 3 | 140 | 9 | 193 | 8 | 4 | 214 |
| 18-20 | Alcohol | | 7 | | | 7 | 2 | 33 | 4 | | 39 | 2 | 40 | 4 | | 46 |
| | Drugs | 2 | 108 | 1 | | 111 | 6 | 185 | 12 | 2 | 205 | 8 | 293 | 13 | 2 | 316 |
| | Total | 2 | 115 | 1 | | 118 | 8 | 218 | 16 | 2 | 244 | 10 | 333 | 17 | 2 | 362 |
| 21-24 | Alcohol | | 10 | | | 10 | 10 | 37 | 5 | 1 | 53 | 10 | 47 | 5 | 1 | 63 |
| | Drugs | 2 | 122 | 2 | | 126 | 11 | 260 | 17 | 1 | 289 | 13 | 382 | 19 | 1 | 415 |
| | Total | 2 | 132 | 2 | | 136 | 21 | 297 | 22 | 2 | 342 | 23 | 429 | 24 | 2 | 478 |
| 25-29 | Alcohol | 1 | 12 | | | 13 | 8 | 52 | 1 | | 61 | 9 | 64 | 1 | | 74 |
| | Drugs | 1 | 80 | 1 | | 82 | 13 | 162 | 14 | 3 | 192 | 14 | 242 | 15 | 3 | 274 |
| | Total | 2 | 92 | 1 | | 95 | 21 | 214 | 15 | 3 | 253 | 23 | 306 | 16 | 3 | 348 |
| 30-34 | Alcohol | 4 | 25 | | | 29 | 2 | 60 | 4 | | 66 | 6 | 85 | 4 | | 95 |
| | Drugs | 11 | 93 | 6 | | 110 | 20 | 142 | 21 | 2 | 185 | 31 | 235 | 27 | 2 | 295 |
| | Total | 15 | 118 | 6 | | 139 | 22 | 202 | 25 | 2 | 251 | 37 | 320 | 31 | 2 | 390 |
| 35-39 | Alcohol | | 35 | 1 | 2 | 38 | 7 | 114 | 3 | | 124 | 7 | 149 | 4 | 2 | 162 |
| | Drugs | 9 | 95 | 1 | 1 | 106 | 13 | 136 | 8 | | 157 | 22 | 231 | 9 | 1 | 263 |
| | Total | 9 | 130 | 2 | 3 | 144 | 20 | 250 | 11 | | 281 | 29 | 380 | 13 | 3 | 425 |
| 40-44 | Alcohol | 3 | 48 | 1 | 2 | 54 | 12 | 79 | | 1 | 92 | 15 | 127 | 1 | 3 | 146 |
| | Drugs | 3 | 38 | 1 | | 42 | 10 | 104 | 10 | 1 | 125 | 13 | 142 | 11 | 1 | 167 |
| | Total | 6 | 86 | 2 | 2 | 96 | 22 | 183 | 10 | 2 | 217 | 28 | 269 | 12 | 4 | 313 |
| 45-49 | Alcohol | 3 | 13 | | | 16 | 2 | 57 | 1 | 3 | 63 | 5 | 70 | 1 | 3 | 79 |
| | Drugs | 4 | 19 | | | 23 | 5 | 47 | 4 | 2 | 58 | 9 | 66 | 4 | 2 | 81 |
| | Total | 7 | 32 | | | 39 | 7 | 104 | 5 | 5 | 121 | 14 | 136 | 5 | 5 | 160 |
| 50-54 | Alcohol | | 6 | | | 6 | 2 | 47 | | | 49 | 2 | 53 | | | 55 |
| | Drugs | 3 | 8 | | | 11 | 4 | 23 | | | 27 | 7 | 31 | | | 38 |
| | Total | 3 | 14 | | | 17 | 6 | 70 | | | 76 | 9 | 84 | | | 93 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | X | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| O | cean | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 7 | 1 | | 8 | 2 | 22 | 1 | | 25 | 2 | 29 | 2 | | 33 |
| | Drugs | | 1 | | | 1 | | 7 | | | 7 | | 8 | | | 8 |
| | Total | | 8 | 1 | | 9 | 2 | 29 | 1 | | 32 | 2 | 37 | 2 | | 41 |
| 60-64 | Alcohol | | 2 | | | 2 | | 10 | | | 10 | | 12 | | | 12 |
| | Drugs | | 1 | | | 1 | | 1 | | | 1 | | 2 | | | 2 |
| | Total | | 3 | | | 3 | | 11 | | | 11 | | 14 | | | 14 |
| 65 + | Alcohol | | | | | | | 4 | | | 4 | | 4 | | | 4 |
| | Drugs | | | | | | | 2 | | | 2 | | 2 | | | 2 |
| | Total | | | | | | | 6 | | | 6 | | 6 | | | 6 |
| Total | Alcohol | 11 | 177 | 3 | 4 | 195 | 48 | 542 | 20 | 5 | 615 | 59 | 719 | 23 | 9 | 810 |
| | Drugs | 39 | 621 | 13 | 2 | 675 | 86 | 1167 | 92 | 14 | 1359 | 125 | 1788 | 105 | 16 | 2034 |
| | Total | 50 | 798 | 16 | 6 | 870 | 134 | 1709 | 112 | 19 | 1974 | 184 | 2507 | 128 | 25 | 2844 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | x | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| _ | | | | Female | | | | | Male | | | | | | | |
| Pa | ssaic | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Tota |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | | | | | 5 | 5 | 3 | | 13 | 5 | 5 | 3 | | 13 |
| | Drugs | 5 | 5 | 8 | 1 | 19 | 33 | 25 | 21 | 2 | 81 | 38 | 30 | 29 | 3 | 100 |
| | Total | 5 | 5 | 8 | 1 | 19 | 38 | 30 | 24 | 2 | 94 | 43 | 35 | 32 | 3 | 113 |
| 18-20 | Alcohol | 2 | 1 | | | 3 | 6 | 11 | 6 | | 23 | 8 | 12 | 6 | | 26 |
| | Drugs | 11 | 21 | 2 | 2 | 36 | 28 | 41 | 29 | 1 | 99 | 39 | 62 | 31 | 3 | 135 |
| | Total | 13 | 22 | 2 | 2 | 39 | 34 | 52 | 35 | 1 | 122 | 47 | 74 | 37 | 3 | 161 |
| 21-24 | Alcohol | 4 | 4 | | | 8 | 10 | 19 | 8 | | 37 | 14 | 23 | 8 | | 45 |
| | Drugs | 12 | 46 | 13 | 1 | 72 | 61 | 74 | 65 | 3 | 203 | 73 | 120 | 78 | 4 | 275 |
| | Total | 16 | 50 | 13 | 1 | 80 | 71 | 93 | 73 | 3 | 240 | 87 | 143 | 86 | 4 | 320 |
| 25-29 | Alcohol | 2 | 6 | | | 8 | 18 | 22 | 9 | 2 | 51 | 20 | 28 | 9 | 2 | 59 |
| | Drugs | 35 | 21 | 14 | 1 | 71 | 76 | 73 | 108 | 1 | 258 | 111 | 94 | 122 | 2 | 329 |
| | Total | 37 | 27 | 14 | 1 | 79 | 94 | 95 | 117 | 3 | 309 | 131 | 122 | 131 | 4 | 388 |
| 30-34 | Alcohol | 7 | 9 | | | 16 | 32 | 44 | 13 | 2 | 91 | 39 | 53 | 13 | 2 | 107 |
| | Drugs | 99 | 62 | 42 | 1 | 204 | 155 | 107 | 162 | 9 | 433 | 254 | 169 | 204 | 10 | 637 |
| | Total | 106 | 71 | 42 | 1 | 220 | 187 | 151 | 175 | 11 | 524 | 293 | 222 | 217 | 12 | 744 |
| 35-39 | Alcohol | 12 | 20 | 5 | | 37 | 19 | 49 | 18 | 2 | 88 | 31 | 69 | 23 | 2 | 125 |
| | Drugs | 130 | 50 | 34 | 1 | 215 | 212 | 121 | 143 | 9 | 485 | 342 | 171 | 177 | 10 | 700 |
| | Total | 142 | 70 | 39 | 1 | 252 | 231 | 170 | 161 | 11 | 573 | 373 | 240 | 200 | 12 | 825 |
| 40-44 | Alcohol | 14 | 22 | 2 | | 38 | 19 | 61 | 20 | 2 | 102 | 33 | 83 | 22 | 2 | 140 |
| | Drugs | 96 | 50 | 29 | 1 | 176 | 175 | 86 | 87 | 6 | 354 | 271 | 136 | 116 | 7 | 530 |
| | Total | 110 | 72 | 31 | 1 | 214 | 194 | 147 | 107 | 8 | 456 | 304 | 219 | 138 | 9 | 670 |
| 45-49 | Alcohol | 4 | 15 | 1 | | 20 | 15 | 38 | 9 | | 62 | 19 | 53 | 10 | | 82 |
| | Drugs | 56 | 27 | 16 | | 99 | 104 | 50 | 38 | 4 | 196 | 160 | 77 | 54 | 4 | 295 |
| | Total | 60 | 42 | 17 | | 119 | 119 | 88 | 47 | 4 | 258 | 179 | 130 | 64 | 4 | 377 |
| 50-54 | Alcohol | 2 | 4 | | 1 | 7 | 8 | 27 | 11 | | 46 | 10 | 31 | 11 | 1 | 53 |
| | Drugs | 27 | 8 | 2 | | 37 | 37 | 14 | 15 | 2 | 68 | 64 | 22 | 17 | 2 | 105 |
| | Total | 29 | 12 | 2 | 1 | 44 | 45 | 41 | 26 | 2 | 114 | 74 | 53 | 28 | 3 | 158 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Pa | ssaic | | Ethni | city | | Total | | Ethni | city | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 7 | | | 7 | 3 | 23 | 2 | | 28 | 3 | 30 | 2 | | 35 |
| | Drugs | 1 | 2 | 3 | | 6 | 15 | 4 | 10 | 1 | 30 | 16 | 6 | 13 | 1 | 36 |
| | Total | 1 | 9 | 3 | | 13 | 18 | 27 | 12 | 1 | 58 | 19 | 36 | 15 | 1 | 71 |
| 60-64 | Alcohol | 2 | | | | 2 | 1 | 2 | 2 | | 5 | 3 | 2 | 2 | | 7 |
| | Drugs | 1 | 1 | | | 2 | 1 | 1 | 1 | | 3 | 2 | 2 | 1 | | 5 |
| | Total | 3 | 1 | | | 4 | 2 | 3 | 3 | | 8 | 5 | 4 | 3 | | 12 |
| 65 + | Alcohol | | 2 | | | 2 | 2 | 11 | 1 | | 14 | 2 | 13 | 1 | | 16 |
| | Total | | 2 | | | 2 | 2 | 11 | 1 | | 14 | 2 | 13 | 1 | | 16 |
| Total | Alcohol | 49 | 90 | 8 | 1 | 148 | 138 | 312 | 102 | 8 | 560 | 187 | 402 | 110 | 9 | 708 |
| | Drugs | 473 | 293 | 163 | 8 | 937 | 897 | 596 | 679 | 38 | 2210 | 1370 | 889 | 842 | 46 | 3147 |
| | Total | 522 | 383 | 171 | 9 | 1085 | 1035 | 908 | 781 | 46 | 2770 | 1557 | 1291 | 952 | 55 | 3855 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | x | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Sa | ılem | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 2 | | | 2 | | 6 | | | 6 | | 8 | | | 8 |
| | Drugs | | 3 | | | 3 | 19 | 20 | 2 | | 41 | 19 | 23 | 2 | | 44 |
| | Total | | 5 | | | 5 | 19 | 26 | 2 | | 47 | 19 | 31 | 2 | | 52 |
| 18-20 | Alcohol | 2 | 1 | | | 3 | | 12 | | | 12 | 2 | 13 | | | 15 |
| | Drugs | 1 | 13 | | | 14 | 12 | 20 | 3 | | 35 | 13 | 33 | 3 | | 49 |
| | Total | 3 | 14 | | | 17 | 12 | 32 | 3 | | 47 | 15 | 46 | 3 | | 64 |
| 21-24 | Alcohol | 1 | 1 | | | 2 | 5 | 12 | 1 | | 18 | 6 | 13 | 1 | | 20 |
| | Drugs | 2 | 8 | | | 10 | 10 | 27 | 1 | 1 | 39 | 12 | 35 | 1 | 1 | 49 |
| | Total | 3 | 9 | | | 12 | 15 | 39 | 2 | 1 | 57 | 18 | 48 | 2 | 1 | 69 |
| 25-29 | Alcohol | | 7 | | | 7 | 6 | 11 | | | 17 | 6 | 18 | | | 24 |
| | Drugs | 1 | 4 | 1 | 1 | 7 | 8 | 12 | 5 | | 25 | 9 | 16 | 6 | 1 | 32 |
| | Total | 1 | 11 | 1 | 1 | 14 | 14 | 23 | 5 | | 42 | 15 | 34 | 6 | 1 | 56 |
| 30-34 | Alcohol | | 12 | | | 12 | 1 | 23 | | 1 | 25 | 1 | 35 | | 1 | 37 |
| | Drugs | 4 | 10 | | 1 | 15 | 15 | 8 | 5 | | 28 | 19 | 18 | 5 | 1 | 43 |
| | Total | 4 | 22 | | 1 | 27 | 16 | 31 | 5 | 1 | 53 | 20 | 53 | 5 | 2 | 80 |
| 35-39 | Alcohol | 1 | 5 | 1 | | 7 | 5 | 16 | | 1 | 22 | 6 | 21 | 1 | 1 | 29 |
| | Drugs | 7 | 7 | | | 14 | 7 | 6 | 1 | | 14 | 14 | 13 | 1 | | 28 |
| | Total | 8 | 12 | 1 | | 21 | 12 | 22 | 1 | 1 | 36 | 20 | 34 | 2 | 1 | 57 |
| 40-44 | Alcohol | | 5 | | | 5 | 5 | 21 | | 2 | 28 | 5 | 26 | | 2 | 33 |
| | Drugs | 5 | 6 | | | 11 | 3 | 13 | | | 16 | 8 | 19 | | | 27 |
| | Total | 5 | 11 | | | 16 | 8 | 34 | | 2 | 44 | 13 | 45 | | 2 | 60 |
| 45-49 | Alcohol | | 5 | | | 5 | 3 | 10 | 1 | | 14 | 3 | 15 | 1 | | 19 |
| | Drugs | | | | | | 3 | 5 | 1 | | 9 | 3 | 5 | 1 | | 9 |
| | Total | | 5 | | | 5 | 6 | 15 | 2 | | 23 | 6 | 20 | 2 | | 28 |
| 50-54 | Alcohol | | | | | | 3 | 7 | | | 10 | 3 | 7 | | | 10 |
| | Drugs | | | | | | 2 | | | | 2 | 2 | | | | 2 |
| | Total | | | | | | 5 | 7 | | | 12 | 5 | 7 | | | 12 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Sa | alem | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | | | | | 1 | 2 | | | 3 | 1 | 2 | | | 3 |
| | Drugs | | 1 | | | 1 | | | | | | | 1 | | | 1 |
| | Total | | 1 | | | 1 | 1 | 2 | | | 3 | 1 | 3 | | | 4 |
| 60-64 | Alcohol | | | | | | | 2 | | | 2 | | 2 | | | 2 |
| | Drugs | | 1 | | | 1 | | | | | | | 1 | | | 1 |
| | Total | | 1 | | | 1 | | 2 | | | 2 | | 3 | | | 3 |
| 65 + | Alcohol | | | | | | 1 | | | | 1 | 1 | | | | 1 |
| | Total | | | | | | 1 | | | | 1 | 1 | | | | 1 |
| Total | Alcohol | 4 | 38 | 1 | | 43 | 30 | 122 | 2 | 4 | 158 | 34 | 160 | 3 | 4 | 201 |
| | Drugs | 20 | 53 | 1 | 2 | 76 | 79 | 111 | 18 | 1 | 209 | 99 | 164 | 19 | 3 | 285 |
| | Total | 24 | 91 | 2 | 2 | 119 | 109 | 233 | 20 | 5 | 367 | 133 | 324 | 22 | 7 | 486 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Son | nerset | | Ethni | icity | | Total | | Ethni | icity | | Total | | Ethni | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | | | | | | 4 | 1 | | 5 | | 4 | 1 | | 5 |
| | Drugs | | 8 | 3 | | 11 | 5 | 17 | 5 | 2 | 29 | 5 | 25 | 8 | 2 | 40 |
| | Total | | 8 | 3 | | 11 | 5 | 21 | 6 | 2 | 34 | 5 | 29 | 9 | 2 | 45 |
| 18-20 | Alcohol | 1 | 3 | | 1 | 5 | 2 | 11 | 2 | | 15 | 3 | 14 | 2 | 1 | 20 |
| | Drugs | 3 | 23 | 2 | 2 | 30 | 15 | 54 | 4 | 2 | 75 | 18 | 77 | 6 | 4 | 105 |
| | Total | 4 | 26 | 2 | 3 | 35 | 17 | 65 | 6 | 2 | 90 | 21 | 91 | 8 | 5 | 125 |
| 21-24 | Alcohol | 2 | 3 | | | 5 | 7 | 13 | 7 | | 27 | 9 | 16 | 7 | | 32 |
| | Drugs | | 34 | 2 | | 36 | 6 | 54 | 7 | | 67 | 6 | 88 | 9 | | 103 |
| | Total | 2 | 37 | 2 | | 41 | 13 | 67 | 14 | | 94 | 15 | 104 | 16 | | 135 |
| 25-29 | Alcohol | 5 | 6 | | | 11 | 1 | 20 | 8 | | 29 | 6 | 26 | 8 | | 40 |
| | Drugs | 4 | 27 | 3 | 1 | 35 | 14 | 45 | 1 | | 60 | 18 | 72 | 4 | 1 | 95 |
| | Total | 9 | 33 | 3 | 1 | 46 | 15 | 65 | 9 | | 89 | 24 | 98 | 12 | 1 | 135 |
| 30-34 | Alcohol | 1 | 6 | 1 | | 8 | 7 | 33 | 4 | 1 | 45 | 8 | 39 | 5 | 1 | 53 |
| | Drugs | 25 | 25 | 1 | | 51 | 20 | 32 | 6 | | 58 | 45 | 57 | 7 | | 109 |
| | Total | 26 | 31 | 2 | | 59 | 27 | 65 | 10 | 1 | 103 | 53 | 96 | 12 | 1 | 162 |
| 35-39 | Alcohol | 9 | 12 | | | 21 | 3 | 35 | 6 | 2 | 46 | 12 | 47 | 6 | 2 | 67 |
| | Drugs | 18 | 15 | 2 | | 35 | 16 | 36 | 1 | | 53 | 34 | 51 | 3 | | 88 |
| | Total | 27 | 27 | 2 | | 56 | 19 | 71 | 7 | 2 | 99 | 46 | 98 | 9 | 2 | 155 |
| 40-44 | Alcohol | 2 | 22 | | | 24 | 4 | 55 | 1 | | 60 | 6 | 77 | 1 | | 84 |
| | Drugs | 8 | 12 | | 1 | 21 | 16 | 38 | 4 | | 58 | 24 | 50 | 4 | 1 | 79 |
| | Total | 10 | 34 | | 1 | 45 | 20 | 93 | 5 | | 118 | 30 | 127 | 5 | 1 | 163 |
| 45-49 | Alcohol | 2 | 10 | 1 | | 13 | 3 | 39 | 4 | | 46 | 5 | 49 | 5 | | 59 |
| | Drugs | 3 | 5 | 1 | | 9 | 9 | 15 | 2 | | 26 | 12 | 20 | 3 | | 35 |
| | Total | 5 | 15 | 2 | | 22 | 12 | 54 | 6 | | 72 | 17 | 69 | 8 | | 94 |
| 50-54 | Alcohol | | 9 | | | 9 | 3 | 14 | | 3 | 20 | 3 | 23 | | 3 | 29 |
| | Drugs | | 1 | | | 1 | 1 | 7 | | | 8 | 1 | 8 | | | 9 |
| | Total | | 10 | | | 10 | 4 | 21 | | 3 | 28 | 4 | 31 | | 3 | 38 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Female | | | | | Male | | | | | | | |
| Son | nerset | | Ethni | icity | | Total | | Ethn | icity | | Total | | Ethni | icity | | Total |
| | | Black | White | Hisp. | Other | 1000 | Black | White | Hisp. | Other | 10.00 | Black | White | Hisp. | Other | 1000 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 1 | 3 | | | 4 | | 4 | 1 | | 5 | 1 | 7 | 1 | | 9 |
| | Drugs | | 1 | | | 1 | 1 | 1 | | | 2 | 1 | 2 | | | 3 |
| | Total | 1 | 4 | | | 5 | 1 | 5 | 1 | | 7 | 2 | 9 | 1 | | 12 |
| 60-64 | Alcohol | | | | | | 1 | 3 | | | 4 | 1 | 3 | | | 4 |
| | Drugs | | | | | | 2 | | | | 2 | 2 | | | | 2 |
| | Total | | | | | | 3 | 3 | | | 6 | 3 | 3 | | | 6 |
| 65 + | Alcohol | | | | | | | 5 | | | 5 | | 5 | | | 5 |
| | Total | | | | | | | 5 | | | 5 | | 5 | | | 5 |
| Total | Alcohol | 23 | 74 | 2 | 1 | 100 | 31 | 236 | 34 | 6 | 307 | 54 | 310 | 36 | 7 | 407 |
| | Drugs | 61 | 151 | 14 | 4 | 230 | 105 | 299 | 30 | 4 | 438 | 166 | 450 | 44 | 8 | 668 |
| | Total | 84 | 225 | 16 | 5 | 330 | 136 | 535 | 64 | 10 | 745 | 220 | 760 | 80 | 15 | 1075 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ~ | | | | Female | | | | | Male | | | | | | | |
| St | issex | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 1 | 1 | | 3 | | 3 | | | 3 | 1 | 4 | 1 | | 6 |
| | Drugs | 1 | 17 | 1 | | 19 | 3 | 18 | | | 21 | 4 | 35 | 1 | | 40 |
| | Total | 2 | 18 | 2 | | 22 | 3 | 21 | | | 24 | 5 | 39 | 2 | | 46 |
| 18-20 | Alcohol | 1 | 5 | | | 6 | 1 | 9 | | | 10 | 2 | 14 | | | 16 |
| | Drugs | | 25 | | 1 | 26 | 4 | 49 | 1 | | 54 | 4 | 74 | 1 | 1 | 80 |
| | Total | 1 | 30 | | 1 | 32 | 5 | 58 | 1 | | 64 | 6 | 88 | 1 | 1 | 96 |
| 21-24 | Alcohol | 1 | 4 | | | 5 | | 20 | | 1 | 21 | 1 | 24 | | 1 | 26 |
| | Drugs | 2 | 31 | 2 | | 35 | 2 | 51 | 1 | 2 | 56 | 4 | 82 | 3 | 2 | 91 |
| | Total | 3 | 35 | 2 | | 40 | 2 | 71 | 1 | 3 | 77 | 5 | 106 | 3 | 3 | 117 |
| 25-29 | Alcohol | | 4 | | | 4 | 1 | 20 | 1 | 1 | 23 | 1 | 24 | 1 | 1 | 27 |
| | Drugs | | 16 | 1 | 1 | 18 | 2 | 46 | 3 | | 51 | 2 | 62 | 4 | 1 | 69 |
| | Total | | 20 | 1 | 1 | 22 | 3 | 66 | 4 | 1 | 74 | 3 | 86 | 5 | 2 | 96 |
| 30-34 | Alcohol | 1 | 7 | | 1 | 9 | | 21 | 1 | 1 | 23 | 1 | 28 | 1 | 2 | 32 |
| | Drugs | 2 | 21 | 2 | | 25 | 1 | 21 | 1 | | 23 | 3 | 42 | 3 | | 48 |
| | Total | 3 | 28 | 2 | 1 | 34 | 1 | 42 | 2 | 1 | 46 | 4 | 70 | 4 | 2 | 80 |
| 35-39 | Alcohol | 1 | 15 | | 1 | 17 | 3 | 37 | | | 40 | 4 | 52 | | 1 | 57 |
| | Drugs | 6 | 11 | | 1 | 18 | 2 | 21 | 1 | 1 | 25 | 8 | 32 | 1 | 2 | 43 |
| | Total | 7 | 26 | | 2 | 35 | 5 | 58 | 1 | 1 | 65 | 12 | 84 | 1 | 3 | 100 |
| 40-44 | Alcohol | | 18 | | 1 | 19 | | 48 | 1 | | 49 | | 66 | 1 | 1 | 68 |
| | Drugs | 2 | 7 | | | 9 | 1 | 24 | 1 | | 26 | 3 | 31 | 1 | | 35 |
| | Total | 2 | 25 | | 1 | 28 | 1 | 72 | 2 | | 75 | 3 | 97 | 2 | 1 | 103 |
| 45-49 | Alcohol | | 13 | | | 13 | | 35 | | | 35 | | 48 | | | 48 |
| | Drugs | | 3 | | | 3 | 1 | 8 | | | 9 | 1 | 11 | | | 12 |
| | Total | | 16 | | | 16 | 1 | 43 | | | 44 | 1 | 59 | | | 60 |
| 50-54 | Alcohol | | 7 | | | 7 | | 26 | 1 | | 27 | | 33 | 1 | | 34 |
| | Drugs | | 1 | | | 1 | 1 | 2 | | | 3 | 1 | 3 | | | 4 |
| | Total | | 8 | | | 8 | 1 | 28 | 1 | | 30 | 1 | 36 | 1 | | 38 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| Su | ıssex | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethni | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 8 | | | 8 | | 15 | | | 15 | | 23 | | | 23 |
| | Drugs | | | | | | | 3 | | | 3 | | 3 | | | 3 |
| | Total | | 8 | | | 8 | | 18 | | | 18 | | 26 | | | 26 |
| 60-64 | Alcohol | | 2 | | 1 | 3 | | 3 | | | 3 | | 5 | | 1 | 6 |
| | Drugs | | 1 | | | 1 | | | | | | | 1 | | | 1 |
| | Total | | 3 | | 1 | 4 | | 3 | | | 3 | | 6 | | 1 | 7 |
| Total | Alcohol | 5 | 84 | 1 | 4 | 94 | 5 | 237 | 4 | 3 | 249 | 10 | 321 | 5 | 7 | 343 |
| | Drugs | 13 | 133 | 6 | 3 | 155 | 17 | 243 | 8 | 3 | 271 | 30 | 376 | 14 | 6 | 426 |
| | Total | 18 | 217 | 7 | 7 | 249 | 22 | 480 | 12 | 6 | 520 | 40 | 697 | 19 | 13 | 769 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | _ | |] | Female | | | | | Male | | | | | | | |
| U | nion | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Tota |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | 1 | 1 | 3 | 1 | 6 | 3 | 3 | 4 | | 10 | 4 | 4 | 7 | 1 | 16 |
| | Drugs | 4 | 3 | 4 | | 11 | 38 | 15 | 18 | | 71 | 42 | 18 | 22 | | 82 |
| | Total | 5 | 4 | 7 | 1 | 17 | 41 | 18 | 22 | | 81 | 46 | 22 | 29 | 1 | 98 |
| 18-20 | Alcohol | 1 | 3 | 1 | | 5 | 6 | 7 | 2 | | 15 | 7 | 10 | 3 | | 20 |
| | Drugs | 11 | 34 | 2 | 1 | 48 | 31 | 23 | 17 | 5 | 76 | 42 | 57 | 19 | 6 | 124 |
| | Total | 12 | 37 | 3 | 1 | 53 | 37 | 30 | 19 | 5 | 91 | 49 | 67 | 22 | 6 | 144 |
| 21-24 | Alcohol | 5 | 1 | 1 | | 7 | 26 | 19 | 15 | 1 | 61 | 31 | 20 | 16 | 1 | 68 |
| | Drugs | 13 | 42 | 12 | 1 | 68 | 48 | 73 | 36 | 3 | 160 | 61 | 115 | 48 | 4 | 228 |
| | Total | 18 | 43 | 13 | 1 | 75 | 74 | 92 | 51 | 4 | 221 | 92 | 135 | 64 | 5 | 296 |
| 25-29 | Alcohol | 4 | 8 | 3 | | 15 | 11 | 16 | 11 | 1 | 39 | 15 | 24 | 14 | 1 | 54 |
| | Drugs | 53 | 44 | 22 | 2 | 121 | 89 | 86 | 91 | 11 | 277 | 142 | 130 | 113 | 13 | 398 |
| | Total | 57 | 52 | 25 | 2 | 136 | 100 | 102 | 102 | 12 | 316 | 157 | 154 | 127 | 14 | 452 |
| 30-34 | Alcohol | 17 | 17 | 8 | | 42 | 22 | 30 | 10 | 2 | 64 | 39 | 47 | 18 | 2 | 106 |
| | Drugs | 154 | 50 | 35 | 6 | 245 | 182 | 139 | 105 | 9 | 435 | 336 | 189 | 140 | 15 | 680 |
| | Total | 171 | 67 | 43 | 6 | 287 | 204 | 169 | 115 | 11 | 499 | 375 | 236 | 158 | 17 | 786 |
| 35-39 | Alcohol | 16 | 23 | 5 | | 44 | 26 | 48 | 24 | 2 | 100 | 42 | 71 | 29 | 2 | 144 |
| | Drugs | 180 | 51 | 21 | 6 | 258 | 211 | 128 | 87 | 6 | 432 | 391 | 179 | 108 | 12 | 690 |
| | Total | 196 | 74 | 26 | 6 | 302 | 237 | 176 | 111 | 8 | 532 | 433 | 250 | 137 | 14 | 834 |
| 40-44 | Alcohol | 11 | 10 | 1 | | 22 | 18 | 54 | 11 | 4 | 87 | 29 | 64 | 12 | 4 | 109 |
| | Drugs | 120 | 41 | 15 | 3 | 179 | 179 | 66 | 40 | 5 | 290 | 299 | 107 | 55 | 8 | 469 |
| | Total | 131 | 51 | 16 | 3 | 201 | 197 | 120 | 51 | 9 | 377 | 328 | 171 | 67 | 12 | 578 |
| 45-49 | Alcohol | 7 | 10 | 2 | | 19 | 10 | 45 | 17 | 1 | 73 | 17 | 55 | 19 | 1 | 92 |
| | Drugs | 48 | 23 | 9 | 1 | 81 | 89 | 58 | 27 | 1 | 175 | 137 | 81 | 36 | 2 | 256 |
| | Total | 55 | 33 | 11 | 1 | 100 | 99 | 103 | 44 | 2 | 248 | 154 | 136 | 55 | 3 | 348 |
| 50-54 | Alcohol | 2 | 5 | 1 | | 8 | 19 | 19 | 5 | 1 | 44 | 21 | 24 | 6 | 1 | 52 |
| | Drugs | 24 | 3 | 3 | | 30 | 50 | 21 | 7 | | 78 | 74 | 24 | 10 | | 108 |
| | Total | 26 | 8 | 4 | | 38 | 69 | 40 | 12 | 1 | 122 | 95 | 48 | 16 | 1 | 160 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| U | nion | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | Total | Black | White | Hisp. | Other | 10441 |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | 2 | 2 | | | 4 | 7 | 8 | 4 | | 19 | 9 | 10 | 4 | | 23 |
| | Drugs | 4 | | 1 | | 5 | 18 | 4 | 1 | | 23 | 22 | 4 | 2 | | 28 |
| | Total | 6 | 2 | 1 | | 9 | 25 | 12 | 5 | | 42 | 31 | 14 | 6 | | 51 |
| 60-64 | Alcohol | | | 1 | | 1 | 3 | 8 | 3 | | 14 | 3 | 8 | 4 | | 15 |
| | Drugs | 2 | | | | 2 | 4 | | 2 | | 6 | 6 | | 2 | | 8 |
| | Total | 2 | | 1 | | 3 | 7 | 8 | 5 | | 20 | 9 | 8 | 6 | | 23 |
| 65 + | Alcohol | | | | | | 1 | 1 | 1 | | 3 | 1 | 1 | 1 | | 3 |
| | Drugs | | | | | | 2 | | | | 2 | 2 | | | | 2 |
| | Total | | | | | | 3 | 1 | 1 | | 5 | 3 | 1 | 1 | | 5 |
| Total | Alcohol | 66 | 80 | 26 | 1 | 173 | 152 | 258 | 107 | 12 | 529 | 218 | 338 | 133 | 13 | 702 |
| | Drugs | 613 | 291 | 124 | 20 | 1048 | 941 | 613 | 431 | 40 | 2025 | 1554 | 904 | 555 | 60 | 3073 |
| | Total | 679 | 371 | 150 | 21 | 1221 | 1093 | 871 | 538 | 52 | 2554 | 1772 | 1242 | 688 | 73 | 3775 |

Table 29.

Clients by Age, Sex, Ethnicity, Primary Drug and County of Residence,
2001 NJ Resident Admissions

| | | | | | | Se | ex | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Female | | | | | Male | | | | | | | |
| Wa | arren | | Ethni | city | | Total | | Ethn | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 00-17 | Alcohol | | 8 | | | 8 | | 9 | 1 | | 10 | | 17 | 1 | | 18 |
| | Drugs | 1 | 22 | 1 | 1 | 25 | 7 | 44 | | 1 | 52 | 8 | 66 | 1 | 2 | 77 |
| | Total | 1 | 30 | 1 | 1 | 33 | 7 | 53 | 1 | 1 | 62 | 8 | 83 | 2 | 2 | 95 |
| 18-20 | Alcohol | | 9 | | | 9 | 2 | 16 | | | 18 | 2 | 25 | | | 27 |
| | Drugs | 1 | 24 | | | 25 | 2 | 43 | 3 | | 48 | 3 | 67 | 3 | | 73 |
| | Total | 1 | 33 | | | 34 | 4 | 59 | 3 | | 66 | 5 | 92 | 3 | | 100 |
| 21-24 | Alcohol | | 8 | | | 8 | 1 | 20 | 2 | | 23 | 1 | 28 | 2 | | 31 |
| | Drugs | | 35 | | 1 | 36 | 3 | 56 | 3 | 3 | 65 | 3 | 91 | 3 | 4 | 101 |
| | Total | | 43 | | 1 | 44 | 4 | 76 | 5 | 3 | 88 | 4 | 119 | 5 | 4 | 132 |
| 25-29 | Alcohol | | 6 | 1 | 1 | 8 | 3 | 29 | | | 32 | 3 | 35 | 1 | 1 | 40 |
| | Drugs | | 24 | 1 | | 25 | 1 | 51 | 1 | 1 | 54 | 1 | 75 | 2 | 1 | 79 |
| | Total | | 30 | 2 | 1 | 33 | 4 | 80 | 1 | 1 | 86 | 4 | 110 | 3 | 2 | 119 |
| 30-34 | Alcohol | | 6 | | 1 | 7 | 2 | 29 | 1 | 1 | 33 | 2 | 35 | 1 | 2 | 40 |
| | Drugs | 3 | 27 | | | 30 | 1 | 47 | 3 | | 51 | 4 | 74 | 3 | | 81 |
| | Total | 3 | 33 | | 1 | 37 | 3 | 76 | 4 | 1 | 84 | 6 | 109 | 4 | 2 | 121 |
| 35-39 | Alcohol | 2 | 19 | | | 21 | 2 | 48 | 2 | 1 | 53 | 4 | 67 | 2 | 1 | 74 |
| | Drugs | 1 | 18 | | | 19 | 3 | 30 | 1 | 1 | 35 | 4 | 48 | 1 | 1 | 54 |
| | Total | 3 | 37 | | | 40 | 5 | 78 | 3 | 2 | 88 | 8 | 115 | 3 | 2 | 128 |
| 40-44 | Alcohol | | 23 | 2 | 1 | 26 | | 38 | 1 | | 39 | | 61 | 3 | 1 | 65 |
| | Drugs | | 13 | | 1 | 14 | 6 | 14 | | | 20 | 6 | 27 | | 1 | 34 |
| | Total | | 36 | 2 | 2 | 40 | 6 | 52 | 1 | | 59 | 6 | 88 | 3 | 2 | 99 |
| 45-49 | Alcohol | | 7 | | | 7 | 1 | 23 | | | 24 | 1 | 30 | | | 31 |
| | Drugs | 1 | 6 | 1 | | 8 | | 4 | 1 | | 5 | 1 | 10 | 2 | | 13 |
| | Total | 1 | 13 | 1 | | 15 | 1 | 27 | 1 | | 29 | 2 | 40 | 2 | | 44 |
| 50-54 | Alcohol | | 6 | | | 6 | | 19 | | | 19 | | 25 | | | 25 |
| | Drugs | | 5 | | | 5 | | 4 | | | 4 | | 9 | | | 9 |
| | Total | | 11 | | | 11 | | 23 | | | 23 | | 34 | | | 34 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | | | | | Se | × | | | | | | | Total | | |
|-------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | |] | Female | | | | | Male | | | | | | | |
| W | arren | | Ethni | city | | Total | | Ethni | icity | | Total | | Ethn | icity | | Total |
| | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | | Black | White | Hisp. | Other | |
| | | N | N | N | N | N | N | N | N | N | N | N | N | N | N | N |
| 55-59 | Alcohol | | 3 | | | 3 | | 11 | | | 11 | | 14 | | | 14 |
| | Drugs | | | | | | 1 | 3 | | | 4 | 1 | 3 | | | 4 |
| | Total | | 3 | | | 3 | 1 | 14 | | | 15 | 1 | 17 | | | 18 |
| 60-64 | Alcohol | | 1 | | | 1 | | 3 | | | 3 | | 4 | | | 4 |
| | Total | | 1 | | | 1 | | 3 | | | 3 | | 4 | | | 4 |
| 65 + | Alcohol | | | | | | | 1 | | | 1 | | 1 | | | 1 |
| | Total | | | | | | | 1 | | | 1 | | 1 | | | 1 |
| Total | Alcohol | 2 | 96 | 3 | 3 | 104 | 11 | 246 | 7 | 2 | 266 | 13 | 342 | 10 | 5 | 370 |
| | Drugs | 7 | 174 | 3 | 3 | 187 | 24 | 296 | 12 | 6 | 338 | 31 | 470 | 15 | 9 | 525 |
| | Total | 9 | 270 | 6 | 6 | 291 | 35 | 542 | 19 | 8 | 604 | 44 | 812 | 25 | 14 | 895 |

Table 30.

Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|--------------------|-----|----------|-------|------|----------|-------|------|----------|-------|
| Atlantic | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Absecon City | 54 | 1 | 55 | 75 | 2 | 77 | 129 | 3 | 132 |
| Atlantic City | 196 | 4 | 200 | 552 | 54 | 606 | 748 | 58 | 806 |
| Brigantine City | 38 | 1 | 39 | 48 | 3 | 51 | 86 | 4 | 90 |
| Buena Boro | 12 | | 12 | 15 | 2 | 17 | 27 | 2 | 29 |
| Buena Vista Twp | 10 | | 10 | 11 | 2 | 13 | 21 | 2 | 23 |
| Egg Harbor City | 20 | 1 | 21 | 56 | 2 | 58 | 76 | 3 | 79 |
| Egg Harbor Twp | 74 | | 74 | 103 | 10 | 113 | 177 | 10 | 187 |
| Estelle Manor City | 4 | | 4 | 7 | | 7 | 11 | | 11 |
| Folsom Boro | 5 | | 5 | 9 | | 9 | 14 | | 14 |
| Galloway Twp | 26 | | 26 | 37 | 2 | 39 | 63 | 2 | 65 |
| Hamilton Twp | 70 | | 70 | 56 | 5 | 61 | 126 | 5 | 131 |
| Hammonton Town | 52 | | 52 | 78 | 4 | 82 | 130 | 4 | 134 |
| Linwood City | 12 | | 12 | 13 | 4 | 17 | 25 | 4 | 29 |
| Longport Boro | 21 | | 21 | 2 | | 2 | 23 | | 23 |
| Margate City | 15 | | 15 | 15 | 1 | 16 | 30 | 1 | 31 |
| Mullica Twp | 3 | | 3 | 8 | | 8 | 11 | | 11 |
| Northfield City | 7 | | 7 | 22 | 2 | 24 | 29 | 2 | 31 |
| Pleasantville City | 49 | 2 | 51 | 158 | 13 | 171 | 207 | 15 | 222 |
| Port Republic City | 3 | | 3 | 10 | 1 | 11 | 13 | 1 | 14 |
| Somers Point City | 27 | 2 | 29 | 34 | 3 | 37 | 61 | 5 | 66 |
| Ventnor City | 47 | | 47 | 43 | 4 | 47 | 90 | 4 | 94 |
| Weymouth Twp | 1 | | 1 | 3 | | 3 | 4 | | 4 |
| Not Stated | | | | 9 | | 9 | 9 | | 9 |
| County Total | 746 | 11 | 757 | 1364 | 114 | 1478 | 2110 | 125 | 2235 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|------------------------|-----|----------|-------|-----|----------|-------|-------|----------|-------|--|
| Bergen | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Allendale Boro | 6 | | 6 | 9 | | 9 | 15 | | 15 | |
| Bergenfield Boro | 30 | | 30 | 62 | 1 | 63 | 92 | 1 | 93 | |
| Bogota Boro | 16 | 1 | 17 | 15 | 1 | 16 | 31 | 2 | 33 | |
| Carlstadt Boro | 12 | | 12 | 40 | | 40 | 52 | | 52 | |
| Cliffside Park Boro | 26 | | 26 | 36 | | 36 | 62 | | 62 | |
| Closter Boro | 8 | | 8 | 3 | | 3 | 11 | | 11 | |
| Cresskill Boro | 13 | | 13 | 6 | | 6 | 19 | | 19 | |
| Demarest Boro | 1 | | 1 | 11 | | 11 | 12 | | 12 | |
| Dumont Boro | 23 | | 23 | 15 | | 15 | 38 | | 38 | |
| East Rutherford Boro | 15 | | 15 | 46 | 2 | 48 | 61 | 2 | 63 | |
| Edgewater Boro | 8 | | 8 | 8 | 1 | 9 | 16 | 1 | 17 | |
| Elmwood Park Boro | 39 | | 39 | 54 | | 54 | 93 | | 93 | |
| Emerson Boro | 12 | | 12 | 12 | | 12 | 24 | | 24 | |
| Englewood City | 71 | 1 | 72 | 102 | 3 | 105 | 173 | 4 | 177 | |
| Englewood Cliffs Boro | 2 | | 2 | 5 | | 5 | 7 | | 7 | |
| Fair Lawn Boro | 36 | 2 | 38 | 54 | 3 | 57 | 90 | 5 | 95 | |
| Fairview Boro | 14 | | 14 | 25 | 1 | 26 | 39 | 1 | 40 | |
| Fort Lee Boro | 27 | | 27 | 32 | 6 | 38 | 59 | 6 | 65 | |
| Franklin Lakes Boro | 6 | | 6 | 7 | | 7 | 13 | | 13 | |
| Garfield City | 75 | 2 | 77 | 115 | 1 | 116 | 190 | 3 | 193 | |
| Glen Rock Boro | 12 | 1 | 13 | 10 | | 10 | 22 | 1 | 23 | |
| Hackensack City | 158 | 1 | 159 | 199 | 3 | 202 | 357 | 4 | 361 | |
| Harrington Park Boro | 1 | | 1 | 6 | 1 | 7 | 7 | 1 | 8 | |
| Hasbrouck Heights Boro | 25 | | 25 | 34 | | 34 | 59 | | 59 | |
| Haworth Boro | 3 | | 3 | 4 | | 4 | 7 | | 7 | |
| Hillsdale Boro | 13 | | 13 | 13 | | 13 | 26 | | 26 | |
| Hohokus Boro | 1 | 1 | 2 | 6 | | 6 | 7 | 1 | 8 | |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | Alcohol | | | Drugs | | | Total | |
|----------------------|-----|----------|-------|-----|----------|-------|-----|----------|-------|
| Bergen | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Leonia Boro | 4 | | 4 | 7 | | 7 | 11 | | 11 |
| Little Ferry Boro | 28 | | 28 | 24 | 1 | 25 | 52 | 1 | 53 |
| Lodi Boro | 52 | | 52 | 124 | 4 | 128 | 176 | 4 | 180 |
| Lyndhurst Twp | 38 | | 38 | 67 | 1 | 68 | 105 | 1 | 106 |
| Mahwah Twp | 30 | | 30 | 30 | 5 | 35 | 60 | 5 | 65 |
| Maywood Boro | 14 | | 14 | 9 | | 9 | 23 | | 23 |
| Midland Park Boro | 11 | | 11 | 10 | | 10 | 21 | | 21 |
| Montvale Boro | 7 | | 7 | 8 | | 8 | 15 | | 15 |
| Moonachie Boro | 14 | | 14 | 14 | 1 | 15 | 28 | 1 | 29 |
| New Milford Boro | 26 | | 26 | 28 | 1 | 29 | 54 | 1 | 55 |
| North Arlington Boro | 30 | | 30 | 28 | 1 | 29 | 58 | 1 | 59 |
| Northvale Boro | 11 | | 11 | 3 | 1 | 4 | 14 | 1 | 15 |
| Norwood Boro | 2 | | 2 | 8 | 1 | 9 | 10 | 1 | 11 |
| Oakland Boro | 17 | 1 | 18 | 17 | | 17 | 34 | 1 | 35 |
| Old Tappan Boro | 1 | | 1 | 3 | | 3 | 4 | | 4 |
| Oradell Boro | 4 | | 4 | 10 | | 10 | 14 | | 14 |
| Palisades Park Boro | 14 | | 14 | 12 | | 12 | 26 | | 26 |
| Paramus Boro | 42 | | 42 | 28 | 1 | 29 | 70 | 1 | 71 |
| Park Ridge Boro | 22 | | 22 | 16 | 1 | 17 | 38 | 1 | 39 |
| Ramsey Boro | 39 | 2 | 41 | 15 | | 15 | 54 | 2 | 56 |
| Ridgefield Boro | 19 | | 19 | 17 | 1 | 18 | 36 | 1 | 37 |
| Ridgefield Park Twp | 36 | | 36 | 33 | | 33 | 69 | | 69 |
| Ridgewood Township | 23 | 1 | 24 | 21 | 1 | 22 | 44 | 2 | 46 |
| River Edge Boro | 15 | | 15 | 19 | | 19 | 34 | | 34 |
| River Vale Twp | 7 | | 7 | 2 | | 2 | 9 | | 9 |
| Rochelle Park Twp | 2 | | 2 | 15 | | 15 | 17 | | 17 |
| Rutherford Boro | 20 | | 20 | 68 | 3 | 71 | 88 | 3 | 91 |
| Saddle Brook Twp | 25 | | 25 | 38 | 1 | 39 | 63 | 1 | 64 |
| Saddle River Boro | 3 | 1 | 4 | 10 | 2 | 12 | 13 | 3 | 16 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | Alcohol | | | Drugs | | Total | | | |
|-------------------------|------|----------|-------|------|----------|-------|-------|----------|-------|--|
| Bergen | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| South Hackensack Twp | 8 | | 8 | 5 | | 5 | 13 | | 13 | |
| Teaneck Twp | 63 | 2 | 65 | 74 | 1 | 75 | 137 | 3 | 140 | |
| Tenafly Boro | 8 | | 8 | 8 | | 8 | 16 | | 16 | |
| Teterboro Boro | 2 | | 2 | 3 | | 3 | 5 | | 5 | |
| Upper Saddle River Boro | 1 | | 1 | 4 | | 4 | 5 | | 5 | |
| Waldwick Boro | 20 | | 20 | 9 | 2 | 11 | 29 | 2 | 31 | |
| Wallington Boro | 26 | | 26 | 30 | 1 | 31 | 56 | 1 | 57 | |
| Washington Twp | 4 | | 4 | 4 | | 4 | 8 | | 8 | |
| Westwood Boro | 24 | | 24 | 7 | | 7 | 31 | | 31 | |
| Wood-Ridge Boro | 17 | | 17 | 23 | 1 | 24 | 40 | 1 | 41 | |
| Woodcliff Lake Boro | 7 | | 7 | 4 | | 4 | 11 | | 11 | |
| Wyckoff Twp | 9 | 1 | 10 | 8 | 1 | 9 | 17 | 2 | 19 | |
| County Total | 1398 | 17 | 1415 | 1792 | 55 | 1847 | 3190 | 72 | 3262 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|--------------------|-----|----------|-------|-----|----------|-------|-----|----------|-------|
| Burlington | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Bass River Twp | 2 | | 2 | 8 | | 8 | 10 | | 10 |
| Beverly City | 11 | | 11 | 15 | 1 | 16 | 26 | 1 | 27 |
| Bordentown City | 13 | 1 | 14 | 22 | 3 | 25 | 35 | 4 | 39 |
| Bordentown Twp | 11 | | 11 | 20 | | 20 | 31 | | 31 |
| Burlington City | 52 | 4 | 56 | 66 | 8 | 74 | 118 | 12 | 130 |
| Burlington Twp | 7 | 1 | 8 | 14 | 2 | 16 | 21 | 3 | 24 |
| Chesterfield Twp | | | | 1 | | 1 | 1 | | 1 |
| Cinnaminson Twp | 23 | 2 | 25 | 33 | 3 | 36 | 56 | 5 | 61 |
| Delanco Twp | 9 | 1 | 10 | 8 | 1 | 9 | 17 | 2 | 19 |
| Delran Twp | 30 | 3 | 33 | 31 | 3 | 34 | 61 | 6 | 67 |
| Eastampton Twp | 6 | | 6 | 8 | 2 | 10 | 14 | 2 | 16 |
| Edgewater Park Twp | 25 | | 25 | 13 | 1 | 14 | 38 | 1 | 39 |
| Evesham Twp | 45 | 3 | 48 | 45 | 3 | 48 | 90 | 6 | 96 |
| Fieldsboro Boro | | | | 4 | | 4 | 4 | | 4 |
| Florence Twp | 14 | | 14 | 23 | 3 | 26 | 37 | 3 | 40 |
| Hainesport Twp | 2 | | 2 | 2 | 1 | 3 | 4 | 1 | 5 |
| Lumberton Twp | 12 | 3 | 15 | 8 | 3 | 11 | 20 | 6 | 26 |
| Mansfield Twp | 1 | | 1 | 3 | | 3 | 4 | | 4 |
| Maple Shade Twp | 46 | | 46 | 58 | 4 | 62 | 104 | 4 | 108 |
| Medford Lakes Boro | 3 | | 3 | 8 | | 8 | 11 | | 11 |
| Medford Twp | 22 | 1 | 23 | 23 | 5 | 28 | 45 | 6 | 51 |
| Moorestown Twp | 20 | 1 | 21 | 25 | 2 | 27 | 45 | 3 | 48 |
| Mount Holly Twp | 60 | 7 | 67 | 91 | 6 | 97 | 151 | 13 | 164 |
| Mount Laurel Twp | 66 | 2 | 68 | 77 | 2 | 79 | 143 | 4 | 147 |
| New Hanover Twp | 2 | | 2 | 3 | 1 | 4 | 5 | 1 | 6 |
| North Hanover Twp | | | | 2 | 1 | 3 | 2 | 1 | 3 |
| Palmyra Boro | 27 | 1 | 28 | 23 | 1 | 24 | 50 | 2 | 52 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | Alcohol | | | Drugs | | | Total | |
|------------------|-----|----------|-------|-----|----------|-------|------|----------|-------|
| Burlington | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Pemberton Boro | 11 | 1 | 12 | 16 | 3 | 19 | 27 | 4 | 31 |
| Pemberton Twp | 35 | 2 | 37 | 44 | 2 | 46 | 79 | 4 | 83 |
| Riverside Twp | 41 | 1 | 42 | 29 | | 29 | 70 | 1 | 71 |
| Riverton Boro | 7 | | 7 | 8 | | 8 | 15 | | 15 |
| Shamong Twp | 7 | | 7 | 12 | | 12 | 19 | | 19 |
| Southampton Twp | 14 | | 14 | 21 | | 21 | 35 | | 35 |
| Springfield Twp | 1 | | 1 | 4 | | 4 | 5 | | 5 |
| Tabernacle Twp | 7 | 1 | 8 | 14 | 4 | 18 | 21 | 5 | 26 |
| Washington Twp | 3 | | 3 | 4 | | 4 | 7 | | 7 |
| Westampton Twp | 5 | 2 | 7 | 7 | 2 | 9 | 12 | 4 | 16 |
| Willingboro Twp | 55 | 2 | 57 | 90 | 7 | 97 | 145 | 9 | 154 |
| Woodland Twp | 2 | | 2 | 3 | | 3 | 5 | | 5 |
| Wrightstown Boro | 8 | | 8 | 16 | 1 | 17 | 24 | 1 | 25 |
| Not Stated | 4 | | 4 | 8 | | 8 | 12 | | 12 |
| County Total | 709 | 39 | 748 | 910 | 75 | 985 | 1619 | 114 | 1733 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|---------------------|-----|----------|-------|------|----------|-------|-------|----------|-------|--|
| Camden | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Audubon Boro | 12 | | 12 | 30 | 4 | 34 | 42 | 4 | 46 | |
| Audubon Park Boro | 7 | | 7 | 4 | 1 | 5 | 11 | 1 | 12 | |
| Barrington Boro | 13 | 1 | 14 | 15 | | 15 | 28 | 1 | 29 | |
| Bellmawr Boro | 42 | | 42 | 69 | 5 | 74 | 111 | 5 | 116 | |
| Berlin Boro | 25 | 1 | 26 | 34 | 3 | 37 | 59 | 4 | 63 | |
| Berlin Twp | 16 | | 16 | 26 | 1 | 27 | 42 | 1 | 43 | |
| Brooklawn Boro | 3 | | 3 | 25 | | 25 | 28 | | 28 | |
| Camden City | 393 | 6 | 399 | 1453 | 59 | 1512 | 1846 | 65 | 1911 | |
| Cherry Hill Twp | 96 | 1 | 97 | 128 | 10 | 138 | 224 | 11 | 235 | |
| Chesilhurst Boro | 1 | | 1 | 3 | | 3 | 4 | | 4 | |
| Clementon Boro | 40 | 2 | 42 | 55 | 2 | 57 | 95 | 4 | 99 | |
| Collingswood Boro | 35 | | 35 | 54 | 2 | 56 | 89 | 2 | 91 | |
| Gibbsboro Boro | 10 | | 10 | 7 | 1 | 8 | 17 | 1 | 18 | |
| Gloucester City | 42 | 3 | 45 | 103 | 4 | 107 | 145 | 7 | 152 | |
| Gloucester Twp | 91 | 3 | 94 | 141 | 15 | 156 | 232 | 18 | 250 | |
| Haddon Heights Boro | 10 | | 10 | 20 | 1 | 21 | 30 | 1 | 31 | |
| Haddon Twp | 12 | 1 | 13 | 15 | 1 | 16 | 27 | 2 | 29 | |
| Haddonfield Boro | 12 | | 12 | 15 | 2 | 17 | 27 | 2 | 29 | |
| Hi-Nella Boro | 1 | | 1 | 6 | | 6 | 7 | | 7 | |
| Laurel Springs Boro | 15 | | 15 | 15 | 1 | 16 | 30 | 1 | 31 | |
| Lawnside Boro | 4 | | 4 | 12 | | 12 | 16 | | 16 | |
| Lindenwold Boro | 46 | | 46 | 70 | 4 | 74 | 116 | 4 | 120 | |
| Magnolia Boro | 11 | | 11 | 28 | 1 | 29 | 39 | 1 | 40 | |
| Merchantville Boro | 19 | | 19 | 31 | | 31 | 50 | | 50 | |
| Mount Ephraim Boro | 10 | | 10 | 22 | | 22 | 32 | | 32 | |
| Oaklyn Boro | 15 | 1 | 16 | 26 | 2 | 28 | 41 | 3 | 44 | |
| Pennsauken Twp | 58 | | 58 | 129 | 8 | 137 | 187 | 8 | 195 | |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | Alcohol | | | Drugs | | Total | | | |
|------------------|------|----------|-------|------|----------|-------|-------|----------|-------|--|
| Camden | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Pine Hill Boro | 29 | | 29 | 44 | 3 | 47 | 73 | 3 | 76 | |
| Pine Valley Boro | 2 | | 2 | 4 | | 4 | 6 | | 6 | |
| Runnemede Boro | 25 | | 25 | 40 | 1 | 41 | 65 | 1 | 66 | |
| Somerdale Boro | 25 | | 25 | 29 | | 29 | 54 | | 54 | |
| Stratford Boro | 13 | | 13 | 26 | | 26 | 39 | | 39 | |
| Tavistock Boro | | | | 1 | | 1 | 1 | | 1 | |
| Voorhees Twp | 39 | 1 | 40 | 48 | 1 | 49 | 87 | 2 | 89 | |
| Waterford Twp | 26 | 2 | 28 | 34 | | 34 | 60 | 2 | 62 | |
| Winslow Twp | 60 | 1 | 61 | 119 | 14 | 133 | 179 | 15 | 194 | |
| Wood-Lynne Boro | 3 | | 3 | 8 | 4 | 12 | 11 | 4 | 15 | |
| Not Stated | | | | 3 | 1 | 4 | 3 | 1 | 4 | |
| County Total | 1261 | 23 | 1284 | 2892 | 151 | 3043 | 4153 | 174 | 4327 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|---------------------|-----|----------|-------|-----|----------|-------|-----|----------|-------|
| Cape May | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Avalon Boro | 9 | | 9 | 11 | | 11 | 20 | | 20 |
| Cape May City | 27 | | 27 | 35 | 3 | 38 | 62 | 3 | 65 |
| Cape May Point Boro | 12 | | 12 | 10 | 2 | 12 | 22 | 2 | 24 |
| Dennis Twp | 9 | 3 | 12 | 7 | | 7 | 16 | 3 | 19 |
| Lower Twp | 77 | 26 | 103 | 64 | 19 | 83 | 141 | 45 | 186 |
| Middle Twp | 76 | 10 | 86 | 45 | 10 | 55 | 121 | 20 | 141 |
| North Wildwood City | 23 | 2 | 25 | 34 | | 34 | 57 | 2 | 59 |
| Ocean City | 41 | 9 | 50 | 44 | 10 | 54 | 85 | 19 | 104 |
| Sea Isle City | 9 | 2 | 11 | 9 | | 9 | 18 | 2 | 20 |
| Stone Harbor Boro | 1 | 2 | 3 | 3 | | 3 | 4 | 2 | 6 |
| Upper Twp | 32 | 5 | 37 | 14 | 7 | 21 | 46 | 12 | 58 |
| West Cape May Boro | | | | 6 | | 6 | 6 | | 6 |
| West Wildwood Boro | 4 | | 4 | 2 | | 2 | 6 | | 6 |
| Wildwood City | 73 | 12 | 85 | 79 | 5 | 84 | 152 | 17 | 169 |
| Wildwood Crest Boro | 21 | | 21 | 10 | | 10 | 31 | | 31 |
| Woodbine Boro | 13 | 1 | 14 | 22 | 1 | 23 | 35 | 2 | 37 |
| Not Stated | 2 | | 2 | 2 | | 2 | 4 | | 4 |
| County Total | 429 | 72 | 501 | 397 | 57 | 454 | 826 | 129 | 955 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|---------------------|-----|----------|-------|-----|----------|-------|------|----------|-------|
| Cumberland | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Bridgeton City | 107 | 3 | 110 | 164 | 13 | 177 | 271 | 16 | 287 |
| Commercial Twp | 13 | 2 | 15 | 11 | 4 | 15 | 24 | 6 | 30 |
| Deerfield Twp | 3 | | 3 | 1 | 1 | 2 | 4 | 1 | 5 |
| Downe Twp | 4 | | 4 | 2 | 1 | 3 | 6 | 1 | 7 |
| Fairfield Twp | 3 | 1 | 4 | 5 | | 5 | 8 | 1 | 9 |
| Greenwich Twp | 5 | | 5 | 2 | | 2 | 7 | | 7 |
| Lawrence Twp | 6 | 1 | 7 | 5 | 1 | 6 | 11 | 2 | 13 |
| Maurice River Twp | 6 | 1 | 7 | 9 | | 9 | 15 | 1 | 16 |
| Millville City | 99 | 11 | 110 | 156 | 46 | 202 | 255 | 57 | 312 |
| Shiloh Boro | 1 | | 1 | | | | 1 | | 1 |
| Stow Creek Twp | 1 | | 1 | | 1 | 1 | 1 | 1 | 2 |
| Upper Deerfield Twp | 7 | | 7 | 13 | 1 | 14 | 20 | 1 | 21 |
| Vineland City | 186 | 2 | 188 | 339 | 3 | 342 | 525 | 5 | 530 |
| Not Stated | 1 | | 1 | 3 | | 3 | 4 | | 4 |
| County Total | 442 | 21 | 463 | 710 | 71 | 781 | 1152 | 92 | 1244 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|----------------------|------|----------|-------|------|----------|-------|-------|----------|-------|--|
| Essex | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Belleville Town | 35 | 3 | 38 | 204 | 4 | 208 | 239 | 7 | 246 | |
| Bloomfield Town | 36 | 2 | 38 | 214 | 3 | 217 | 250 | 5 | 255 | |
| Caldwell Boro | 14 | | 14 | 19 | | 19 | 33 | | 33 | |
| Cedar Grove Twp | 19 | | 19 | 67 | | 67 | 86 | | 86 | |
| East Orange City | 95 | | 95 | 987 | 16 | 1003 | 1082 | 16 | 1098 | |
| Essex Fells Boro | 1 | | 1 | 14 | 2 | 16 | 15 | 2 | 17 | |
| Fairfield Boro | 8 | | 8 | 18 | 1 | 19 | 26 | 1 | 27 | |
| Glen Ridge Boro | 7 | | 7 | 14 | 1 | 15 | 21 | 1 | 22 | |
| Irvington Town | 76 | 1 | 77 | 619 | 12 | 631 | 695 | 13 | 708 | |
| Livingston Twp | 34 | | 34 | 54 | 2 | 56 | 88 | 2 | 90 | |
| Maplewood Twp | 24 | | 24 | 51 | | 51 | 75 | | 75 | |
| Millburn Twp | 3 | | 3 | 14 | 1 | 15 | 17 | 1 | 18 | |
| Montclair Town | 34 | 3 | 37 | 95 | 2 | 97 | 129 | 5 | 134 | |
| Newark City | 477 | 9 | 486 | 5068 | 79 | 5147 | 5545 | 88 | 5633 | |
| North Caldwell Boro | 13 | | 13 | 9 | | 9 | 22 | | 22 | |
| Nutley Town | 38 | | 38 | 118 | 1 | 119 | 156 | 1 | 157 | |
| Orange City | 36 | | 36 | 254 | 3 | 257 | 290 | 3 | 293 | |
| Roseland Boro | 3 | | 3 | 3 | | 3 | 6 | | 6 | |
| South Orange Village | 6 | 1 | 7 | 28 | | 28 | 34 | 1 | 35 | |
| Verona Boro | 16 | 1 | 17 | 26 | 1 | 27 | 42 | 2 | 44 | |
| West Caldwell Boro | 10 | | 10 | 13 | | 13 | 23 | | 23 | |
| West Orange Town | 27 | 1 | 28 | 75 | 1 | 76 | 102 | 2 | 104 | |
| Not Stated | 8 | | 8 | 40 | 1 | 41 | 48 | 1 | 49 | |
| County Total | 1020 | 21 | 1041 | 8004 | 130 | 8134 | 9024 | 151 | 9175 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|-----------------------|-----|----------|-------|-----|----------|-------|-------|----------|-------|--|
| Gloucester | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Clayton Boro | 14 | | 14 | 17 | 3 | 20 | 31 | 3 | 34 | |
| Deptford Twp | 43 | 2 | 45 | 67 | 11 | 78 | 110 | 13 | 123 | |
| East Greenwich Twp | 5 | | 5 | 8 | 3 | 11 | 13 | 3 | 16 | |
| Elk Twp | 2 | | 2 | 4 | | 4 | 6 | | 6 | |
| Franklin Twp | 38 | | 38 | 13 | 4 | 17 | 51 | 4 | 55 | |
| Glassboro Boro | 57 | 1 | 58 | 50 | 7 | 57 | 107 | 8 | 115 | |
| Greenwich Twp | 12 | 1 | 13 | 22 | 1 | 23 | 34 | 2 | 36 | |
| Harrison Twp | 15 | | 15 | 13 | | 13 | 28 | | 28 | |
| Logan Twp | 2 | | 2 | 1 | | 1 | 3 | | 3 | |
| Mantua Twp | 49 | 1 | 50 | 100 | 16 | 116 | 149 | 17 | 166 | |
| Monroe Twp | 96 | 4 | 100 | 99 | 7 | 106 | 195 | 11 | 206 | |
| National Park Boro | 14 | | 14 | 26 | 1 | 27 | 40 | 1 | 41 | |
| Newfield Boro | 17 | | 17 | 26 | | 26 | 43 | | 43 | |
| Paulsboro Boro | 20 | | 20 | 55 | 7 | 62 | 75 | 7 | 82 | |
| Pitman Boro | 29 | | 29 | 23 | 1 | 24 | 52 | 1 | 53 | |
| South Harrison Twp | 1 | | 1 | 7 | | 7 | 8 | | 8 | |
| Swedesboro Boro | 16 | 1 | 17 | 11 | 7 | 18 | 27 | 8 | 35 | |
| Washington Twp | 67 | 1 | 68 | 96 | 12 | 108 | 163 | 13 | 176 | |
| Wenonah Boro | 15 | | 15 | 21 | 3 | 24 | 36 | 3 | 39 | |
| West Deptford Twp | 16 | 1 | 17 | 23 | 3 | 26 | 39 | 4 | 43 | |
| Westville Boro | 43 | 1 | 44 | 56 | 6 | 62 | 99 | 7 | 106 | |
| Woodbury City | 40 | 5 | 45 | 60 | 12 | 72 | 100 | 17 | 117 | |
| Woodbury Heights Boro | 9 | | 9 | 11 | 3 | 14 | 20 | 3 | 23 | |
| Woolwich Twp | 1 | | 1 | 2 | | 2 | 3 | | 3 | |
| Not Stated | 2 | | 2 | 4 | | 4 | 6 | | 6 | |
| County Total | 623 | 18 | 641 | 815 | 107 | 922 | 1438 | 125 | 1563 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|--------------------|-----|----------|-------|------|----------|-------|------|----------|-------|
| Hudson | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Bayonne City | 132 | 14 | 146 | 345 | 29 | 374 | 477 | 43 | 520 |
| East Newark Boro | 3 | | 3 | 24 | | 24 | 27 | | 27 |
| Guttenberg Town | 6 | 1 | 7 | 13 | 1 | 14 | 19 | 2 | 21 |
| Harrison Town | 8 | | 8 | 48 | 4 | 52 | 56 | 4 | 60 |
| Hoboken City | 18 | 2 | 20 | 102 | 9 | 111 | 120 | 11 | 131 |
| Jersey City | 533 | 4 | 537 | 2193 | 67 | 2260 | 2726 | 71 | 2797 |
| Kearny Town | 49 | | 49 | 169 | 6 | 175 | 218 | 6 | 224 |
| North Bergen Twp | 71 | | 71 | 171 | 8 | 179 | 242 | 8 | 250 |
| Secaucus Town | 18 | | 18 | 50 | 2 | 52 | 68 | 2 | 70 |
| Union City | 63 | 2 | 65 | 198 | 11 | 209 | 261 | 13 | 274 |
| Weehawken Twp | 25 | 1 | 26 | 34 | 2 | 36 | 59 | 3 | 62 |
| West New York Town | 42 | 1 | 43 | 89 | 11 | 100 | 131 | 12 | 143 |
| Not Stated | 4 | 1 | 5 | 15 | | 15 | 19 | 1 | 20 |
| County Total | 972 | 26 | 998 | 3451 | 150 | 3601 | 4423 | 176 | 4599 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|-------------------|-----|----------|-------|-----|----------|-------|-------|----------|-------|--|
| Hunterdon | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Bethlehem Twp | 1 | | 1 | 1 | | 1 | 2 | | 2 | |
| Bloomsbury Boro | 5 | 1 | 6 | 6 | 3 | 9 | 11 | 4 | 15 | |
| Califon Boro | 11 | 1 | 12 | 10 | 2 | 12 | 21 | 3 | 24 | |
| Clinton Town | 11 | 2 | 13 | 14 | 2 | 16 | 25 | 4 | 29 | |
| Clinton Twp | 16 | 1 | 17 | 22 | 2 | 24 | 38 | 3 | 41 | |
| Delaware Twp | 5 | | 5 | 2 | | 2 | 7 | | 7 | |
| East Amwell Twp | 13 | | 13 | 10 | 1 | 11 | 23 | 1 | 24 | |
| Flemington Boro | 90 | 4 | 94 | 79 | 6 | 85 | 169 | 10 | 179 | |
| Franklin Twp | 11 | | 11 | 8 | 5 | 13 | 19 | 5 | 24 | |
| Frenchtown Boro | 17 | 1 | 18 | 28 | 6 | 34 | 45 | 7 | 52 | |
| Glen Gardner Boro | 21 | 1 | 22 | 18 | 4 | 22 | 39 | 5 | 44 | |
| Hampton Boro | 14 | | 14 | 8 | | 8 | 22 | | 22 | |
| High Bridge Boro | 10 | | 10 | 17 | 4 | 21 | 27 | 4 | 31 | |
| Holland Twp | 4 | | 4 | | 1 | 1 | 4 | 1 | 5 | |
| Kingwood Twp | 2 | 1 | 3 | 3 | 1 | 4 | 5 | 2 | 7 | |
| Lambertville City | 15 | | 15 | 15 | 10 | 25 | 30 | 10 | 40 | |
| Lebanon Boro | 6 | | 6 | 6 | 1 | 7 | 12 | 1 | 13 | |
| Lebanon Twp | 7 | | 7 | 6 | 3 | 9 | 13 | 3 | 16 | |
| Milford Boro | 20 | 4 | 24 | 17 | 13 | 30 | 37 | 17 | 54 | |
| Raritan Twp | 18 | | 18 | 12 | 3 | 15 | 30 | 3 | 33 | |
| Readington Twp | 31 | | 31 | 26 | | 26 | 57 | | 57 | |
| Stockton Boro | 8 | 2 | 10 | 7 | 1 | 8 | 15 | 3 | 18 | |
| Tewksbury Twp | 3 | | 3 | 4 | | 4 | 7 | | 7 | |
| Union Twp | 1 | | 1 | 8 | 1 | 9 | 9 | 1 | 10 | |
| West Amwell Twp | 2 | | 2 | 3 | | 3 | 5 | | 5 | |
| Not Stated | 4 | | 4 | 3 | | 3 | 7 | | 7 | |
| County Total | 346 | 18 | 364 | 333 | 69 | 402 | 679 | 87 | 766 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|------------------|-----|----------|-------|------|----------|-------|------|----------|-------|
| Mercer | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| East Windsor Twp | 12 | | 12 | 18 | 5 | 23 | 30 | 5 | 35 |
| Ewing Twp | 25 | | 25 | 31 | 1 | 32 | 56 | 1 | 57 |
| Hamilton Twp | 64 | 5 | 69 | 86 | 15 | 101 | 150 | 20 | 170 |
| Hightstown Boro | 24 | 4 | 28 | 15 | 6 | 21 | 39 | 10 | 49 |
| Hopewell Boro | 4 | | 4 | 1 | 1 | 2 | 5 | 1 | 6 |
| Hopewell Twp | 5 | | 5 | 4 | 1 | 5 | 9 | 1 | 10 |
| Lawrence Twp | 19 | 1 | 20 | 29 | 10 | 39 | 48 | 11 | 59 |
| Pennington Boro | 5 | 1 | 6 | 8 | 3 | 11 | 13 | 4 | 17 |
| Princeton Boro | 25 | 2 | 27 | 7 | 1 | 8 | 32 | 3 | 35 |
| Princeton Twp | 14 | 1 | 15 | 19 | 2 | 21 | 33 | 3 | 36 |
| Trenton City | 509 | 10 | 519 | 1104 | 92 | 1196 | 1613 | 102 | 1715 |
| Washington Twp | 3 | 1 | 4 | 6 | 3 | 9 | 9 | 4 | 13 |
| West Windsor Twp | 4 | 1 | 5 | 4 | 6 | 10 | 8 | 7 | 15 |
| Not Stated | 7 | 1 | 8 | 8 | 1 | 9 | 15 | 2 | 17 |
| County Total | 720 | 27 | 747 | 1340 | 147 | 1487 | 2060 | 174 | 2234 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|-----------------------|-----|----------|-------|------|----------|-------|-------|----------|-------|--|
| Middlesex | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Carteret Boro | 47 | | 47 | 138 | 5 | 143 | 185 | 5 | 190 | |
| Cranbury Twp | 7 | | 7 | 11 | 3 | 14 | 18 | 3 | 21 | |
| Dunellen Boro | 6 | | 6 | 16 | | 16 | 22 | | 22 | |
| East Brunswick Twp | 40 | 3 | 43 | 89 | 4 | 93 | 129 | 7 | 136 | |
| Edison Twp | 92 | | 92 | 195 | 14 | 209 | 287 | 14 | 301 | |
| Helmetta Boro | 4 | | 4 | 4 | | 4 | 8 | | 8 | |
| Highland Park Boro | 15 | | 15 | 25 | | 25 | 40 | | 40 | |
| Jamesburg Boro | 14 | | 14 | 45 | 1 | 46 | 59 | 1 | 60 | |
| Metuchen Boro | 25 | | 25 | 41 | 4 | 45 | 66 | 4 | 70 | |
| Middlesex Boro | 30 | | 30 | 51 | 9 | 60 | 81 | 9 | 90 | |
| Milltown Boro | 9 | | 9 | 19 | | 19 | 28 | | 28 | |
| Monroe Twp | 32 | 2 | 34 | 55 | 1 | 56 | 87 | 3 | 90 | |
| New Brunswick City | 112 | 3 | 115 | 409 | 15 | 424 | 521 | 18 | 539 | |
| North Brunswick Twp | 37 | 1 | 38 | 101 | 7 | 108 | 138 | 8 | 146 | |
| Old Bridge Twp | 33 | 4 | 37 | 71 | 16 | 87 | 104 | 20 | 124 | |
| Perth Amboy City | 99 | 2 | 101 | 389 | 27 | 416 | 488 | 29 | 517 | |
| Piscataway Twp | 35 | | 35 | 105 | 4 | 109 | 140 | 4 | 144 | |
| Plainsboro Twp | 14 | 1 | 15 | 42 | 1 | 43 | 56 | 2 | 58 | |
| Sayreville Boro | 52 | 1 | 53 | 106 | 5 | 111 | 158 | 6 | 164 | |
| South Amboy City | 20 | | 20 | 77 | 5 | 82 | 97 | 5 | 102 | |
| South Brunswick Twp | 26 | | 26 | 38 | 4 | 42 | 64 | 4 | 68 | |
| South Plainfield Boro | 19 | 1 | 20 | 60 | 4 | 64 | 79 | 5 | 84 | |
| South River Boro | 29 | 1 | 30 | 44 | 3 | 47 | 73 | 4 | 77 | |
| Spotswood Boro | 8 | | 8 | 37 | 3 | 40 | 45 | 3 | 48 | |
| Woodbridge Twp | 111 | 4 | 115 | 280 | 15 | 295 | 391 | 19 | 410 | |
| Not Stated | 5 | | 5 | 7 | | 7 | 12 | | 12 | |
| County Total | 921 | 23 | 944 | 2455 | 150 | 2605 | 3376 | 173 | 3549 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|-------------------------|-----|----------|-------|-----|----------|-------|-----|----------|-------|
| Monmouth | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Aberdeen Twp | 22 | 2 | 24 | 77 | 5 | 82 | 99 | 7 | 106 |
| Allenhurst Boro | 5 | | 5 | 7 | 1 | 8 | 12 | 1 | 13 |
| Allentown Boro | 6 | | 6 | 7 | 1 | 8 | 13 | 1 | 14 |
| Asbury Park City | 132 | 1 | 133 | 474 | 13 | 487 | 606 | 14 | 620 |
| Atlantic Highlands Boro | 31 | | 31 | 64 | 6 | 70 | 95 | 6 | 101 |
| Avon by the Sea Boro | 11 | | 11 | 13 | | 13 | 24 | | 24 |
| Belmar Boro | 36 | 2 | 38 | 55 | 3 | 58 | 91 | 5 | 96 |
| Bradley Beach Boro | 33 | | 33 | 47 | 1 | 48 | 80 | 1 | 81 |
| Brielle Boro | 15 | | 15 | 12 | | 12 | 27 | | 27 |
| Colts Neck Township | 8 | | 8 | 21 | 4 | 25 | 29 | 4 | 33 |
| Deal Boro | 3 | | 3 | 3 | | 3 | 6 | | 6 |
| Eatontown Boro | 21 | 1 | 22 | 54 | 3 | 57 | 75 | 4 | 79 |
| Englishtown Boro | 17 | | 17 | 20 | 1 | 21 | 37 | 1 | 38 |
| Fair Haven Boro | 11 | | 11 | 10 | 2 | 12 | 21 | 2 | 23 |
| Farmingdale Boro | 16 | | 16 | 19 | 3 | 22 | 35 | 3 | 38 |
| Freehold Boro | 43 | | 43 | 74 | 11 | 85 | 117 | 11 | 128 |
| Freehold Twp | 42 | 1 | 43 | 64 | 6 | 70 | 106 | 7 | 113 |
| Hazlet Twp | 31 | 2 | 33 | 51 | 5 | 56 | 82 | 7 | 89 |
| Highlands Boro | 18 | 2 | 20 | 44 | 1 | 45 | 62 | 3 | 65 |
| Holmdel Twp | 25 | 1 | 26 | 32 | | 32 | 57 | 1 | 58 |
| Howell Twp | 82 | 7 | 89 | 111 | 31 | 142 | 193 | 38 | 231 |
| Interlaken Boro | 2 | | 2 | 7 | | 7 | 9 | | 9 |
| Keansburg Boro | 51 | | 51 | 113 | 9 | 122 | 164 | 9 | 173 |
| Keyport Boro | 29 | 1 | 30 | 49 | 2 | 51 | 78 | 3 | 81 |
| Little Silver Boro | 12 | 1 | 13 | 17 | 5 | 22 | 29 | 6 | 35 |
| Loch Arbour Village | 5 | | 5 | 13 | 1 | 14 | 18 | 1 | 19 |
| Long Branch City | 50 | | 50 | 160 | 15 | 175 | 210 | 15 | 225 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | Alcohol | | | Drugs | | | Total | |
|-----------------------|------|----------|-------|------|----------|-------|------|----------|-------|
| Monmouth | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Manalapan Twp | 32 | | 32 | 74 | 7 | 81 | 106 | 7 | 113 |
| Manasquan Boro | 30 | | 30 | 36 | 5 | 41 | 66 | 5 | 71 |
| Marlboro Twp | 35 | 1 | 36 | 65 | 5 | 70 | 100 | 6 | 106 |
| Matawan Boro | 17 | 1 | 18 | 49 | 7 | 56 | 66 | 8 | 74 |
| Middletown Twp | 86 | 8 | 94 | 171 | 42 | 213 | 257 | 50 | 307 |
| Millstone Twp | 14 | 2 | 16 | 31 | 3 | 34 | 45 | 5 | 50 |
| Monmouth Beach Boro | 6 | | 6 | 16 | | 16 | 22 | | 22 |
| Neptune City Boro | 36 | | 36 | 99 | 5 | 104 | 135 | 5 | 140 |
| Neptune Twp | 101 | | 101 | 229 | 16 | 245 | 330 | 16 | 346 |
| Ocean Twp | 38 | 3 | 41 | 80 | 14 | 94 | 118 | 17 | 135 |
| Oceanport Boro | 19 | | 19 | 13 | 1 | 14 | 32 | 1 | 33 |
| Red Bank Boro | 33 | 1 | 34 | 90 | 18 | 108 | 123 | 19 | 142 |
| Roosevelt Boro | 7 | | 7 | 2 | 3 | 5 | 9 | 3 | 12 |
| Rumson Boro | 3 | 2 | 5 | 7 | 1 | 8 | 10 | 3 | 13 |
| Sea Bright Boro | 2 | | 2 | 7 | | 7 | 9 | | 9 |
| Sea Girt Boro | 1 | | 1 | 6 | | 6 | 7 | | 7 |
| Shrewsbury Boro | 2 | 1 | 3 | 5 | 1 | 6 | 7 | 2 | 9 |
| Shrewsbury Twp | 6 | | 6 | 3 | 2 | 5 | 9 | 2 | 11 |
| South Belmar Boro | 5 | 1 | 6 | 6 | | 6 | 11 | 1 | 12 |
| Spring Lake Boro | 8 | 1 | 9 | 8 | | 8 | 16 | 1 | 17 |
| Spring Lake Hts Boro | 6 | | 6 | 9 | | 9 | 15 | | 15 |
| Tinton Falls Boro | 24 | | 24 | 66 | 6 | 72 | 90 | 6 | 96 |
| Union Beach Boro | 23 | 3 | 26 | 49 | 5 | 54 | 72 | 8 | 80 |
| Upper Freehold Twp | 6 | | 6 | 1 | | 1 | 7 | | 7 |
| Wall Twp | 32 | 10 | 42 | 33 | 6 | 39 | 65 | 16 | 81 |
| West Long Branch Boro | 3 | 1 | 4 | 5 | | 5 | 8 | 1 | 9 |
| Not Stated | 6 | | 6 | 7 | 1 | 8 | 13 | 1 | 14 |
| County Total | 1338 | 56 | 1394 | 2785 | 277 | 3062 | 4123 | 333 | 4456 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|----------------------|-----|----------|-------|-----|----------|-------|-----|----------|-------|
| Morris | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Boonton Town | 22 | | 22 | 41 | 1 | 42 | 63 | 1 | 64 |
| Boonton Twp | 11 | | 11 | 11 | 1 | 12 | 22 | 1 | 23 |
| Butler Boro | 22 | 1 | 23 | 9 | | 9 | 31 | 1 | 32 |
| Chatham Boro | 9 | | 9 | 5 | | 5 | 14 | | 14 |
| Chatham Twp | 14 | | 14 | 12 | 1 | 13 | 26 | 1 | 27 |
| Chester Boro | 11 | | 11 | 8 | | 8 | 19 | | 19 |
| Chester Twp | 2 | | 2 | 5 | 1 | 6 | 7 | 1 | 8 |
| Denville Twp | 31 | | 31 | 24 | | 24 | 55 | | 55 |
| Dover Town | 105 | 1 | 106 | 127 | 4 | 131 | 232 | 5 | 237 |
| East Hanover Twp | 20 | | 20 | 33 | | 33 | 53 | | 53 |
| Florham Park Boro | 8 | | 8 | 8 | | 8 | 16 | | 16 |
| Hanover Twp | 12 | | 12 | 22 | | 22 | 34 | | 34 |
| Harding Twp | 1 | | 1 | 3 | | 3 | 4 | | 4 |
| Jefferson Twp | 16 | 1 | 17 | 15 | 4 | 19 | 31 | 5 | 36 |
| Kinnelon Boro | 19 | | 19 | 10 | 2 | 12 | 29 | 2 | 31 |
| Lincoln Park Boro | 18 | | 18 | 22 | 3 | 25 | 40 | 3 | 43 |
| Madison Boro | 22 | | 22 | 29 | | 29 | 51 | | 51 |
| Mendham Boro | 12 | | 12 | 4 | | 4 | 16 | | 16 |
| Mendham Twp | | | | 2 | | 2 | 2 | | 2 |
| Mine Hill Twp | 8 | | 8 | 10 | | 10 | 18 | | 18 |
| Montville Twp | 28 | | 28 | 43 | 1 | 44 | 71 | 1 | 72 |
| Morris Plains Boro | 40 | 3 | 43 | 33 | | 33 | 73 | 3 | 76 |
| Morris Twp | 10 | | 10 | 20 | 3 | 23 | 30 | 3 | 33 |
| Morristown Town | 108 | | 108 | 161 | 1 | 162 | 269 | 1 | 270 |
| Mount Arlington Boro | 10 | | 10 | 18 | 2 | 20 | 28 | 2 | 30 |
| Mount Olive Twp | 48 | | 48 | 35 | 4 | 39 | 83 | 4 | 87 |
| Mountain Lakes Boro | 2 | | 2 | 5 | | 5 | 7 | | 7 |
| Netcong Boro | 11 | | 11 | 21 | 1 | 22 | 32 | 1 | 33 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | Alcohol | | | Drugs | | | Total | |
|---------------------------|-----|----------|-------|------|----------|-------|------|----------|-------|
| Morris | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Parsippany-Troy Hills Twp | 73 | | 73 | 105 | 1 | 106 | 178 | 1 | 179 |
| Passaic Twp | 12 | | 12 | 11 | 1 | 12 | 23 | 1 | 24 |
| Pequannock Twp | 16 | | 16 | 26 | 3 | 29 | 42 | 3 | 45 |
| Randolph Twp | 26 | | 26 | 31 | 1 | 32 | 57 | 1 | 58 |
| Riverdale Boro | 2 | | 2 | 8 | | 8 | 10 | | 10 |
| Rockaway Boro | 40 | | 40 | 37 | | 37 | 77 | | 77 |
| Rockaway Twp | 11 | 1 | 12 | 20 | | 20 | 31 | 1 | 32 |
| Roxbury Twp | 46 | | 46 | 93 | 3 | 96 | 139 | 3 | 142 |
| Victory Gardens Boro | 1 | | 1 | 1 | | 1 | 2 | | 2 |
| Washington Twp | 10 | | 10 | 14 | | 14 | 24 | | 24 |
| Wharton Boro | 30 | | 30 | 28 | | 28 | 58 | | 58 |
| Not Stated | 2 | | 2 | 3 | | 3 | 5 | | 5 |
| County Total | 889 | 7 | 896 | 1113 | 38 | 1151 | 2002 | 45 | 2047 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|------------------------|-----|----------|-------|-----|----------|-------|-----|----------|-------|
| Ocean | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Barnegat Light Boro | 14 | 1 | 15 | 15 | | 15 | 29 | 1 | 30 |
| Bay Head Boro | 9 | | 9 | 14 | 1 | 15 | 23 | 1 | 24 |
| Beach Haven Boro | 7 | | 7 | 14 | 1 | 15 | 21 | 1 | 22 |
| Beachwood Boro | 14 | 2 | 16 | 101 | 4 | 105 | 115 | 6 | 121 |
| Berkeley Twp | 30 | 3 | 33 | 58 | 7 | 65 | 88 | 10 | 98 |
| Brick Twp | 102 | 7 | 109 | 270 | 31 | 301 | 372 | 38 | 410 |
| Dover Twp | 110 | 6 | 116 | 419 | 28 | 447 | 529 | 34 | 563 |
| Eagleswood Twp | 22 | 2 | 24 | 35 | 3 | 38 | 57 | 5 | 62 |
| Harvey Cedars Boro | 2 | | 2 | 7 | | 7 | 9 | | 9 |
| Island Heights Boro | | | | 12 | | 12 | 12 | | 12 |
| Jackson Twp | 46 | 1 | 47 | 98 | 7 | 105 | 144 | 8 | 152 |
| Lacey Twp | 41 | 3 | 44 | 76 | 21 | 97 | 117 | 24 | 141 |
| Lakehurst Boro | 15 | 1 | 16 | 21 | 6 | 27 | 36 | 7 | 43 |
| Lakewood Twp | 71 | 1 | 72 | 115 | 7 | 122 | 186 | 8 | 194 |
| Lavallette Boro | 18 | 1 | 19 | 26 | 1 | 27 | 44 | 2 | 46 |
| Little Egg Harbor Twp | 19 | | 19 | 39 | 3 | 42 | 58 | 3 | 61 |
| Long Beach Twp | 15 | 1 | 16 | 28 | 4 | 32 | 43 | 5 | 48 |
| Manchester Twp | 23 | | 23 | 43 | 2 | 45 | 66 | 2 | 68 |
| Mantoloking Boro | 5 | | 5 | 11 | | 11 | 16 | | 16 |
| Ocean Gate Boro | 6 | | 6 | 29 | | 29 | 35 | | 35 |
| Ocean Twp | 10 | 2 | 12 | 37 | 11 | 48 | 47 | 13 | 60 |
| Pine Beach Boro | 3 | | 3 | 13 | | 13 | 16 | | 16 |
| Plumsted Twp | 6 | | 6 | 14 | 1 | 15 | 20 | 1 | 21 |
| Point Pleasant Boro | 37 | 3 | 40 | 52 | 3 | 55 | 89 | 6 | 95 |
| Pt Pleasant Beach Boro | 15 | | 15 | 18 | 3 | 21 | 33 | 3 | 36 |
| Seaside Heights Boro | 13 | | 13 | 33 | 2 | 35 | 46 | 2 | 48 |
| Seaside Park Boro | 3 | | 3 | 13 | 1 | 14 | 16 | 1 | 17 |

New Jersey Drug and Alcohol Treatment: 2001 Annual Statistical Perspective

| | | Alcohol | | | Drugs | | Total | | | |
|-----------------------|-----|----------|-------|------|----------|-------|-------|----------|-------|--|
| Ocean | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Ship Bottom Boro | 3 | | 3 | 1 | 1 | 2 | 4 | 1 | 5 | |
| South Toms River Boro | 22 | 2 | 24 | 68 | 3 | 71 | 90 | 5 | 95 | |
| Stafford Twp | 38 | 3 | 41 | 85 | 7 | 92 | 123 | 10 | 133 | |
| Surf City Boro | 4 | | 4 | 7 | 1 | 8 | 11 | 1 | 12 | |
| Tuckerton Boro | 19 | | 19 | 28 | 1 | 29 | 47 | 1 | 48 | |
| Twp of Barnegat | 26 | 2 | 28 | 59 | 12 | 71 | 85 | 14 | 99 | |
| Not Stated | 1 | | 1 | 2 | 1 | 3 | 3 | 1 | 4 | |
| County Total | 769 | 41 | 810 | 1861 | 173 | 2034 | 2630 | 214 | 2844 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|--------------------|-----|----------|-------|------|----------|-------|-------|----------|-------|--|
| Passaic | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Bloomingdale Boro | 10 | 2 | 12 | 8 | 1 | 9 | 18 | 3 | 21 | |
| Clifton City | 79 | | 79 | 199 | 2 | 201 | 278 | 2 | 280 | |
| Haledon Boro | 11 | | 11 | 47 | 4 | 51 | 58 | 4 | 62 | |
| Hawthorne Boro | 38 | | 38 | 43 | 5 | 48 | 81 | 5 | 86 | |
| Little Falls Twp | 6 | | 6 | 35 | 1 | 36 | 41 | 1 | 42 | |
| North Haledon Boro | 6 | | 6 | 11 | | 11 | 17 | | 17 | |
| Passaic City | 85 | 6 | 91 | 259 | 14 | 273 | 344 | 20 | 364 | |
| Paterson City | 253 | 1 | 254 | 2108 | 54 | 2162 | 2361 | 55 | 2416 | |
| Pompton Lakes Boro | 37 | | 37 | 33 | 6 | 39 | 70 | 6 | 76 | |
| Prospect Park Boro | 7 | | 7 | 25 | 2 | 27 | 32 | 2 | 34 | |
| Ringwood Boro | 19 | 1 | 20 | 24 | 2 | 26 | 43 | 3 | 46 | |
| Totowa Boro | 6 | | 6 | 16 | | 16 | 22 | | 22 | |
| Wanaque Boro | 17 | | 17 | 31 | 3 | 34 | 48 | 3 | 51 | |
| Wayne Twp | 74 | 2 | 76 | 112 | 2 | 114 | 186 | 4 | 190 | |
| West Milford Twp | 33 | 1 | 34 | 57 | 3 | 60 | 90 | 4 | 94 | |
| West Paterson Boro | 11 | | 11 | 34 | 1 | 35 | 45 | 1 | 46 | |
| Not Stated | 3 | | 3 | 5 | | 5 | 8 | | 8 | |
| County Total | 695 | 13 | 708 | 3047 | 100 | 3147 | 3742 | 113 | 3855 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | | Total | |
|--------------------------|-----|----------|-------|-----|----------|-------|-----|----------|-------|
| Salem | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Alloway Twp | 4 | | 4 | 4 | | 4 | 8 | | 8 |
| Carneys Point Twp | 13 | 2 | 15 | 25 | 2 | 27 | 38 | 4 | 42 |
| Elmer Boro | 11 | | 11 | 18 | 1 | 19 | 29 | 1 | 30 |
| Elsinboro Twp | | | | 1 | | 1 | 1 | | 1 |
| Lower Alloways Creek Twp | | | | 2 | 1 | 3 | 2 | 1 | 3 |
| Oldmans Twp | 3 | | 3 | 6 | 2 | 8 | 9 | 2 | 11 |
| Penns Grove Boro | 13 | | 13 | 39 | 9 | 48 | 52 | 9 | 61 |
| Pennsville Twp | 45 | 4 | 49 | 32 | 6 | 38 | 77 | 10 | 87 |
| Pilesgrove Twp | 3 | | 3 | 10 | 2 | 12 | 13 | 2 | 15 |
| Pittsgrove Twp | 12 | | 12 | 9 | | 9 | 21 | | 21 |
| Quinton Twp | 4 | | 4 | 2 | 1 | 3 | 6 | 1 | 7 |
| Salem City | 61 | 1 | 62 | 62 | 17 | 79 | 123 | 18 | 141 |
| Upper Pittsgrove Twp | 7 | | 7 | 14 | | 14 | 21 | | 21 |
| Woodstown Boro | 14 | 1 | 15 | 15 | 2 | 17 | 29 | 3 | 32 |
| Not Stated | 3 | | 3 | 2 | 1 | 3 | 5 | 1 | 6 |
| County Total | 193 | 8 | 201 | 241 | 44 | 285 | 434 | 52 | 486 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | | |
|------------------------|-----|----------|-------|-----|----------|-------|-------|----------|-------|--|
| Somerset | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Bedminster Twp | 17 | | 17 | 7 | 2 | 9 | 24 | 2 | 26 | |
| Bernards Twp | 10 | | 10 | 16 | | 16 | 26 | | 26 | |
| Bernardsville Boro | 12 | | 12 | 13 | 1 | 14 | 25 | 1 | 26 | |
| Bound Brook Boro | 41 | | 41 | 44 | 3 | 47 | 85 | 3 | 88 | |
| Branchburg Twp | 10 | 1 | 11 | 13 | 1 | 14 | 23 | 2 | 25 | |
| Bridgewater Twp | 40 | 1 | 41 | 87 | 6 | 93 | 127 | 7 | 134 | |
| Far Hills Boro | 3 | | 3 | 5 | | 5 | 8 | | 8 | |
| Franklin Twp | 43 | | 43 | 95 | 6 | 101 | 138 | 6 | 144 | |
| Green Brook Twp | 5 | | 5 | 16 | 1 | 17 | 21 | 1 | 22 | |
| Hillsborough Twp | 46 | | 46 | 39 | 2 | 41 | 85 | 2 | 87 | |
| Manville Boro | 25 | | 25 | 61 | 3 | 64 | 86 | 3 | 89 | |
| Millstone Boro | 1 | | 1 | 1 | | 1 | 2 | | 2 | |
| Montgomery Twp | 11 | | 11 | 5 | 1 | 6 | 16 | 1 | 17 | |
| North Plainfield Boro | 40 | 1 | 41 | 59 | 3 | 62 | 99 | 4 | 103 | |
| Peapack-Gladstone Boro | 2 | | 2 | 4 | | 4 | 6 | | 6 | |
| Raritan Boro | 17 | 2 | 19 | 7 | 2 | 9 | 24 | 4 | 28 | |
| Rocky Hill Boro | 1 | | 1 | 2 | | 2 | 3 | | 3 | |
| Somerville Boro | 55 | | 55 | 108 | 8 | 116 | 163 | 8 | 171 | |
| South Bound Brook Boro | 8 | | 8 | 15 | | 15 | 23 | | 23 | |
| Warren Twp | 9 | | 9 | 9 | 1 | 10 | 18 | 1 | 19 | |
| Watchung Boro | 5 | | 5 | 21 | | 21 | 26 | | 26 | |
| Not Stated | 1 | | 1 | 1 | | 1 | 2 | | 2 | |
| County Total | 402 | 5 | 407 | 628 | 40 | 668 | 1030 | 45 | 1075 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| Sussex | | Alcohol | | | Drugs | | Total | | | |
|------------------|-----|----------|-------|-----|----------|-------|-------|----------|-------|--|
| | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total | |
| | N | N | N | N | N | N | N | N | N | |
| Andover Boro | 7 | | 7 | 8 | 1 | 9 | 15 | 1 | 16 | |
| Andover Twp | 5 | | 5 | | | | 5 | | 5 | |
| Branchville Boro | 14 | | 14 | 8 | 2 | 10 | 22 | 2 | 24 | |
| Byram Twp | 1 | | 1 | | | | 1 | | 1 | |
| Frankford Twp | 2 | | 2 | 1 | 1 | 2 | 3 | 1 | 4 | |
| Franklin Boro | 17 | 1 | 18 | 31 | 4 | 35 | 48 | 5 | 53 | |
| Fredon Twp | 4 | | 4 | 3 | | 3 | 7 | | 7 | |
| Green Twp | | | | 3 | | 3 | 3 | | 3 | |
| Hamburg Boro | 16 | | 16 | 15 | 2 | 17 | 31 | 2 | 33 | |
| Hampton Twp | 2 | | 2 | 1 | | 1 | 3 | | 3 | |
| Hardyston Twp | 6 | | 6 | 12 | 1 | 13 | 18 | 1 | 19 | |
| Hopatcong Boro | 59 | | 59 | 50 | 4 | 54 | 109 | 4 | 113 | |
| Lafayette Twp | 5 | | 5 | 9 | | 9 | 14 | | 14 | |
| Montague Twp | 4 | 2 | 6 | 10 | 3 | 13 | 14 | 5 | 19 | |
| Newton Town | 51 | | 51 | 74 | 3 | 77 | 125 | 3 | 128 | |
| Ogdensburg Boro | 6 | | 6 | 4 | | 4 | 10 | | 10 | |
| Sandyston Twp | 2 | | 2 | | | | 2 | | 2 | |
| Sparta Twp | 41 | 1 | 42 | 49 | 4 | 53 | 90 | 5 | 95 | |
| Stanhope Boro | 26 | | 26 | 26 | | 26 | 52 | | 52 | |
| Stillwater Twp | 3 | | 3 | 1 | 1 | 2 | 4 | 1 | 5 | |
| Sussex Boro | 32 | 1 | 33 | 22 | 3 | 25 | 54 | 4 | 58 | |
| Vernon Twp | 23 | 1 | 24 | 32 | 8 | 40 | 55 | 9 | 64 | |
| Walpack Twp | | | | 1 | 1 | 2 | 1 | 1 | 2 | |
| Wantage Twp | 11 | | 11 | 25 | 2 | 27 | 36 | 2 | 38 | |
| Not Stated | | | | 1 | | 1 | 1 | | 1 | |
| County Total | 337 | 6 | 343 | 386 | 40 | 426 | 723 | 46 | 769 | |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | | Alcohol | | | Drugs | | Total | | |
|----------------------|-----|----------|-------|------|----------|-------|-------|----------|-------|
| Union | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Berkeley Heights Twp | 5 | 1 | 6 | 21 | 1 | 22 | 26 | 2 | 28 |
| Clark Twp | 29 | | 29 | 27 | | 27 | 56 | | 56 |
| Cranford Twp | 22 | | 22 | 33 | | 33 | 55 | | 55 |
| Elizabeth City | 244 | 10 | 254 | 1204 | 43 | 1247 | 1448 | 53 | 1501 |
| Fanwood Boro | 6 | 1 | 7 | 14 | 1 | 15 | 20 | 2 | 22 |
| Garwood Boro | 5 | | 5 | 10 | | 10 | 15 | | 15 |
| Hillside Twp | 31 | 1 | 32 | 136 | 3 | 139 | 167 | 4 | 171 |
| Kenilworth Boro | 7 | | 7 | 31 | 1 | 32 | 38 | 1 | 39 |
| Linden City | 45 | 1 | 46 | 250 | 7 | 257 | 295 | 8 | 303 |
| Mountainside Boro | 5 | | 5 | 9 | | 9 | 14 | | 14 |
| New Providence Boro | 4 | | 4 | 16 | | 16 | 20 | | 20 |
| Plainfield City | 93 | | 93 | 597 | 9 | 606 | 690 | 9 | 699 |
| Rahway City | 44 | | 44 | 143 | 4 | 147 | 187 | 4 | 191 |
| Roselle Boro | 30 | | 30 | 137 | 4 | 141 | 167 | 4 | 171 |
| Roselle Park Boro | 10 | | 10 | 48 | 2 | 50 | 58 | 2 | 60 |
| Scotch Plains Twp | 17 | 1 | 18 | 42 | | 42 | 59 | 1 | 60 |
| Springfield Twp | 6 | | 6 | 23 | | 23 | 29 | | 29 |
| Summit City | 19 | | 19 | 32 | 3 | 35 | 51 | 3 | 54 |
| Union Twp | 37 | 1 | 38 | 152 | 3 | 155 | 189 | 4 | 193 |
| Westfield Town | 25 | | 25 | 48 | | 48 | 73 | | 73 |
| Winfield Twp | 2 | | 2 | 8 | | 8 | 10 | | 10 |
| Not Stated | | | | 10 | 1 | 11 | 10 | 1 | 11 |
| County Total | 686 | 16 | 702 | 2991 | 82 | 3073 | 3677 | 98 | 3775 |

Table 30.(Continued)
Treatment Admissions by Municipality of Residence, Primary Drug and Age, 2001

| | Alcohol | | | | Drugs | | Total | | |
|-------------------|---------|----------|-------|-----|----------|-------|-------|----------|-------|
| Warren | 18+ | under 18 | Total | 18+ | under 18 | Total | 18+ | under 18 | Total |
| | N | N | N | N | N | N | N | N | N |
| Allamuchy Twp | 2 | | 2 | 2 | | 2 | 4 | | 4 |
| Alpha Boro | 2 | | 2 | 4 | 1 | 5 | 6 | 1 | 7 |
| Belvidere Town | 35 | | 35 | 51 | 7 | 58 | 86 | 7 | 93 |
| Blairstown Twp | 13 | 2 | 15 | 16 | 4 | 20 | 29 | 6 | 35 |
| Franklin Twp | 3 | | 3 | 1 | 1 | 2 | 4 | 1 | 5 |
| Frelinghuysen Twp | 1 | | 1 | 4 | | 4 | 5 | | 5 |
| Greenwich Twp | 4 | | 4 | 2 | 1 | 3 | 6 | 1 | 7 |
| Hackettstown Town | 60 | 5 | 65 | 106 | 10 | 116 | 166 | 15 | 181 |
| Hardwick Twp | 1 | | 1 | 1 | | 1 | 2 | | 2 |
| Harmony Twp | | 1 | 1 | | 1 | 1 | | 2 | 2 |
| Hope Twp | 1 | | 1 | 1 | | 1 | 2 | | 2 |
| Independence Twp | 3 | | 3 | 6 | 1 | 7 | 9 | 1 | 10 |
| Knowlton Twp | 6 | | 6 | 8 | | 8 | 14 | | 14 |
| Liberty Twp | 2 | | 2 | 6 | 2 | 8 | 8 | 2 | 10 |
| Lopatcong Twp | 3 | | 3 | | | | 3 | | 3 |
| Mansfield Twp | 7 | | 7 | 3 | | 3 | 10 | | 10 |
| Oxford Twp | 12 | | 12 | 16 | 1 | 17 | 28 | 1 | 29 |
| Pahaquarry Twp | 2 | | 2 | 1 | | 1 | 3 | | 3 |
| Phillipsburg Town | 125 | 7 | 132 | 112 | 31 | 143 | 237 | 38 | 275 |
| Pohatcong Twp | 3 | 1 | 4 | 4 | | 4 | 7 | 1 | 8 |
| Washington Boro | 38 | | 38 | 54 | 6 | 60 | 92 | 6 | 98 |
| Washington Twp | 23 | 2 | 25 | 40 | 11 | 51 | 63 | 13 | 76 |
| White Twp | 6 | | 6 | 7 | | 7 | 13 | | 13 |
| Not Stated | | | | 3 | | 3 | 3 | | 3 |
| County Total | 352 | 18 | 370 | 448 | 77 | 525 | 800 | 95 | 895 |